



**Healthy Youth Survey 2006  
Survey Results**

**Liberty Sr High School (Issaquah S.D.)**

**Grade 10**

RMC Research Corporation  
522 SW Fifth Avenue, Suite 1407  
Portland, OR 97204

March 2007

# Contents

---

Introduction and Overview .....	1
Key to the Notes.....	1
Highlights of the Local Results .....	2
Selected Results by Gender.....	3
General Information (Items 1–14).....	4
Alcohol, Tobacco, and Other Drug (ATOD) Use.....	6
Lifetime Use (Items 15–26) .....	6
30-Day Use (Items 27–42) .....	8
Other Tobacco-Related Questions (Items 43–63) .....	10
Other Alcohol- and Drug-Related Questions (Items 64–67).....	13
Other Health Concerns .....	14
Nutrition and Fitness (Items 68–89).....	14
Health Conditions and Health Care (Items 90–103) .....	18
Safety (Items 104–111) .....	20
Behaviors Related to Intentional Injuries (Items 112–121).....	21
Depression (Items 122–131) .....	22
School Climate (Items 132–142).....	23
Quality of Life (Items 143–150).....	25
Risk and Protective Factors .....	27
Risk and Protective Factor Framework and Reporting Schedule.....	28
Risk and Protective Factor Scale Results .....	29
Graph of Scale Results .....	31
Risk and Protective Factors: Individual Item Results.....	32
Community Domain (Items 151–173).....	32
Family Domain (Items 174–188) .....	35
School Domain (Items 189–206) .....	37
Peer and Individual Domain (Items 207–267) .....	39
List of Core Items .....	50
Item Index.....	50

# Healthy Youth Survey 2006 Survey Results

*Liberty Sr High School (Issaquah S.D.), Grade 10*

<b><i>Number of students surveyed:</i></b>	<b>248</b>
<b><i>Number of valid responses:</i></b>	<b>236</b>
<b><i>Estimate of enrolled students:*</i></b>	<b>329</b>
<b><i>Survey participation rate:**</i></b>	<b>72 %</b>

## ***Introduction and Overview***

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2006 Healthy Youth Survey in Washington State. This survey was sponsored by the Office of Superintendent of Public Instruction; the Department of Health; the Department of Social and Health Services; the Department of Community, Trade and Economic Development; and the Family Policy Council, in cooperation with schools throughout the state of Washington.

For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses (“*n*”) appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site (<http://www.hys.wa.gov/>).

Survey participation rates can be found on the Healthy Youth Survey web site. The following guidance from DOH may be used when reviewing your results. However, if a particular group(s) of students did not complete the survey and therefore did not contribute to your results, there may be limitations to your results even if you have a high participation rate (i.e., if differences exist between students who *did* and who *did not* complete the survey). There may be value in discussing the potential limitations when using the results in this report.

- 70% or greater participation – Results are probably representative of students in this grade.
- 40-69% participation – Results may be representative of students in this grade.
- Less than 40% participation – Results are likely not representative of students in this grade but do reflect students who completed the survey.

## **Key to the Notes**

The survey was administered in 3 versions. Forms A and B were administered to students in Grades 8, 10, and 12. These two forms contained a core set of common items (see “List of Core Items” on the last page of this report) and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of items drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and indicate the optional items:

A = wording on Form A

B = wording on Form B

C = wording on Form C

† = optional item

\* Estimate of enrolled students based on 2004–2005 figures from OSPI (or later if not available for that period).


\*\* Participation rate = valid responses ÷ enrolled students (may be >100% if enrollment greater in 2006 than 2004).

### Highlights of the Local Results


Your students and students statewide reported the following behaviors and attitudes:

	Your students		Statewide	
▪ Smoking cigarettes in the past 30 days (see item 28).	10.3%	(± 3.9%)	14.9%	(± 1.4%)
▪ Drinking alcohol in the past 30 days (see item 34).	30.0	(± 5.9)	32.8	(± 1.6)
▪ Using marijuana or hashish in the past 30 days (see item 35).	13.4	(± 4.3)	18.3	(± 1.4)
▪ Carrying a weapon at school in the past 30 days (see item 112, 113).	6.0	(± 3.1)	9.3	(± 1.0)
▪ Being bullied in the past 30 days (see item 132).	17.9	(± 4.9)	23.3	(± 1.2)
▪ Enjoyed being in school over the past year (see item 194).	37.4	(± 6.3)	41.3	(± 1.8)
▪ Feeling safe at school (see item 205).	86.6	(± 4.3)	77.4	(± 2.2)

#### Substance Use and Weapon Carrying in the Past 30 Days



#### Bullying and School Climate



## Selected Results by Gender

Selected items are presented by gender to highlight any differences between females and males. The p-values reported after each item can be used to examine whether differences in the local data between females and males are statistically significant. To ensure student anonymity, local results are suppressed for each item on this page if any cell (e.g., females who reported smoking) represented fewer than 15 students.

During the past 30 days, on how many days did you smoke cigarettes? (See item 28.)

	Local (n = *)		State (n = 8,304)	
	Female	Male	Female	Male
None	*.*%	*.*%	85.5%	84.7%
1 or more	*.*	*.*	14.5	15.3

*Note.*  $p = *$  from a chi-square test.

During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)? (See item 34.)

	Local (n = 232)		State (n = 8,291)	
	Female	Male	Female	Male
None	68.1%	71.6%	67.3%	67.2%
1 or more	31.9	28.4	32.7	32.8

*Note.*  $p = .567$  from a chi-square test.

Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) (See item 65.)

	Local (n = *)		State (n = 4,007)	
	Female	Male	Female	Male
None	*.*%	*.*%	81.4%	79.4%
Once or more	*.*	*.*	18.6	20.6

*Note.*  $p = *$  from a chi-square test.

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (See item 122.)

	Local (n = 230)		State (n = 8,027)	
	Female	Male	Female	Male
No	73.3%	79.8%	63.1%	77.0%
Yes	26.7	20.2	36.9	23.0

*Note.*  $p = .241$  from a chi-square test.

In the last 30 days, how often have you been bullied? (See item 132.)

	Local (n = 229)		State (n = 8,128)	
	Female	Male	Female	Male
I have not been bullied	83.5%	80.7%	76.3%	77.2%
Once or more	16.5	19.3	23.7	22.8

*Note.*  $p = .584$  from a chi-square test.

I feel safe at my school. (See item 205.)

	Local (n = 232)		State (n = 8,373)	
	Female	Male	Female	Male
No	12.9%	13.8%	20.3%	24.9%
Yes	87.1	86.2	79.7	75.1

*Note.*  $p = .847$  from a chi-square test.

## General Information

	Local (n = 236)		State (n = 8,495)	
1. How old are you?				
a. 12 or younger	0.0%	(± 0.0%)	0.1%	(± 0.0%)
b. 13	0.0	(± 0.0)	0.0	(± 0.0)
c. 14	1.7	(± 1.6)	1.4	(± 0.4)
d. 15	75.4	(± 5.5)	69.8	(± 1.8)
e. 16	22.5	(± 5.3)	26.6	(± 1.6)
f. 17	0.4	(± 0.8)	1.4	(± 0.4)
g. 18	0.0	(± 0.0)	0.3	(± 0.2)
h. 19 or older	0.0	(± 0.0)	0.2	(± 0.2)

[Item 2 appears only on the elementary version of the survey.]

	Local (n = 235)		State (n = 8,487)	
3. Are you:				
a. Female	49.8%	(± 6.5%)	51.9%	(± 1.2%)
b. Male	50.2	(± 6.5)	48.1	(± 1.2)

	Local (n = 233)		State (n = 8,429)	
4. How do you describe yourself? (Select one or more responses.)				
a. American Indian or Alaskan Native	1.7%	(± 1.8%)	3.1%	(± 1.0%)
b. Asian or Asian American	5.6	(± 2.9)	7.3	(± 3.1)
c. Black or African-American	2.1	(± 1.8)	4.3	(± 1.2)
d. Hispanic or Latino/Latina	4.7	(± 2.7)	10.4	(± 4.7)
e. Native Hawaiian or other Pacific Islander	1.3	(± 1.4)	2.7	(± 1.0)
f. White or Caucasian	73.8	(± 5.7)	59.7	(± 6.1)
g. Other	6.0	(± 3.1)	5.6	(± 0.6)
<i>More than one race/ethnicity marked</i>	4.7	(± 2.7)	6.9	(± 0.8)

	Local (n = 229)		State (n = 8,166)	
5. What language is usually spoken at home?				
a. English	84.3%	(± 4.7%)	84.1%	(± 3.9%)
b. Spanish	4.4	(± 2.7)	6.2	(± 3.3)
c. Russian	0.0	(± 0.0)	1.2	(± 0.4)
d. Ukrainian	1.3	(± 1.6)	1.0	(± 0.4)
e. Vietnamese	1.7	(± 1.8)	1.4	(± 0.6)
f. Chinese	2.6	(± 2.2)	1.2	(± 0.8)
g. Korean	0.0	(± 0.0)	0.9	(± 0.6)
h. Japanese	0.0	(± 0.0)	0.4	(± 0.2)
i. Other	5.7	(± 2.9)	3.7	(± 1.0)

[Item 6 appears only on the elementary version of the survey.]

7.	How far did your mother get in school?	Local (n = 227)	State (n = 8,170)
	a. Did not finish high school	3.5% (± 2.4%)	12.1% (± 2.5%)
	b. Graduated from high school or GED	18.1 (± 5.1)	22.5 (± 1.8)
	c. Had some college or technical training after high school	21.6 (± 5.3)	25.2 (± 1.8)
	d. Graduated from a 4-year college	34.4 (± 6.3)	17.4 (± 2.4)
	e. Earned an advanced graduate degree	13.7 (± 4.5)	7.7 (± 1.8)
	f. Don't know	6.2 (± 3.1)	12.9 (± 1.0)
	g. Does not apply	2.6 (± 2.2)	2.2 (± 0.4)
8.	How far did your father get in school?	Local (n = 229)	State (n = 8,142)
	a. Did not finish high school	3.9% (± 2.5%)	11.6% (± 2.2%)
	b. Graduated from high school or GED	15.3 (± 4.7)	21.7 (± 2.0)
	c. Had some college or technical training after high school	20.5 (± 5.3)	19.4 (± 1.6)
	d. Graduated from a 4-year college	31.4 (± 6.1)	16.1 (± 2.4)
	e. Earned an advanced graduate degree	17.5 (± 4.9)	10.9 (± 2.7)
	f. Don't know	9.2 (± 3.7)	17.2 (± 1.6)
	g. Does not apply	2.2 (± 2.0)	3.1 (± 0.4)
9.	How far in school do you think you will get? (Mark only one.)	Local (n = 108)	State (n = 4,053)
	a. Won't graduate from high school	4.6% (± 3.9%)	2.7% (± 0.4%)
	b. Will graduate from high school, but won't go any further	8.3 (± 5.3)	7.8 (± 1.2)
	c. Will go to a community college, technical, or other 2-year school after high school	11.1 (± 5.9)	20.1 (± 2.4)
	d. Will attend a 4-year college	12.0 (± 6.1)	11.5 (± 1.0)
	e. Will graduate from a 4-year college	36.1 (± 9.0)	34.6 (± 2.0)
	f. Will earn an advanced graduate degree	27.8 (± 8.4)	23.3 (± 2.4)
10.	Not counting chores around your home, how many hours per week are you currently working for pay?	Local (n = 108)	State (n = 3,982)
	a. None, not currently working	64.8% (± 9.0%)	70.0% (± 2.0%)
	b. 4 hours or less a week	17.6 (± 7.3)	13.2 (± 1.4)
	c. 5 – 10 hours a week	8.3 (± 5.3)	8.1 (± 1.2)
	d. 11 – 20 hours a week	4.6 (± 3.9)	4.5 (± 0.8)
	e. 21 – 30 hours a week	2.8 (± 3.1)	2.2 (± 0.4)
	f. 31 – 40 hours a week	0.9 (± 1.8)	0.8 (± 0.4)
	g. More than 40 hours a week	0.9 (± 1.8)	1.3 (± 0.4)
11.	Not counting chores around your home, while working for pay have you ever been injured badly enough that you needed to go to a nurse, doctor, or hospital? (Choose the worst injury you had.)	Local (n = 108)	State (n = 3,957)
	a. Never worked for pay	47.2% (± 9.4%)	47.1% (± 2.5%)
	b. Have worked, but never been injured enough to see nurse or doctor	38.9 (± 9.2)	39.3 (± 2.4)
	c. Back injury	3.7 (± 3.5)	2.8 (± 0.6)
	d. Other muscle injury (sprain or strain)	2.8 (± 3.1)	2.2 (± 0.4)
	e. Burn	1.9 (± 2.5)	1.1 (± 0.4)
	f. Cut	1.9 (± 2.5)	2.1 (± 0.6)
	g. Broken bone	1.9 (± 2.5)	1.6 (± 0.4)
	h. Head injury	0.0 (± 0.0)	0.8 (± 0.2)
	i. Other	1.9 (± 2.5)	2.9 (± 0.6)

12.	How would you describe the type of place that you currently work? (Pick your main job. Choose one.)	Local (n = 107)	State (n = 3,932)
a.	Not currently working	65.4% (± 9.0%)	66.2% (± 2.0%)
b.	Food service (including fast food, restaurant)	8.4 (± 5.3)	4.6 (± 1.0)
c.	Store (including stores like grocery, convenience, clothing, music, or gift stores)	1.9 (± 2.5)	2.8 (± 0.6)
d.	Gas station or auto repair	1.9 (± 2.5)	1.5 (± 0.4)
e.	Hospital, clinic, or nursing home	0.9 (± 1.8)	1.3 (± 0.4)
f.	Construction	1.9 (± 2.5)	2.6 (± 0.4)
g.	Farm or dairy	1.9 (± 2.5)	1.7 (± 0.4)
h.	Hotel or motel	0.0 (± 0.0)	0.4 (± 0.2)
i.	Babysitting	7.5 (± 4.9)	6.6 (± 0.8)
j.	Yard work	0.9 (± 1.8)	3.9 (± 1.0)
k.	Other	9.3 (± 5.5)	8.3 (± 1.0)
13.	On an average school night, how many hours do you sleep?	Local (n = 106)	State (n = 3,929)
a.	5 hours or less	12.3% (± 6.3%)	12.4% (± 1.4%)
b.	About 6 hours	27.4 (± 8.4)	22.8 (± 1.8)
c.	About 7 hours	34.9 (± 9.0)	30.5 (± 1.2)
d.	About 8 hours	18.9 (± 7.4)	27.5 (± 1.8)
e.	9 hours or more	6.6 (± 4.7)	6.8 (± 1.0)
14.	How honest were you in filling out this survey?	Local (n = 223)	State (n = 7,377)
a.	I was very honest	76.2% (± 5.7%)	82.9% (± 1.4%)
b.	I was honest pretty much of the time	20.6 (± 5.3)	14.2 (± 1.4)
c.	I was honest some of the time	3.1 (± 2.4)	3.0 (± 0.6)
d.	I was honest once in a while		Surveys pulled
e.	I was not honest at all		Surveys pulled

## Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated \$1.81 billion in 1990 and \$2.54 billion in 1996). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

### Lifetime Use

15.	Have you ever smoked a cigarette, even just a puff? (Computed from item 213.)	Local (n = 119)	State (n = 3,983)
a.	No	73.1% (± 8.0%)	64.5% (± 2.7%)
b.	Yes	26.9 (± 8.0)	35.5 (± 2.7)



16.	Have you ever smoked a whole cigarette? (Computed from item 46 or 47.)	Local (n = 232)	State (n = 8,245)
	a. No	85.3% (± 4.5%)	73.4% (± 2.2%)
	b. Yes	14.7 (± 4.5)	26.6 (± 2.2)
17.	Have you ever had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)? (Computed from item 214 or 215.)	Local (n = 230)	State (n = 8,201)
	a. No	45.2% (± 6.5%)	38.8% (± 2.0%)
	b. Yes	54.8 (± 6.5)	61.2 (± 2.0)
18.	Have you ever smoked marijuana? (Computed from item 211 or 212.)	Local (n = 230)	State (n = 8,235)
	a. No	76.5% (± 5.5%)	69.2% (± 2.2%)
	b. Yes	23.5 (± 5.5)	30.8 (± 2.2)
19.	Have you ever used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines. (Computed from item 219.)	Local (n = 118)	State (n = 3,963)
	a. No	94.1% (± 4.3%)	94.1% (± 1.0%)
	b. Yes	5.9 (± 4.3)	5.9 (± 1.0)
20.	Have you ever, even once in your life, used steroids (muscle builders) without a doctor's prescription?	Local (n = 111)	State (n = 4,248)
	a. No	97.3% (± 2.9%)	96.8% (± 0.6%)
	b. Yes	2.7 (± 2.9)	3.2 (± 0.6)
21.	Have you ever used cocaine? (Computed from item 220.)	Local (n = 118)	State (n = 3,958)
	a. No	91.5% (± 5.1%)	92.7% (± 1.2%)
	b. Yes	8.5 (± 5.1)	7.3 (± 1.2)
22.	Have you ever, even once in your life, used a needle to inject any illegal drug?	Local (n = 111)	State (n = 4,247)
	a. No	98.2% (± 2.5%)	97.5% (± 0.4%)
	b. Yes	1.8 (± 2.5)	2.5 (± 0.4)
23.	Have you ever used inhalants? (Computed from item 217.)	Local (n = 119)	State (n = 3,962)
	a. No	92.4% (± 4.7%)	89.3% (± 1.4%)
	b. Yes	7.6 (± 4.7)	10.7 (± 1.4)
[Items 24 and 25 appear only on the elementary version of the survey.]			
26.	About how many cigarettes have you smoked <u>in your entire life</u> ? <sup>†</sup>	Local (n = 107)	State (n = 2,241)
	a. None	82.2% (± 7.3%)	65.3% (± 2.5%)
	b. A puff or a whole cigarette	8.4 (± 5.3)	11.9 (± 1.4)
	c. 2-19 cigarettes	3.7 (± 3.5)	9.6 (± 1.0)
	d. 20-99 cigarettes	2.8 (± 3.1)	5.4 (± 1.2)
	e. 100 or more cigarettes (5 or more packs)	2.8 (± 3.1)	7.8 (± 1.2)

**30-Day Use (Use in the Past 30 Days)**

27.	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? †	Local (n = 106)	State (n = 2,208)
a.	I did not smoke during the past 30 days	92.5% (± 5.1%)	81.1% (± 2.2%)
b.	A puff or a whole cigarette per day	2.8 (± 3.1)	7.2 (± 1.0)
c.	2 – 5 per day	1.9 (± 2.5)	7.5 (± 1.2)
d.	6 – 20 per day	0.0 (± 0.0)	2.8 (± 0.8)
e.	More than 20 cigarettes per day	2.8 (± 3.1)	1.5 (± 0.6)

**During the past 30 days, on how many days did you:**

28.	Smoke cigarettes?	Local (n = 232)	State (n = 8,328)
a.	None	89.7% (± 3.9%)	85.1% (± 1.4%)
b.	1 – 2 days	4.3 (± 2.5)	4.8 (± 0.6)
c.	3 – 5 days	1.7 (± 1.8)	2.2 (± 0.4)
d.	6 – 9 days	0.9 (± 1.2)	1.6 (± 0.2)
e.	10 – 29 days	1.7 (± 1.8)	2.7 (± 0.4)
f.	All 30 days	1.7 (± 1.8)	3.5 (± 0.6)
	<i>Any use in past 30 days</i>	10.3 (± 3.9)	14.9 (± 1.4)
29.	Use chewing tobacco, snuff, or dip?	Local (n = 232)	State (n = 8,327)
a.	None	94.8% (± 2.9%)	93.6% (± 1.2%)
b.	1 – 2 days	2.2 (± 2.0)	2.6 (± 0.4)
c.	3 – 5 days	1.3 (± 1.4)	1.3 (± 0.2)
d.	6 – 9 days	0.4 (± 0.8)	0.8 (± 0.2)
e.	10 – 29 days	0.4 (± 0.8)	0.8 (± 0.2)
f.	All 30 days	0.9 (± 1.2)	1.0 (± 0.4)
	<i>Any use in past 30 days</i>	5.2 (± 2.9)	6.4 (± 1.2)
30.	Smoke cigars, cigarillos, or little cigars?	Local (n = 107)	State (n = 2,232)
a.	0 days	86.9% (± 6.5%)	83.2% (± 2.4%)
b.	1 – 2 days	9.3 (± 5.5)	7.8 (± 1.4)
c.	3 – 9 days	1.9 (± 2.5)	4.6 (± 1.0)
d.	10 – 29 days	0.0 (± 0.0)	2.0 (± 0.4)
e.	All 30 days	1.9 (± 2.5)	2.4 (± 0.6)
	<i>Any use in past 30 days</i>	13.1 (± 6.5)	16.8 (± 2.4)
31.	Smoke tobacco in a pipe? †	Local (n = 107)	State (n = 2,233)
a.	0 days	92.5% (± 4.9%)	89.9% (± 1.8%)
b.	1 – 2 days	1.9 (± 2.5)	3.8 (± 1.0)
c.	3 – 9 days	2.8 (± 3.1)	3.9 (± 1.2)
d.	10 – 29 days	0.9 (± 1.8)	1.5 (± 0.6)
e.	All 30 days	1.9 (± 2.5)	0.9 (± 0.4)
	<i>Any use in past 30 days</i>	7.5 (± 4.9)	10.1 (± 1.8)
32.	Smoke bidis (“beedies”, flavored cigarettes)? †	Local (n = 106)	State (n = 2,231)
a.	0 days	88.7% (± 6.1%)	87.3% (± 2.0%)
b.	1 – 2 days	4.7 (± 4.1)	6.3 (± 1.0)
c.	3 – 9 days	2.8 (± 3.1)	2.6 (± 0.8)
d.	10 – 29 days	1.9 (± 2.5)	2.1 (± 0.6)
e.	All 30 days	1.9 (± 2.5)	1.7 (± 0.6)
	<i>Any use in past 30 days</i>	11.3 (± 6.1)	12.7 (± 2.0)

	Local	State
33. Smoke clove cigarettes (kreteks)? <sup>†</sup>	(n = 107)	(n = 2,227)
a. 0 days	92.5% (± 4.9%)	90.5% (± 1.8%)
b. 1 – 2 days	1.9 (± 2.5)	3.9 (± 1.0)
c. 3 – 9 days	2.8 (± 3.1)	2.3 (± 0.8)
d. 10 – 29 days	0.0 (± 0.0)	1.5 (± 0.6)
e. All 30 days	2.8 (± 3.1)	1.8 (± 0.6)
<i>Any use in past 30 days</i>	7.5 (± 4.9)	9.5 (± 1.8)
34. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?	Local (n = 233)	State (n = 8,315)
a. None	70.0% (± 5.9%)	67.2% (± 1.6%)
b. 1 – 2 days	18.9 (± 5.1)	17.4 (± 1.2)
c. 3 – 5 days	6.0 (± 3.1)	8.0 (± 0.6)
d. 6 – 9 days	1.7 (± 1.8)	3.4 (± 0.4)
e. 10 or more days	3.4 (± 2.4)	4.1 (± 0.6)
<i>Any use in past 30 days</i>	30.0 (± 5.9)	32.8 (± 1.6)
35. Use marijuana or hashish (grass, hash, pot)?	Local (n = 231)	State (n = 8,314)
a. None	86.6% (± 4.3%)	81.7% (± 1.4%)
b. 1 – 2 days	5.2 (± 2.9)	6.7 (± 0.8)
c. 3 – 5 days	2.6 (± 2.0)	3.7 (± 0.4)
d. 6 – 9 days	2.6 (± 2.0)	1.9 (± 0.4)
e. 10 or more days	3.0 (± 2.2)	6.0 (± 0.8)
<i>Any use in past 30 days</i>	13.4 (± 4.3)	18.3 (± 1.4)
36. Not counting alcohol, tobacco, or marijuana, use another illegal drug?	Local (n = 230)	State (n = 8,308)
a. None	93.5% (± 3.1%)	92.8% (± 0.8%)
b. 1 – 2 days	1.3 (± 1.4)	3.3 (± 0.4)
c. 3 – 5 days	2.2 (± 2.0)	1.6 (± 0.4)
d. 6 – 9 days	1.3 (± 1.4)	1.0 (± 0.2)
e. 10 or more days	1.7 (± 1.8)	1.3 (± 0.2)
<i>Any use in past 30 days</i>	6.5 (± 3.1)	7.2 (± 0.8)
37. Use any illegal drug, including marijuana? (Computed from items 35 and 36.)	Local (n = 229)	State (n = 8,296)
None	86.9% (± 4.3%)	80.6% (± 1.4%)
1 or more	13.1 (± 4.3)	19.4 (± 1.4)
<i>Any use in the past 30 days</i>	13.1 (± 4.3)	19.4 (± 1.4)
38. Use methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.	Local (n = 232)	State (n = 8,286)
a. None	96.1% (± 2.5%)	97.1% (± 0.4%)
b. 1 – 2 days	2.2 (± 2.0)	1.2 (± 0.2)
c. 3 – 5 days	0.9 (± 1.2)	0.7 (± 0.2)
d. 6 – 9 days	0.0 (± 0.0)	0.5 (± 0.2)
e. 10 or more days	0.9 (± 1.2)	0.6 (± 0.2)
<i>Any use in past 30 days</i>	3.9 (± 2.5)	2.9 (± 0.4)

	Local	State
39. Use inhalants (things you sniff to get high)?	(n = 231)	(n = 8,266)
a. None	94.8% (± 2.9%)	94.3% (± 0.6%)
b. 1 – 2 days	3.0 (± 2.2)	3.2 (± 0.6)
c. 3 – 5 days	0.0 (± 0.0)	1.1 (± 0.2)
d. 6 – 9 days	1.3 (± 1.4)	0.6 (± 0.2)
e. 10 or more days	0.9 (± 1.2)	0.8 (± 0.2)
<i>Any use in past 30 days</i>	5.2 (± 2.9)	5.7 (± 0.6)
40. Use Ritalin without a doctor's orders?	(n = 120)	(n = 4,026)
a. None	95.0% (± 3.9%)	95.0% (± 1.0%)
b. 1 – 2 days	3.3 (± 3.1)	2.2 (± 0.6)
c. 3 – 5 days	0.0 (± 0.0)	1.2 (± 0.4)
d. 6 – 9 days	1.7 (± 2.4)	1.0 (± 0.4)
e. 10 or more days	0.0 (± 0.0)	0.6 (± 0.2)
<i>Any use in past 30 days</i>	5.0 (± 3.9)	5.0 (± 1.0)
41. Use a pain killer to get high, like Vicodin, OxyContin (sometimes called Oxy or OC) or Percocet (sometimes called Percs)?	(n = 232)	(n = 8,270)
a. None	92.7% (± 3.3%)	90.0% (± 1.2%)
b. 1 – 2 days	6.0 (± 3.1)	5.6 (± 0.8)
c. 3 – 5 days	0.4 (± 0.8)	2.3 (± 0.4)
d. 6 – 9 days	0.0 (± 0.0)	1.0 (± 0.2)
e. 10 or more days	0.9 (± 1.2)	1.2 (± 0.4)
<i>Any use in past 30 days</i>	7.3 (± 3.3)	10.0 (± 1.2)
42. During the past 30 days, on how many days (if any) have you been drunk or very high from drinking alcoholic beverages?	(n = 231)	(n = 8,244)
a. 0 days	80.1% (± 5.1%)	77.2% (± 1.6%)
b. 1 day	10.0 (± 3.9)	8.7 (± 0.8)
c. 2 – 3 days	6.5 (± 3.1)	7.5 (± 0.6)
d. 4 – 5 days	0.9 (± 1.2)	2.9 (± 0.4)
e. 6 or more days	2.6 (± 2.0)	3.8 (± 0.4)
<i>Any days in past 30 days</i>	19.9 (± 5.1)	22.8 (± 1.6)

### Other Tobacco-Related Questions

	Local	State
43. Have you ever smoked cigarettes every day for 30 days? †	(n = 105)	(n = 2,219)
a. No	94.3% (± 4.5%)	87.7% (± 1.8%)
b. Yes	5.7 (± 4.5)	12.3 (± 1.8)
44. If one of your best friends offered you a cigarette, would you smoke it?	(n = 231)	(n = 8,264)
a. Definitely no	75.8% (± 5.5%)	71.4% (± 1.4%)
b. Probably no	14.7 (± 4.5)	12.7 (± 0.6)
c. Probably yes	6.1 (± 3.1)	9.1 (± 0.8)
d. Definitely yes	3.5 (± 2.4)	6.9 (± 1.0)
45. Do you think that you will smoke a cigarette anytime in the next year?	(n = 228)	(n = 8,261)
a. Definitely no	72.8% (± 5.7%)	67.9% (± 1.4%)
b. Probably no	17.5 (± 4.9)	14.4 (± 0.8)
c. Probably yes	6.1 (± 3.1)	9.5 (± 0.8)
d. Definitely yes	3.5 (± 2.4)	8.1 (± 1.0)

46.	How old were you the first time you smoked a whole cigarette?	Local (n = 232)	State (n = 8,245)
a.	Never have	85.3% (± 4.5%)	73.4% (± 2.2%)
b.	10 or younger	2.2 (± 2.0)	5.1 (± 0.8)
c.	11	0.9 (± 1.2)	2.8 (± 0.4)
d.	12	2.6 (± 2.0)	3.6 (± 0.4)
e.	13	1.7 (± 1.8)	4.7 (± 0.6)
f.	14	3.0 (± 2.2)	5.5 (± 0.6)
g.	15	4.3 (± 2.5)	4.2 (± 0.6)
h.	16	0.0 (± 0.0)	0.4 (± 0.2)
i.	17 or older	0.0 (± 0.0)	0.3 (± 0.2)
[Item 47 appears only on the elementary version of the survey.]			
48.	Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking. (Computed from both items 44 and 45).	Local (n = 228)	State (n = 8,263)
a.	Yes, not susceptible	70.2% (± 5.9%)	65.5% (± 1.4%)
b.	No, susceptible	29.8 (± 5.9)	34.5 (± 1.4)
49.	Do you think young people risk harming themselves if they smoke 1 – 5 cigarettes a day?	Local (n = 110)	State (n = 4,238)
a.	Definitely no	7.3% (± 4.9%)	5.9% (± 0.8%)
b.	Probably no	3.6 (± 3.5)	3.1 (± 0.6)
c.	Probably yes	15.5 (± 6.7)	19.6 (± 1.8)
d.	Definitely yes	73.6 (± 8.2)	71.4 (± 2.4)
50.	During the past year in school, how many times did you get information in classes about the dangers of tobacco use?	Local (n = 105)	State (n = 4,219)
a.	None	35.2% (± 9.2%)	33.7% (± 3.5%)
b.	Once	24.8 (± 8.2)	22.8 (± 1.6)
c.	2 or 3 times	26.7 (± 8.4)	24.6 (± 1.8)
d.	4 or more times	13.3 (± 6.5)	18.8 (± 2.9)
51.	During the past year, did you practice ways to say NO to tobacco in any of your classes (for example, by role playing)?	Local (n = 110)	State (n = 4,254)
a.	Yes	13.6% (± 6.5%)	21.4% (± 4.5%)
b.	No	68.2 (± 8.6)	63.1 (± 4.3)
c.	Not sure	18.2 (± 7.3)	15.5 (± 1.2)
52.	Do you think that rules about not using tobacco at your school are usually enforced?	Local (n = 110)	State (n = 4,216)
a.	Definitely no	13.6% (± 6.5%)	15.3% (± 1.8%)
b.	Probably no	19.1 (± 7.3)	22.7 (± 2.2)
c.	Probably yes	42.7 (± 9.2)	42.6 (± 2.5)
d.	Definitely yes	24.5 (± 8.0)	19.4 (± 2.0)
53.	During the past 30 days, on how many days did you use tobacco (cigarettes, cigars, or chew/dip) on school property?	Local (n = 112)	State (n = 4,243)
a.	0 days	93.8% (± 4.5%)	91.1% (± 1.4%)
b.	1 – 2 days	2.7 (± 2.9)	3.8 (± 0.8)
c.	3 – 9 days	3.6 (± 3.5)	2.2 (± 0.4)
d.	10 – 29 days	0.0 (± 0.0)	1.3 (± 0.4)
e.	All 30 days	0.0 (± 0.0)	1.6 (± 0.4)

54.	During the past 12 months, have you ever tried to quit using tobacco (cigarettes, cigars, chew/dip)?	Local (n = 112)	State (n = 4,239)
a.	I did not use tobacco during the past 12 months	80.4% (± 7.4%)	77.7% (± 2.0%)
b.	Yes	5.4 (± 4.1)	10.8 (± 1.4)
c.	No	14.3 (± 6.5)	11.4 (± 1.2)
55.	Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?	Local (n = 109)	State (n = 3,804)
a.	Definitely no	11.9% (± 6.1%)	9.3% (± 1.4%)
b.	Probably no	4.6 (± 3.9)	5.5 (± 0.8)
c.	Probably yes	25.7 (± 8.2)	20.6 (± 1.6)
d.	Definitely yes	57.8 (± 9.2)	64.6 (± 2.2)
56.	Some tobacco companies make t-shirts, lighters, or other items that people can buy or receive for free. During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?	Local (n = 107)	State (n = 3,791)
a.	No	85.0% (± 6.7%)	86.4% (± 1.2%)
b.	Yes	15.0 (± 6.7)	13.6 (± 1.2)
57.	Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses?	Local (n = 108)	State (n = 3,776)
a.	Definitely no	50.9% (± 9.4%)	51.2% (± 2.2%)
b.	Probably no	33.3 (± 8.8)	26.7 (± 1.2)
c.	Probably yes	10.2 (± 5.7)	16.8 (± 2.0)
d.	Definitely yes	5.6 (± 4.3)	5.3 (± 0.8)
58.	During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	Local (n = 107)	State (n = 3,772)
a.	0 days	61.7% (± 9.2%)	52.0% (± 2.7%)
b.	1 – 2 days	20.6 (± 7.6)	22.8 (± 1.6)
c.	3 – 4 days	8.4 (± 5.3)	9.1 (± 0.8)
d.	5 – 6 days	2.8 (± 3.1)	4.9 (± 0.8)
e.	7 days	6.5 (± 4.7)	11.3 (± 1.6)
59.	During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?	Local (n = 108)	State (n = 3,762)
a.	0 days	74.1% (± 8.2%)	63.8% (± 3.1%)
b.	1 – 2 days	12.0 (± 6.1)	15.7 (± 1.4)
c.	3 – 4 days	1.9 (± 2.5)	8.6 (± 1.2)
d.	5 – 6 days	5.6 (± 4.3)	4.6 (± 0.8)
e.	7 days	6.5 (± 4.7)	7.2 (± 1.0)
60.	During the past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking?	Local (n = 107)	State (n = 3,745)
a.	Not in the past 30 days	23.4% (± 8.0%)	24.6% (± 1.6%)
b.	1 – 3 times in the past 30 days	25.2 (± 8.2)	29.1 (± 1.8)
c.	1 – 3 times per week	19.6 (± 7.4)	19.1 (± 1.4)
d.	Daily or almost daily	16.8 (± 7.1)	17.5 (± 1.4)
e.	More than once a day	15.0 (± 6.7)	9.6 (± 1.2)

	Local (n = 107)	State (n = 3,747)
61. Does anyone who lives with you now smoke cigarettes?		
a. No	73.8% (± 8.2%)	64.1% (± 3.1%)
b. Yes	26.2 (± 8.2)	35.9 (± 3.1)
62. Has either of your parents (or guardians) discussed the dangers of tobacco use with you?	Local (n = 107)	State (n = 3,707)
a. Mother (or female guardian) only	13.1% (± 6.5%)	16.5% (± 1.2%)
b. Father (or male guardian) only	5.6 (± 4.3)	6.7 (± 1.0)
c. Both	54.2 (± 9.4)	48.4 (± 2.2)
d. Neither	27.1 (± 8.4)	28.5 (± 1.8)
63. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.)	Local (n = 107)	State (n = 3,679)
a. I did not use tobacco during the past 30 days	85.0% (± 6.7%)	79.3% (± 2.2%)
b. I bought it in a store such as a convenience store, supermarket, discount store or gas station	1.9 (± 2.5)	2.8 (± 0.6)
c. I bought it from a vending machine	0.9 (± 1.8)	1.7 (± 0.4)
d. I gave someone else money to buy them for me	6.5 (± 4.7)	5.8 (± 1.0)
e. I borrowed (or bummed) them from someone else	3.7 (± 3.5)	4.1 (± 0.8)
f. A person 18 years old or older gave them to me	0.9 (± 1.8)	2.0 (± 0.4)
g. I took them from a store or a family member	0.9 (± 1.8)	1.3 (± 0.4)
h. I got them some other way	0.0 (± 0.0)	3.1 (± 0.6)

### Other Alcohol- and Drug-Related Questions

64. How much do you think people risk harming themselves if they smoke marijuana occasionally?	Local (n = 121)	State (n = 4,124)
a. No risk	13.2% (± 6.1%)	12.6% (± 1.0%)
b. Slight risk	17.4 (± 6.7)	17.7 (± 1.0)
c. Moderate risk	33.1 (± 8.4)	31.1 (± 1.6)
d. Great risk	33.1 (± 8.4)	34.8 (± 1.6)
e. Not sure	3.3 (± 3.1)	3.8 (± 0.6)
65. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	Local (n = 120)	State (n = 4,020)
a. None	87.5% (± 5.9%)	80.4% (± 1.8%)
b. Once	7.5 (± 4.7)	7.5 (± 1.0)
c. Twice	2.5 (± 2.7)	5.0 (± 0.6)
d. 3 – 5 times	0.8 (± 1.6)	3.5 (± 0.6)
e. 6 – 9 times	0.8 (± 1.6)	1.2 (± 0.4)
f. 10 or more times	0.8 (± 1.6)	2.3 (± 0.6)
66. How many times in the past year (12 months) have you been drunk or high at school?	Local (n = 231)	State (n = 8,262)
a. Never	87.0% (± 4.3%)	81.9% (± 1.6%)
b. 1 – 2 times	6.1 (± 3.1)	8.3 (± 0.8)
c. 3 – 5 times	2.6 (± 2.0)	3.7 (± 0.6)
d. 6 – 9 times	2.6 (± 2.0)	1.8 (± 0.4)
e. 10 or more times	1.7 (± 1.8)	4.4 (± 0.6)

	Local (n = 120)		State (n = 3,978)	
67. During the past 30 days, how did you usually get alcohol (beer, wine, or hard liquor)? Choose only one answer.				
a. I did not get alcohol in the past 30 days	74.2%	(± 7.8%)	68.9%	(± 2.2%)
b. I bought it from a store	0.8	(± 1.6)	1.2	(± 0.4)
c. I got it from friends	7.5	(± 4.7)	9.5	(± 1.0)
d. I gave money to someone to get it for me	4.2	(± 3.5)	6.0	(± 1.0)
e. I took it from home without permission	4.2	(± 3.5)	2.8	(± 0.6)
f. I got it at home with permission	2.5	(± 2.7)	3.5	(± 0.6)
g. I got it at a party	2.5	(± 2.7)	4.4	(± 0.6)
h. I got it some other way	4.2	(± 3.5)	3.7	(± 0.6)

## Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

### Nutrition and Fitness

68. Overweight: "Overweight" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "At risk for overweight" includes students who are in the top 15% but not the top 5%.

(Computed from numeric responses to "How tall are you without your shoes on?" and "How much do you weigh without your shoes on?")

Overweight

At risk for overweight

Not overweight

	Local (n = *)		State (n = 3,917)	
Overweight	*. *%	(± *. *%)	10.6%	(± 1.2%)
At risk for overweight	*. *	(± *. *)	14.0	(± 1.6)
Not overweight	*. *	(± *. *)	75.3	(± 2.4)

*Note.* Results are suppressed for building-level reports.

	Local (n = 110)		State (n = 4,162)	
69. Which of the following are you trying to do about your weight?				
a. I am not trying to do anything about my weight	30.9%	(± 8.6%)	28.6%	(± 1.4%)
b. Lose weight	32.7	(± 8.8)	42.2	(± 1.6)
c. Gain weight	13.6	(± 6.5)	12.4	(± 1.0)
d. Stay the same weight	22.7	(± 7.8)	16.8	(± 0.8)

	Local (n = 105)		State (n = 3,753)	
70. Number of servings of fruits and vegetables eaten per day (Computed from questions about the number and types of fruits and vegetables eaten over the past 7 days.)				
Less than 1	8.6%	(± 5.3%)	11.7%	(± 1.4%)
1 to less than 3	37.1	(± 9.2)	41.7	(± 1.4)
3 to less than 5	29.5	(± 8.8)	21.2	(± 1.2)
5 or more	24.8	(± 8.2)	25.4	(± 1.8)

	Local (n = 109)		State (n = 4,205)	
71. How many sodas or pops did you drink yesterday? (Do not count diet soda.)				
a. None	67.0%	(± 8.8%)	54.8%	(± 2.7%)
b. 1	19.3	(± 7.4)	25.4	(± 1.4)
c. 2	8.3	(± 5.1)	11.3	(± 1.2)
d. 3	4.6	(± 3.9)	4.9	(± 0.8)
e. 4 or more	0.9	(± 1.8)	3.6	(± 0.8)



[Item 72 appears only on the elementary version of the survey.]

73.	How often do you eat dinner with your family? <sup>†</sup> (Form C only)	Local (n = 109)	State (n = 4,222)
a.	Never	5.5% (± 4.3%)	6.6% (± 1.0%)
b.	Rarely	15.6 (± 6.9)	15.7 (± 1.4)
c.	Sometimes	15.6 (± 6.9)	19.4 (± 1.4)
d.	Most of the time	45.0 (± 9.4)	35.6 (± 2.0)
e.	Always	18.3 (± 7.3)	22.7 (± 1.8)
74.	How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food? <sup>†</sup>	Local (n = 107)	State (n = 2,314)
a.	Almost every month	3.7% (± 3.5%)	9.2% (± 1.8%)
b.	Some months but not every month	3.7 (± 3.5)	7.0 (± 1.2)
c.	Only 1 – 2 months	2.8 (± 3.1)	5.5 (± 1.2)
d.	Did not have to skip or cut the size of meals	89.7 (± 5.7)	78.3 (± 2.7)
75.	During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and weekend activities)? Do not include diet drinks.	Local (n = 109)	State (n = 4,221)
a.	0 times	19.3% (± 7.4%)	22.3% (± 2.0%)
b.	1 – 3 times	38.5 (± 9.2)	38.3 (± 2.0)
c.	4 – 6 times	22.9 (± 7.8)	17.2 (± 1.2)
d.	7 – 9 times	7.3 (± 4.9)	7.6 (± 1.2)
e.	10 times or more	11.9 (± 6.1)	14.5 (± 1.8)
76.	During the past 7 days, where did you usually get the soda or other sweetened drinks that you drank at school? (Choose only one answer.)	Local (n = 109)	State (n = 4,217)
a.	I did not drink sodas, sports drinks, or other flavored drinks at school	28.4% (± 8.4%)	25.4% (± 2.2%)
b.	I brought them from home	17.4 (± 7.1)	22.7 (± 2.4)
c.	I got them from friends	2.8 (± 3.1)	5.4 (± 0.8)
d.	I bought them at school	46.8 (± 9.4)	34.3 (± 3.9)
e.	Other	4.6 (± 3.9)	12.2 (± 2.4)
77.	During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items.	Local (n = 109)	State (n = 4,220)
a.	0 times	41.3% (± 9.2%)	38.1% (± 2.2%)
b.	1 – 3 times	42.2 (± 9.2)	39.4 (± 1.6)
c.	4 – 6 times	10.1 (± 5.7)	12.4 (± 1.2)
d.	7 – 9 times	2.8 (± 3.1)	4.8 (± 0.8)
e.	10 times or more	3.7 (± 3.5)	5.3 (± 0.8)

78.	During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer)				
		Local		State	
		(n = 109)		(n = 4,206)	
a.	I did not eat potato chips or similar snack foods at school	38.5%	(± 9.2%)	38.2%	(± 2.0%)
b.	I brought them from home	31.2	(± 8.6)	23.7	(± 2.2)
c.	I got them from friends	7.3	(± 4.9)	7.3	(± 0.8)
d.	I bought them at school	21.1	(± 7.6)	21.6	(± 2.4)
e.	Other	1.8	(± 2.5)	9.2	(± 2.2)
79.	Did you eat breakfast today?	Local		State	
		(n = 109)		(n = 4,221)	
a.	Yes	59.6%	(± 9.2%)	59.9%	(± 2.5%)
b.	No	40.4	(± 9.2)	40.1	(± 2.5)

**On how many of the past 7 days did you:**

80.	Exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?				
		Local		State	
		(n = 110)		(n = 4,202)	
a.	0 days	17.3%	(± 7.1%)	15.5%	(± 1.6%)
b.	1 day	7.3	(± 4.9)	8.3	(± 1.0)
c.	2 days	9.1	(± 5.3)	8.0	(± 1.0)
d.	3 days	15.5	(± 6.7)	10.2	(± 1.0)
e.	4 days	9.1	(± 5.3)	8.8	(± 1.2)
f.	5 days	12.7	(± 6.3)	17.8	(± 1.2)
g.	6 days	5.5	(± 4.3)	8.8	(± 1.2)
h.	7 days	23.6	(± 8.0)	22.5	(± 1.8)
81.	Do physical activity for at least 30 minutes that did not make you sweat and breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?				
		Local		State	
		(n = 108)		(n = 4,186)	
a.	0 days	18.5%	(± 7.3%)	22.5%	(± 1.6%)
b.	1 day	13.0	(± 6.3)	12.1	(± 1.0)
c.	2 days	16.7	(± 7.1)	12.2	(± 1.2)
d.	3 days	13.9	(± 6.5)	10.8	(± 0.8)
e.	4 days	6.5	(± 4.7)	7.5	(± 1.0)
f.	5 days	9.3	(± 5.5)	9.8	(± 1.0)
g.	6 days	2.8	(± 3.1)	4.3	(± 0.6)
h.	7 days	19.4	(± 7.4)	20.8	(± 1.4)
82.	In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)				
		Local		State	
		(n = 105)		(n = 4,186)	
a.	0 days	18.1%	(± 7.4%)	20.2%	(± 1.8%)
b.	1 day	7.6	(± 5.1)	9.7	(± 1.2)
c.	2 days	14.3	(± 6.7)	10.0	(± 0.8)
d.	3 days	11.4	(± 6.1)	10.2	(± 1.2)
e.	4 days	13.3	(± 6.5)	8.0	(± 1.0)
f.	5 days	11.4	(± 6.1)	15.0	(± 1.2)
g.	6 days	7.6	(± 5.1)	8.2	(± 0.8)
h.	7 days	16.2	(± 7.1)	18.7	(± 1.6)

83.	On an average school day, how many hours do you watch TV, including videos and DVDs?	Local (n = 107)	State (n = 4,191)
a.	I do not watch TV on an average school day	19.6% (± 7.4%)	12.0% (± 1.4%)
b.	Less than 1 hour per day	18.7 (± 7.4)	18.5 (± 1.4)
c.	1 hour per day	16.8 (± 7.1)	17.0 (± 1.0)
d.	2 hours per day	21.5 (± 7.8)	23.0 (± 1.4)
e.	3 hours per day	14.0 (± 6.7)	14.8 (± 1.4)
f.	4 hours per day	5.6 (± 4.3)	6.4 (± 1.0)
g.	5 or more hours per day	3.7 (± 3.5)	8.3 (± 1.2)
84.	On an average school day, how many hours do you play video games or use a computer for fun? (Include activities such as Nintendo, Game Boy, Play Station, computer games, and the Internet.)	Local (n = 108)	State (n = 4,189)
a.	I do not play video games or use a computer for fun on an average school day	24.1% (± 8.0%)	21.7% (± 2.0%)
b.	Less than 1 hour per day	24.1 (± 8.0)	21.7 (± 1.6)
c.	1 hour per day	21.3 (± 7.6)	16.8 (± 1.4)
d.	2 hours per day	14.8 (± 6.7)	16.4 (± 1.4)
e.	3 hours per day	8.3 (± 5.3)	10.1 (± 1.2)
f.	4 hours per day	5.6 (± 4.3)	5.8 (± 0.8)
g.	5 or more hours per day	1.9 (± 2.5)	7.5 (± 1.0)
[Item 85 appears only on the elementary version of the survey.]			
86.	In an average week when you are in school, on how many days do you go to physical education (PE) classes?	Local (n = 106)	State (n = 4,184)
a.	0 days	59.4% (± 9.4%)	52.7% (± 5.3%)
b.	1 day	4.7 (± 4.1)	1.7 (± 0.4)
c.	2 days	7.5 (± 5.1)	2.4 (± 1.0)
d.	3 days	23.6 (± 8.0)	3.8 (± 2.4)
e.	4 days	1.9 (± 2.5)	4.3 (± 3.1)
f.	5 days	2.8 (± 3.1)	35.1 (± 6.5)
87.	During an average PE class, how many minutes do you spend actually exercising or playing sports?	Local (n = 108)	State (n = 4,189)
a.	I do not take PE	54.6% (± 9.4%)	48.8% (± 5.3%)
b.	Less than 10 minutes	1.9 (± 2.5)	1.7 (± 0.4)
c.	10 – 20 minutes	1.9 (± 2.5)	3.4 (± 1.0)
d.	21 – 30 minutes	2.8 (± 3.1)	6.8 (± 1.4)
e.	31 – 40 minutes	1.9 (± 2.5)	11.2 (± 2.0)
f.	41 – 50 minutes	9.3 (± 5.5)	13.4 (± 2.5)
g.	51 – 60 minutes	9.3 (± 5.5)	8.2 (± 1.6)
h.	More than 60 minutes	18.5 (± 7.3)	6.6 (± 2.7)
88.	During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.	Local (n = 230)	State (n = 8,198)
a.	0 days	24.3% (± 5.5%)	35.6% (± 2.5%)
b.	1 – 2 days	25.7 (± 5.7)	23.7 (± 1.2)
c.	3 or more days	50.0 (± 6.5)	40.7 (± 2.4)

89.	Not counting very short trips, such as walking from the car to your house or walking to get the mail, in an average week, on how many days do you bicycle or walk near your home or to school?		
		Local (n = 107)	State (n = 3,992)
a.	I do not walk or bike near my home or to school	47.7% (± 9.4%)	33.0% (± 2.0%)
b.	1 – 2 days	27.1 (± 8.4)	26.5 (± 1.2)
c.	3 or more days	25.2 (± 8.2)	40.5 (± 2.0)

### Health Conditions and Health Care

90.	Have you ever been told by a doctor or other health professional that you had asthma?		
		Local (n = 108)	State (n = 4,162)
a.	Yes	22.2% (± 7.8%)	19.0% (± 1.6%)
b.	No	72.2 (± 8.4)	75.1 (± 1.6)
c.	Not sure	5.6 (± 4.3)	6.0 (± 0.8)
91.	During the past 12 months, have you had an asthma attack or taken asthma medication?		
		Local (n = 108)	State (n = 4,151)
a.	Never had asthma	52.8% (± 9.4%)	51.9% (± 1.8%)
b.	Yes	14.8 (± 6.7)	12.9 (± 1.2)
c.	No	29.6 (± 8.6)	32.2 (± 1.4)
d.	Not sure	2.8 (± 3.1)	3.0 (± 0.6)
92.	During the past 12 months, have you had an asthma attack? <sup>†</sup>		
		Local (n = 106)	State (n = 2,207)
a.	Yes	10.4% (± 5.9%)	14.6% (± 1.6%)
b.	No	85.8 (± 6.7)	81.1 (± 2.0)
c.	I don't know	3.8 (± 3.7)	4.3 (± 1.0)
93.	During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma? <sup>†</sup>		
		Local (n = 103)	State (n = 2,207)
a.	I do not have asthma	71.8% (± 8.6%)	70.4% (± 1.8%)
b.	None	21.4 (± 7.8)	22.6 (± 1.6)
c.	1 to 3 times	4.9 (± 4.1)	4.5 (± 1.0)
d.	4 to 9 times	1.0 (± 2.0)	1.1 (± 0.6)
e.	10 to 12 times	0.0 (± 0.0)	0.4 (± 0.2)
f.	More than 12 times	0.0 (± 0.0)	0.2 (± 0.2)
g.	I don't know	1.0 (± 2.0)	0.8 (± 0.4)
94.	During the past 12 months, how many times did you see a doctor, nurse or other health professional for a routine checkup for your asthma? <sup>†</sup>		
		Local (n = 105)	State (n = 2,183)
a.	I do not have asthma	76.2% (± 8.2%)	70.8% (± 2.0%)
b.	None	16.2 (± 7.1)	17.5 (± 1.6)
c.	1 to 3 times	4.8 (± 4.1)	7.1 (± 1.2)
d.	4 to 9 times	1.9 (± 2.5)	2.4 (± 0.8)
e.	10 to 12 times	0.0 (± 0.0)	0.8 (± 0.4)
f.	More than 12 times	0.0 (± 0.0)	0.3 (± 0.4)
g.	I don't know	1.0 (± 1.8)	1.1 (± 0.4)

95.	During the past 12 months, how many days did you stay out of school or stay away from your usual activities because of your asthma? <sup>†</sup>		
		Local (n = 105)	State (n = 2,185)
	a. I do not have asthma	74.3% (± 8.4%)	71.4% (± 2.0%)
	b. None	12.4 (± 6.3)	19.6 (± 1.4)
	c. 1 to 2 days	4.8 (± 4.1)	4.1 (± 0.8)
	d. 3 to 4 days	5.7 (± 4.5)	1.9 (± 0.6)
	e. 5 to 10 days	1.9 (± 2.5)	1.5 (± 0.6)
	f. More than 10 days	0.0 (± 0.0)	0.9 (± 0.6)
	g. I don't know	1.0 (± 1.8)	0.6 (± 0.4)
96.	It is possible that you may have asthma and don't know it. <u>Symptoms of asthma</u> include cough, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 30 days, how often did you have any <u>symptoms of asthma</u> ? <sup>†</sup>		
		Local (n = 104)	State (n = 2,175)
	a. Not at any time	73.1% (± 8.4%)	65.3% (± 2.0%)
	b. Less than once a week	4.8 (± 4.1)	13.0 (± 1.6)
	c. Once or twice a week	10.6 (± 5.9)	7.4 (± 1.2)
	d. More than 2 times a week, but not every day	4.8 (± 4.1)	5.3 (± 1.0)
	e. Every day, but not all the time	1.9 (± 2.5)	3.0 (± 0.6)
	f. Every day, all the time	2.9 (± 3.1)	1.2 (± 0.4)
	g. I don't know	1.9 (± 2.5)	4.7 (± 1.2)
97.	During the past 30 days, how many days did <u>symptoms of asthma</u> make it difficult for you to stay asleep at night? <sup>†</sup>		
		Local (n = 105)	State (n = 2,173)
	a. None	83.8% (± 7.1%)	82.3% (± 2.0%)
	b. 1 to 2 days	7.6 (± 5.1)	8.2 (± 1.2)
	c. 3 to 4 days	1.0 (± 1.8)	3.3 (± 0.8)
	d. 5 to 10 days	2.9 (± 3.1)	1.7 (± 0.6)
	e. More than 10 days	2.9 (± 3.1)	2.1 (± 0.8)
	f. I don't know	1.9 (± 2.5)	2.4 (± 0.8)
98.	An asthma plan is a printed sheet of instructions that tells when to change the amount or type of asthma medicine, when to call the doctor, and when to go to the emergency room. Has a doctor or other health professional EVER given you an asthma plan? <sup>†</sup>		
		Local (n = 105)	State (n = 2,176)
	a. I do not have asthma.	76.2% (± 8.2%)	72.6% (± 2.0%)
	b. Yes	5.7 (± 4.5)	8.4 (± 1.4)
	c. No	6.7 (± 4.7)	13.6 (± 1.2)
	d. I don't know	11.4 (± 6.1)	5.4 (± 1.0)
99.	During the past 12 months have you taken the preventive kind of asthma medicine used everyday to protect your lungs and keep you from having attacks? (Include both pills and inhalers. This is different from inhalers used while you are having an asthma attack.) <sup>†</sup>		
		Local (n = 105)	State (n = 2,173)
	a. I do not have asthma.	77.1% (± 8.0%)	74.6% (± 1.8%)
	b. Yes	6.7 (± 4.7)	9.0 (± 1.2)
	c. No	11.4 (± 6.1)	12.7 (± 1.2)
	d. I don't know	4.8 (± 4.1)	3.7 (± 0.8)

100.	Have you ever been told by a doctor or other health professional that you have diabetes?	Local (n = 108)	State (n = 3,682)
	a. No	93.5% (± 4.7%)	92.6% (± 1.2%)
	b. Yes	1.9 (± 2.5)	4.5 (± 0.8)
	c. I don't know	4.6 (± 3.9)	2.9 (± 0.6)
101.	Are you now taking any medication for your diabetes?	Local (n = 107)	State (n = 3,675)
	a. I do not have diabetes	89.7% (± 5.7%)	90.7% (± 1.4%)
	b. Yes, I'm taking insulin	3.7 (± 3.5)	2.6 (± 0.8)
	c. Yes, I'm taking diabetes pills	2.8 (± 3.1)	1.6 (± 0.4)
	d. Yes, I'm taking both insulin and pills	0.9 (± 1.8)	0.6 (± 0.2)
	e. No	0.9 (± 1.8)	3.7 (± 0.8)
	f. I don't know	1.9 (± 2.5)	0.8 (± 0.4)
102.	When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were not sick or injured?	Local (n = 108)	State (n = 4,146)
	a. During the past 12 months	69.4% (± 8.6%)	58.4% (± 2.4%)
	b. Between 12 and 24 months ago	9.3 (± 5.5)	17.2 (± 1.6)
	c. More than 24 months ago	10.2 (± 5.7)	8.2 (± 1.0)
	d. Never	1.9 (± 2.5)	4.2 (± 0.6)
	e. Not sure	9.3 (± 5.5)	11.9 (± 1.2)
103.	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?	Local (n = 108)	State (n = 4,143)
	a. During the past 12 months	74.1% (± 8.2%)	71.5% (± 2.7%)
	b. Between 12 and 24 months ago	10.2 (± 5.7)	11.6 (± 1.2)
	c. More than 24 months ago	3.7 (± 3.5)	7.7 (± 1.2)
	d. Never	2.8 (± 3.1)	2.3 (± 0.6)
	e. Not sure	9.3 (± 5.5)	6.9 (± 1.2)

## Safety

104.	When you rode a bicycle during the past 12 months, how often did you wear a helmet?	Local (n = 110)	State (n = 4,270)
	a. I did not ride a bicycle in the past 12 months	21.8% (± 7.6%)	28.2% (± 2.2%)
	b. Never wore a helmet	39.1 (± 9.2)	43.6 (± 4.1)
	c. Rarely wore a helmet	9.1 (± 5.3)	8.3 (± 1.2)
	d. Sometimes wore a helmet	7.3 (± 4.9)	4.8 (± 0.8)
	e. Most of the time wore a helmet	9.1 (± 5.3)	6.4 (± 1.4)
	f. Always wore a helmet	13.6 (± 6.5)	8.6 (± 1.6)

[Item 105 appears only on the elementary version of the survey.]

106.	How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	Local (n = 111)	State (n = 4,281)
	a. Never go boating in a small boat	12.6% (± 6.3%)	21.8% (± 3.1%)
	b. Never	13.5 (± 6.3)	14.7 (± 1.4)
	c. Less than half the time	8.1 (± 5.1)	11.4 (± 1.2)
	d. About half the time	11.7 (± 6.1)	10.2 (± 1.2)
	e. More than half the time	17.1 (± 7.1)	12.3 (± 1.2)
	f. Always	36.9 (± 9.0)	29.5 (± 2.0)

107. How often do you wear a seat belt when riding in a car (driven by someone else) <sup>B?</sup>	Local (n = 112)	State (n = 4,280)
a. Never	0.9% (± 1.8%)	1.4% (± 0.4%)
b. Rarely	0.9 (± 1.8)	2.7 (± 0.6)
c. Sometimes	4.5 (± 3.9)	5.0 (± 1.0)
d. Most of the time	20.5 (± 7.4)	20.4 (± 1.4)
e. Always	73.2 (± 8.2)	70.5 (± 2.2)

108. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	Local (n = 111)	State (n = 4,275)
a. 0 times	75.7% (± 8.0%)	75.5% (± 1.8%)
b. 1 time	13.5 (± 6.3)	10.0 (± 0.8)
c. 2 – 3 times	4.5 (± 3.9)	8.0 (± 1.0)
d. 4 – 5 times	3.6 (± 3.5)	2.2 (± 0.4)
e. 6 or more times	2.7 (± 2.9)	4.4 (± 0.8)

[Item 109 appears only on the elementary version of the survey.]

110. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	Local (n = 112)	State (n = 4,262)
a. 0 times	93.8% (± 4.5%)	92.6% (± 1.0%)
b. 1 time	2.7 (± 2.9)	3.4 (± 0.6)
c. 2 – 3 times	2.7 (± 2.9)	1.9 (± 0.4)
d. 4 – 5 times	0.0 (± 0.0)	0.8 (± 0.2)
e. 6 or more times	0.9 (± 1.8)	1.4 (± 0.4)

[Item 111 appears only on the elementary version of the survey.]

### Behaviors Related to Intentional Injuries

112. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?	Local (n = 233)	State (n = 8,424)
a. 0 days	94.0% (± 3.1%)	90.7% (± 1.0%)
b. 1 – 5 days	3.0 (± 2.2)	5.3 (± 0.8)
c. 6 or more days	3.0 (± 2.2)	4.0 (± 0.6)

[Item 113 appears only on the elementary version of the survey.]

114. During the past 12 months, how many times were you in a physical fight?	Local (n = 233)	State (n = 8,408)
a. 0 times	76.0% (± 5.5%)	71.1% (± 1.6%)
b. 1 time	10.7 (± 3.9)	13.2 (± 0.8)
c. 2 – 3 times	6.9 (± 3.3)	9.0 (± 0.8)
d. 4 – 5 times	2.1 (± 1.8)	2.6 (± 0.4)
e. 6 or more times	4.3 (± 2.5)	4.0 (± 0.4)

115. During the past 12 months, have you been a member of a gang?	Local (n = 119)	State (n = 3,937)
a. No	89.9% (± 5.5%)	90.3% (± 1.2%)
b. Yes	10.1 (± 5.5)	9.7 (± 1.2)

116. During the past 12 months, how many times were you in a physical fight on school property?	Local (n = 112)	State (n = 4,275)
a. 0 times	95.5% (± 3.9%)	87.6% (± 1.4%)
b. 1 time	3.6 (± 3.5)	7.9 (± 1.0)
c. 2 – 3 times	0.0 (± 0.0)	2.9 (± 0.6)
d. 4 – 5 times	0.0 (± 0.0)	0.7 (± 0.2)
e. 6 or more times	0.9 (± 1.8)	0.9 (± 0.2)
[Item 117 appears only on the elementary version of the survey.]		
118. During the past 12 months, did your boyfriend or girlfriend ever limit your activities, threaten you, or make you feel unsafe in any other way? <sup>†</sup>	Local (n = 106)	State (n = 2,268)
a. No	91.5% (± 5.3%)	87.7% (± 1.6%)
b. Yes	8.5 (± 5.3)	12.3 (± 1.6)
119. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? <sup>†</sup>	Local (n = 106)	State (n = 2,257)
a. No	90.6% (± 5.5%)	90.1% (± 1.2%)
b. Yes	9.4 (± 5.5)	9.9 (± 1.2)
120. Have you ever been physically abused by an adult? <sup>†</sup>	Local (n = 106)	State (n = 2,257)
a. No	80.2% (± 7.6%)	77.3% (± 1.2%)
b. Yes	19.8 (± 7.6)	22.7 (± 1.2)
121. Not counting TV, movies, video games, and sporting events, have you seen an adult hit, slap, punch, shove, kick, or otherwise physically hurt another adult more than one time? <sup>†</sup>	Local (n = 106)	State (n = 2,249)
a. No	74.5% (± 8.2%)	64.5% (± 2.0%)
b. Yes	25.5 (± 8.2)	35.5 (± 2.0)

## Depression

122. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	Local (n = 231)	State (n = 8,049)
a. Yes	23.4% (± 5.5%)	30.3% (± 1.4%)
b. No	76.6 (± 5.5)	69.7 (± 1.4)
123. During the past 12 months, did you ever seriously consider attempting suicide?	Local (n = 112)	State (n = 4,272)
a. Yes	10.7% (± 5.7%)	15.1% (± 1.2%)
b. No	89.3 (± 5.7)	84.9 (± 1.2)
124. During the past 12 months, did you make a plan about how you would attempt suicide?	Local (n = 112)	State (n = 4,262)
a. Yes	7.1% (± 4.7%)	11.9% (± 1.2%)
b. No	92.9 (± 4.7)	88.1 (± 1.2)
125. During the past 12 months, did you actually attempt suicide?	Local (n = 112)	State (n = 4,237)
a. Yes	3.6% (± 3.5%)	4.6% (± 0.8%)
b. No	96.4 (± 3.5)	95.4 (± 0.8)



[Item 126 and 127 appear only on the elementary version of the survey.]

128.	When you feel sad or hopeless, are there adults you can turn to for help?	Local (n = 110)	State (n = 4,257)
	a. I never feel sad or hopeless	18.2% (± 7.3%)	19.8% (± 1.4%)
	b. Yes	55.5 (± 9.2)	48.9 (± 1.8)
	c. No	12.7 (± 6.3)	15.6 (± 1.2)
	d. Not sure	13.6 (± 6.5)	15.8 (± 1.6)
129.	How likely would you be to seek help if you were feeling depressed or suicidal?	Local (n = 107)	State (n = 4,125)
	a. I never feel depressed or suicidal	43.0% (± 9.4%)	40.7% (± 1.6%)
	b. Very likely	15.9 (± 6.9)	17.2 (± 1.0)
	c. Somewhat likely	12.1 (± 6.3)	15.8 (± 1.0)
	d. Somewhat unlikely	14.0 (± 6.7)	11.0 (± 0.8)
	e. Very unlikely	15.0 (± 6.7)	15.4 (± 1.4)
130.	How likely would you be to seek help for a friend who you thought might be depressed or suicidal?	Local (n = 106)	State (n = 4,094)
	a. Very likely	59.4% (± 9.4%)	58.6% (± 2.2%)
	b. Somewhat likely	21.7 (± 7.8)	24.5 (± 2.0)
	c. Somewhat unlikely	10.4 (± 5.9)	7.2 (± 1.0)
	d. Very unlikely	8.5 (± 5.3)	9.7 (± 1.4)
131.	Last year in school, did you see or hear information at your school about youth suicide prevention?	Local (n = 109)	State (n = 4,045)
	a. Yes	51.4% (± 9.4%)	41.7% (± 6.5%)
	b. No	27.5 (± 8.4)	41.5 (± 5.1)
	c. I'm not sure	21.1 (± 7.6)	16.8 (± 1.8)

## School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

132.	A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?	Local (n = 229)	State (n = 8,149)
	a. I have not been bullied	82.1% (± 4.9%)	76.7% (± 1.2%)
	b. Once	10.0 (± 3.9)	10.4 (± 0.8)
	c. 2 – 3 times	4.8 (± 2.7)	6.6 (± 0.6)
	d. About once a week	1.3 (± 1.6)	2.7 (± 0.4)
	e. Several times a week	1.7 (± 1.8)	3.7 (± 0.6)

***In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school:***

133. Because of your race, ethnicity, or national origin or what someone thought it was?	Local (n = 108)	State (n = 4,126)
a. 0 times	85.2% (± 6.7%)	84.8% (± 1.0%)
b. 1 time	5.6 (± 4.3)	7.0 (± 0.8)
c. 2 – 3 times	8.3 (± 5.3)	4.0 (± 0.6)
d. About once a week	0.0 (± 0.0)	1.6 (± 0.4)
e. Several times a week or more	0.9 (± 1.8)	2.6 (± 0.4)
134. Because of your religion or what someone thought it was?	Local (n = 107)	State (n = 4,123)
a. 0 times	89.7% (± 5.7%)	86.2% (± 1.4%)
b. 1 time	4.7 (± 3.9)	7.3 (± 1.0)
c. 2 – 3 times	2.8 (± 3.1)	3.8 (± 0.6)
d. About once a week	0.0 (± 0.0)	1.1 (± 0.4)
e. Several times a week or more	2.8 (± 3.1)	1.6 (± 0.4)
135. Because someone thought you were gay, lesbian, or bisexual (whether you are or are not)?	Local (n = 107)	State (n = 4,109)
a. 0 times	87.9% (± 6.3%)	86.7% (± 1.6%)
b. 1 time	6.5 (± 4.7)	5.7 (± 0.8)
c. 2 – 3 times	1.9 (± 2.5)	3.8 (± 0.8)
d. About once a week	1.9 (± 2.5)	1.6 (± 0.4)
e. Several times a week or more	1.9 (± 2.5)	2.3 (± 0.6)
136. Because of your gender (being male or female)? This includes sexual jokes, gestures, or comments that make you feel uncomfortable.	Local (n = 106)	State (n = 4,105)
a. 0 times	82.1% (± 7.3%)	79.1% (± 1.8%)
b. 1 time	7.5 (± 5.1)	8.2 (± 0.8)
c. 2 – 3 times	4.7 (± 4.1)	6.4 (± 0.8)
d. About once a week	4.7 (± 4.1)	3.0 (± 0.6)
e. Several times a week or more	0.9 (± 1.8)	3.2 (± 0.6)
137. Because you have a health problem or physical or mental disability, or someone thought you did?	Local (n = 108)	State (n = 4,103)
a. 0 times	88.9% (± 5.9%)	89.8% (± 1.2%)
b. 1 time	6.5 (± 4.7)	4.1 (± 0.6)
c. 2 – 3 times	2.8 (± 3.1)	2.4 (± 0.4)
d. About once a week	0.9 (± 1.8)	1.3 (± 0.4)
e. Several times a week or more	0.9 (± 1.8)	2.4 (± 0.6)
138. Because of any other reason?	Local (n = 108)	State (n = 4,095)
a. 0 times	79.6% (± 7.6%)	75.4% (± 1.8%)
b. 1 time	9.3 (± 5.5)	10.6 (± 1.0)
c. 2 – 3 times	5.6 (± 4.3)	6.8 (± 0.8)
d. About once a week	1.9 (± 2.5)	2.8 (± 0.6)
e. Several times a week or more	3.7 (± 3.5)	4.4 (± 0.6)

139. In the past 30 days, has someone used the computer or a cell phone to bully, harass or intimidate you?	Local (n = 106)	State (n = 4,058)
a. Yes	12.3% (± 6.3%)	11.6% (± 0.8%)
b. No	84.0 (± 7.1)	80.4 (± 1.2)
c. I'm not sure	3.8 (± 3.7)	8.0 (± 0.6)
140. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?	Local (n = 229)	State (n = 8,126)
a. No	3.5% (± 2.4%)	7.3% (± 0.6%)
b. Yes	76.4 (± 5.5)	67.0 (± 2.9)
c. I'm not sure	20.1 (± 5.1)	25.6 (± 2.9)
141. Last year in school, were you taught about preventing sexually transmitted diseases (STD) other than HIV or AIDS?	Local (n = 108)	State (n = 4,064)
a. Yes	66.7% (± 8.8%)	71.8% (± 6.3%)
b. No	22.2 (± 7.8)	19.5 (± 4.9)
c. I'm not sure	11.1 (± 5.9)	8.7 (± 1.8)
142. Last year in school, were you taught about HIV or AIDS infection?	Local (n = 109)	State (n = 4,071)
a. Yes	64.2% (± 9.0%)	72.3% (± 6.1%)
b. No	22.9 (± 7.8)	19.3 (± 4.7)
c. I'm not sure	12.8 (± 6.3)	8.5 (± 1.8)

## Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to individual quality of life.

143. Youth Quality of Life (Computed from items 144 to 149.)	Local (n = 110)	State (n = 3,879)
a. Low	23.6% (± 8.0%)	28.4% (± 1.6%)
b. Medium low	30.9 (± 8.6)	29.3 (± 1.6)
c. Medium high	20.9 (± 7.6)	22.7 (± 1.4)
d. High	24.5 (± 8.0)	19.6 (± 1.4)
144. I feel I am getting along with my parents or guardians.	Local (n = 111)	State (n = 3,906)
a. 0 not at all true	3.6% (± 3.5%)	5.7% (± 0.6%)
b. 1	3.6 (± 3.5)	3.1 (± 0.6)
c. 2	1.8 (± 2.5)	3.7 (± 0.6)
d. 3	2.7 (± 2.9)	4.3 (± 0.6)
e. 4	1.8 (± 2.5)	4.1 (± 0.8)
f. 5	12.6 (± 6.3)	8.1 (± 1.0)
g. 6	3.6 (± 3.5)	6.4 (± 0.8)
h. 7	13.5 (± 6.3)	13.0 (± 1.4)
i. 8	15.3 (± 6.7)	15.8 (± 1.2)
j. 9	18.0 (± 7.1)	13.8 (± 1.2)
k. 10 completely true	23.4 (± 7.8)	21.9 (± 1.8)

	Local (n = 110)	State (n = 3,904)
145. I look forward to the future.		
a. 0 not at all true	2.7% (± 3.1%)	3.1% (± 0.4%)
b. 1	4.5 (± 3.9)	2.3 (± 0.6)
c. 2	0.9 (± 1.8)	2.2 (± 0.6)
d. 3	1.8 (± 2.5)	2.3 (± 0.4)
e. 4	3.6 (± 3.5)	2.7 (± 0.6)
f. 5	5.5 (± 4.3)	6.2 (± 0.8)
g. 6	3.6 (± 3.5)	4.5 (± 0.6)
h. 7	7.3 (± 4.9)	8.2 (± 1.2)
i. 8	19.1 (± 7.3)	12.6 (± 1.0)
j. 9	11.8 (± 6.1)	12.5 (± 1.2)
k. 10 completely true	39.1 (± 9.2)	43.4 (± 2.4)
146. I feel good about myself.		
a. 0 not at all true	2.7% (± 3.1%)	3.8% (± 0.6%)
b. 1	2.7 (± 3.1)	2.6 (± 0.4)
c. 2	0.0 (± 0.0)	3.6 (± 0.6)
d. 3	3.6 (± 3.5)	4.4 (± 0.6)
e. 4	10.0 (± 5.7)	3.8 (± 0.6)
f. 5	4.5 (± 3.9)	8.6 (± 0.8)
g. 6	10.0 (± 5.7)	7.7 (± 1.0)
h. 7	12.7 (± 6.3)	11.1 (± 1.0)
i. 8	11.8 (± 6.1)	15.7 (± 1.4)
j. 9	18.2 (± 7.3)	15.7 (± 1.2)
k. 10 completely true	23.6 (± 8.0)	22.9 (± 1.8)
147. I am satisfied with the way my life is now.		
a. 0 not at all true	4.6% (± 3.9%)	6.4% (± 0.8%)
b. 1	1.9 (± 2.5)	3.2 (± 0.6)
c. 2	5.6 (± 4.3)	3.8 (± 0.6)
d. 3	3.7 (± 3.5)	5.1 (± 0.8)
e. 4	5.6 (± 4.3)	5.4 (± 0.6)
f. 5	10.2 (± 5.7)	8.4 (± 0.8)
g. 6	8.3 (± 5.3)	8.4 (± 0.8)
h. 7	8.3 (± 5.3)	11.9 (± 1.0)
i. 8	13.9 (± 6.5)	14.5 (± 1.0)
j. 9	20.4 (± 7.6)	13.6 (± 1.2)
k. 10 completely true	17.6 (± 7.3)	19.3 (± 1.4)
148. I feel alone in my life.		
a. 0 not at all true	40.0% (± 9.2%)	36.7% (± 1.6%)
b. 1	10.9 (± 5.9)	11.9 (± 1.2)
c. 2	8.2 (± 5.1)	9.3 (± 1.2)
d. 3	9.1 (± 5.3)	5.7 (± 0.6)
e. 4	1.8 (± 2.5)	5.1 (± 0.6)
f. 5	2.7 (± 3.1)	6.3 (± 0.8)
g. 6	9.1 (± 5.3)	4.8 (± 0.6)
h. 7	6.4 (± 4.5)	6.0 (± 1.0)
i. 8	2.7 (± 3.1)	5.5 (± 0.6)
j. 9	4.5 (± 3.9)	4.1 (± 0.6)
k. 10 completely true	4.5 (± 3.9)	4.6 (± 0.8)

	Local ( <i>n</i> = 110)		State ( <i>n</i> = 3,866)	
149. Compared with others my age, my life is				
a. 0 much worse than others	4.5%	(± 3.9%)	4.0%	(± 0.6%)
b. 1	3.6	(± 3.5)	2.4	(± 0.4)
c. 2	0.9	(± 1.8)	3.6	(± 0.6)
d. 3	1.8	(± 2.5)	4.4	(± 0.6)
e. 4	4.5	(± 3.9)	6.1	(± 1.0)
f. 5	10.9	(± 5.9)	15.2	(± 1.2)
g. 6	10.0	(± 5.7)	9.3	(± 0.8)
h. 7	21.8	(± 7.6)	15.7	(± 1.0)
i. 8	13.6	(± 6.5)	14.1	(± 1.4)
j. 9	13.6	(± 6.5)	9.9	(± 0.8)
k. 10 much better than others	14.5	(± 6.7)	15.3	(± 1.6)

[Item 150 appears only on the elementary version of the survey.]

## Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

The table on the following page provides the complete list of risk and protective factors and indicates the years the Healthy Youth Survey has included each factor.

**Risk and Protective Factor Framework and Reporting Schedule**

	Healthy Youth Survey Administration Year					
	1995	1998	2000	2002	2004	2006
<b>Community Risk Factors</b>						
Low Neighborhood Attachment	X	X	X	X <sup>S</sup>		X
Community Disorganization	X					
Transitions and Mobility	X				X <sup>S</sup>	
Perceived Availability of Drugs	X	X	X	X	X	X
Perceived Availability of Handguns	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X
<b>Community Protective Factors</b>						
Opportunities for Prosocial Involvement			X	X	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X
<b>Family Risk Factors</b>						
Family History of Antisocial Behavior	X					
Poor Family Management	X			X <sup>S</sup>	X <sup>S</sup>	X <sup>S,†</sup>
Family Conflict						
Parental Attitudes Favorable towards Drug Use					X <sup>S</sup>	
Parental Attitudes Favorable to Antisocial Behavior	X				X <sup>S</sup>	
Antisocial Behavior Among Familiar Adults				X <sup>S</sup>		
<b>Family Protective Factors</b>						
Attachment						
Opportunities for Prosocial Involvement	X			X	X <sup>E</sup>	X <sup>†</sup>
Rewards for Prosocial Involvement	X			X	X <sup>E</sup>	X <sup>†</sup>
<b>School Risk Factors</b>						
Academic Failure	X	X	X	X	X	X
Low Commitment to School	X	X	X	X	X	X
<b>School Protective Factors</b>						
Opportunities for Prosocial Involvement	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X
<b>Peer-Individual Risk Factors</b>						
Rebelliousness	X	X				
Gang Involvement						
Perceived Risk of Drug Use		X	X	X	X	X
Early Initiation of Drug Use			X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Sensation Seeking	X	X				
Rewards for Antisocial Involvement		X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Friends' Use of Drugs	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers	X	X			X <sup>S</sup>	X <sup>S</sup>
Intentions to Use				X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
<b>Peer-Individual Protective Factors</b>						
Interaction With Prosocial Peers					X	X
Belief in the Moral Order	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Prosocial Involvement					X	X
Rewards for Prosocial Involvement						
Social Skills	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Religiosity		X				

Note. S = Included only on the secondary version; E = Included only on the elementary version; † = Based on optional items.

## Risk and Protective Factor Scale Results

For each *risk* factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that *more* students are likely to engage in problem behaviors. For each *protective* factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that *fewer* students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

<b>Community Risk Factors</b>	Local ( <i>n</i> = 123)	State ( <i>n</i> = 4,212)
Low Neighborhood Attachment (Items 151–153)	36.6% (± 8.4%)	47.9% (± 2.7%)
Perceived Availability of Drugs (Items 154–157)	20.3% (± 7.1%) ( <i>n</i> = 123)	32.7% (± 2.0%) ( <i>n</i> = 4,187)
Perceived Availability of Handguns (Items 158)	20.3% (± 7.1%) ( <i>n</i> = 123)	21.5% (± 2.0%) ( <i>n</i> = 4,194)
Laws And Norms Favorable to Drug Use (Items 159–164)	35.8% (± 8.4%)	39.1% (± 3.1%)
<b>Community Protective Factors</b>	Local ( <i>n</i> = 121)	State ( <i>n</i> = 4,108)
Opportunities for Prosocial Involvement (Items 165–170)	72.7% (± 7.8%) ( <i>n</i> = 123)	66.1% (± 3.1%) ( <i>n</i> = 4,189)
Rewards for Prosocial Involvement (Items 171–173)	68.3% (± 8.2%)	56.2% (± 2.4%)
<b>Family Risk Factors</b>	Local ( <i>n</i> = 119)	State ( <i>n</i> = 2,257)
Poor Family Management (Items 174–181)	43.7% (± 8.8%)	42.5% (± 2.5%)
<b>Family Protective Factors</b>	Local ( <i>n</i> = 118)	State ( <i>n</i> = 2,225)
Opportunities for Prosocial Involvement (Items 182–184)	54.2% (± 9.0%) ( <i>n</i> = 119)	53.5% (± 2.7%) ( <i>n</i> = 2,207)
Rewards for Prosocial Involvement (Items 185–188)	58.0% (± 8.8%)	54.9% (± 2.7%)
<b>School Risk Factors</b>	Local ( <i>n</i> = 114)	State ( <i>n</i> = 4,081)
Academic Failure (Items 189–190)	43.0% (± 9.0%) ( <i>n</i> = 122)	50.6% (± 2.0%) ( <i>n</i> = 4,185)
Low Commitment to School (Items 191–197)	41.0% (± 8.8%)	39.9% (± 1.8%)
<b>School Protective Factors</b>	Local ( <i>n</i> = 122)	State ( <i>n</i> = 4,161)
Opportunities for Prosocial Involvement (Items 198–202)	59.8% (± 8.6%) ( <i>n</i> = 121)	57.7% (± 2.2%) ( <i>n</i> = 4,145)
Rewards for Prosocial Involvement (Items 203–206)	64.5% (± 8.6%)	61.1% (± 1.8%)

**Peer-Individual Risk Factors**


	Local ( <i>n</i> = 116)	State ( <i>n</i> = 3,967)
Perceived Risk of Drug Use (Items 207–210)	33.6% (± 8.6%)	35.0% (± 2.2%)
Early Initiation of Drug Use (Items 211, 213–214, 216)	22.7% (± 7.4%) ( <i>n</i> = 119)	31.4% (± 2.4%) ( <i>n</i> = 3,973)
Early Initiation of Antisocial Behavior (Items 221–224)	25.2% (± 7.8%) ( <i>n</i> = 119)	39.4% (± 3.1%) ( <i>n</i> = 3,948)
Favorable Attitudes Towards Drug Use (Items 225–228)	27.7% (± 8.0%) ( <i>n</i> = 119)	37.2% (± 1.8%) ( <i>n</i> = 3,865)
Favorable Attitudes Towards Antisocial Behavior (Items 229–230, 232–234)	39.5% (± 8.8%) ( <i>n</i> = 121)	44.7% (± 2.5%) ( <i>n</i> = 4,111)
Rewards for Antisocial Involvement (Items 235–238)	48.8% (± 8.8%) ( <i>n</i> = 118)	47.2% (± 1.8%) ( <i>n</i> = 3,793)
Friends' Use of Drugs (Items 239–242)	16.9% (± 6.9%) ( <i>n</i> = 120)	29.7% (± 2.4%) ( <i>n</i> = 4,062)
Interaction With Antisocial Peers (Items 243–248)	44.2% (± 8.8%) ( <i>n</i> = 119)	51.8% (± 3.5%) ( <i>n</i> = 3,774)
Intentions to Use (Items 249–251)	36.1% (± 8.6%)	40.7% (± 2.0%)

**Peer-Individual Protective Factors**

	Local ( <i>n</i> = 119)	State ( <i>n</i> = 3,822)
Interaction With Prosocial Peers (Items 252–256)	62.2% (± 8.6%) ( <i>n</i> = 121)	55.3% (± 2.9%) ( <i>n</i> = 4,108)
Belief in the Moral Order (Items 257–260)	71.1% (± 8.0%) ( <i>n</i> = 122)	65.5% (± 1.6%) ( <i>n</i> = 4,175)
Prosocial Involvement (Items 261–263)	73.8% (± 7.8%) ( <i>n</i> = 118)	54.3% (± 3.3%) ( <i>n</i> = 4,077)
Social Skills (Items 264–267)	64.4% (± 8.6%)	56.9% (± 2.2%)



### Graph of Scale Results



## Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors.

### Community Domain

	Local (n = 123)	State (n = 4,202)
151. I'd like to get out of my neighborhood		
a. NO!	26.8% (± 7.8%)	20.8% (± 2.0%)
b. no	44.7 (± 8.8)	46.5 (± 2.0)
c. yes	22.0 (± 7.3)	22.8 (± 1.6)
d. YES!	6.5 (± 4.3)	9.9 (± 1.2)
152. If I had to move, I would miss the neighborhood I now live in.	Local (n = 123)	State (n = 4,201)
a. NO!	5.7% (± 4.1%)	10.2% (± 1.4%)
b. no	17.1 (± 6.7)	27.9 (± 1.6)
c. yes	52.0 (± 8.8)	42.7 (± 2.2)
d. YES!	25.2 (± 7.6)	19.2 (± 1.4)
153. I like my neighborhood.	Local (n = 122)	State (n = 4,188)
a. NO!	5.7% (± 4.1%)	7.4% (± 1.0%)
b. no	9.0 (± 5.1)	17.3 (± 1.8)
c. yes	63.9 (± 8.4)	58.7 (± 2.0)
d. YES!	21.3 (± 7.3)	16.6 (± 1.6)
154. If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?	Local (n = 123)	State (n = 4,188)
a. Very hard	26.0% (± 7.8%)	19.4% (± 1.6%)
b. Sort of hard	23.6 (± 7.4)	23.9 (± 1.6)
c. Sort of easy	27.6 (± 7.8)	29.3 (± 1.4)
d. Very easy	22.8 (± 7.4)	27.4 (± 2.2)
155. If you wanted to get some cigarettes, how easy would it be for you to get some?	Local (n = 230)	State (n = 7,868)
a. Very hard	30.0% (± 5.9%)	24.0% (± 1.6%)
b. Sort of hard	23.9 (± 5.5)	19.3 (± 1.0)
c. Sort of easy	23.0 (± 5.5)	23.0 (± 0.8)
d. Very easy	23.0 (± 5.5)	33.8 (± 1.8)
156. If you wanted to get some marijuana, how easy would it be for you to get some?	Local (n = 123)	State (n = 4,179)
a. Very hard	41.5% (± 8.6%)	33.9% (± 2.4%)
b. Sort of hard	22.0 (± 7.3)	19.5 (± 1.0)
c. Sort of easy	19.5 (± 7.1)	20.9 (± 1.2)
d. Very easy	17.1 (± 6.7)	25.7 (± 2.2)

157.	If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	Local (n = 123)	State (n = 4,179)
a.	Very hard	61.8% (± 8.6%)	54.7% (± 2.2%)
b.	Sort of hard	22.0 (± 7.3)	22.7 (± 1.2)
c.	Sort of easy	12.2 (± 5.9)	15.4 (± 1.4)
d.	Very easy	4.1 (± 3.5)	7.2 (± 1.0)
158.	If you wanted to get a handgun, how easy would it be for you to get one?	Local (n = 123)	State (n = 4,187)
a.	Very hard	60.2% (± 8.6%)	53.9% (± 3.1%)
b.	Sort of hard	19.5 (± 7.1)	24.6 (± 1.6)
c.	Sort of easy	11.4 (± 5.7)	11.9 (± 1.0)
d.	Very easy	8.9 (± 5.1)	9.6 (± 1.2)
159.	How wrong would most adults in your neighborhood think it was for kids your age to use marijuana?	Local (n = 122)	State (n = 4,195)
a.	Very wrong	62.3% (± 8.6%)	56.6% (± 2.7%)
b.	Wrong	29.5 (± 8.0)	28.7 (± 1.6)
c.	A little bit wrong	8.2 (± 4.9)	10.6 (± 1.4)
d.	Not wrong at all	0.0 (± 0.0)	4.1 (± 0.8)
160.	How wrong would most adults in your neighborhood think it was for kids your age to drink alcohol?	Local (n = 122)	State (n = 4,200)
a.	Very wrong	37.7% (± 8.6%)	35.7% (± 1.8%)
b.	Wrong	41.8 (± 8.8)	39.1 (± 1.6)
c.	A little bit wrong	17.2 (± 6.7)	19.2 (± 1.8)
d.	Not wrong at all	3.3 (± 3.1)	6.0 (± 1.0)
161.	How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes?	Local (n = 122)	State (n = 4,200)
a.	Very wrong	45.9% (± 8.8%)	42.8% (± 2.2%)
b.	Wrong	41.8 (± 8.8)	34.7 (± 1.6)
c.	A little bit wrong	6.6 (± 4.3)	14.8 (± 1.8)
d.	Not wrong at all	5.7 (± 4.1)	7.8 (± 0.8)
162.	If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?	Local (n = 123)	State (n = 4,183)
a.	NO!	22.8% (± 7.4%)	23.7% (± 2.4%)
b.	no	61.8 (± 8.6)	54.2 (± 2.2)
c.	yes	13.0 (± 5.9)	17.7 (± 1.6)
d.	YES!	2.4 (± 2.7)	4.4 (± 0.6)
163.	If a kid carried a handgun in your neighborhood would he or she be caught by the police?	Local (n = 122)	State (n = 4,168)
a.	NO!	12.3% (± 5.9%)	13.0% (± 1.6%)
b.	no	40.2 (± 8.6)	33.5 (± 1.6)
c.	yes	32.0 (± 8.2)	34.5 (± 1.8)
d.	YES!	15.6 (± 6.5)	19.0 (± 1.6)

164. If a kid smoked marijuana in your neighborhood would he or she be caught by the police?	Local (n = 123)	State (n = 4,174)
a. NO!	19.5% (± 7.1%)	21.1% (± 2.2%)
b. no	56.9 (± 8.8)	47.0 (± 1.4)
c. yes	18.7 (± 6.9)	24.2 (± 2.2)
d. YES!	4.9 (± 3.7)	7.8 (± 0.8)
165. There are adults in my neighborhood I could talk to about something important.	Local (n = 122)	State (n = 4,191)
a. NO!	7.4% (± 4.7%)	13.4% (± 1.2%)
b. no	18.9 (± 6.9)	19.1 (± 1.4)
c. yes	50.0 (± 8.8)	41.4 (± 1.8)
d. YES!	23.8 (± 7.6)	26.1 (± 1.6)

**Which of the following activities for people your age are available in your community?**

166. Sports teams	Local (n = 122)	State (n = 4,195)
a. Yes	87.7% (± 5.9%)	85.7% (± 2.2%)
b. No	12.3 (± 5.9)	14.3 (± 2.2)
167. Scouting	Local (n = 122)	State (n = 4,118)
a. Yes	68.9% (± 8.2%)	59.0% (± 4.3%)
b. No	31.1 (± 8.2)	41.0 (± 4.3)
168. Boys and girls clubs	Local (n = 122)	State (n = 4,134)
a. Yes	54.9% (± 8.8%)	61.9% (± 5.1%)
b. No	45.1 (± 8.8)	38.1 (± 5.1)
169. 4-H clubs	Local (n = 120)	State (n = 3,994)
a. Yes	39.2% (± 8.8%)	47.4% (± 5.7%)
b. No	60.8 (± 8.8)	52.6 (± 5.7)
170. Service clubs	Local (n = 121)	State (n = 4,045)
a. Yes	59.5% (± 8.8%)	59.9% (± 3.3%)
b. No	40.5 (± 8.8)	40.1 (± 3.3)
171. My neighbors notice when I am doing a good job and let me know.	Local (n = 123)	State (n = 4,180)
a. NO!	23.6% (± 7.4%)	30.4% (± 2.2%)
b. no	39.8 (± 8.6)	37.2 (± 1.8)
c. yes	31.7 (± 8.2)	25.3 (± 1.8)
d. YES!	4.9 (± 3.7)	7.2 (± 1.0)
172. There are people in my neighborhood who encourage me to do my best.	Local (n = 121)	State (n = 4,172)
a. NO!	14.0% (± 6.3%)	21.2% (± 2.0%)
b. no	22.3 (± 7.4)	28.7 (± 1.4)
c. yes	52.1 (± 8.8)	36.2 (± 2.2)
d. YES!	11.6 (± 5.7)	13.8 (± 1.2)

173. There are people in my neighborhood who are proud of me when I do something well.	Local (n = 123)	State (n = 4,173)
a. NO!	13.8% (± 6.1%)	20.7% (± 2.0%)
b. no	26.8 (± 7.8)	27.4 (± 1.4)
c. yes	52.0 (± 8.8)	39.3 (± 2.4)
d. YES!	7.3 (± 4.5)	12.6 (± 1.2)

## Family Domain

*The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, stepparents, grandparents, aunts, uncles, etc.*

174. My parents ask if I've gotten my homework done.†	Local (n = 118)	State (n = 2,289)
a. NO!	3.4% (± 3.3%)	6.3% (± 1.6%)
b. no	7.6 (± 4.7)	10.4 (± 1.4)
c. yes	46.6 (± 9.0)	38.8 (± 2.0)
d. YES!	42.4 (± 8.8)	44.4 (± 2.7)

175. Would your parents know if you did not come home on time?†	Local (n = 119)	State (n = 2,265)
a. NO!	4.2% (± 3.5%)	7.3% (± 1.8%)
b. no	19.3 (± 7.1)	16.4 (± 1.6)
c. yes	45.4 (± 9.0)	37.5 (± 2.5)
d. YES!	31.1 (± 8.2)	38.8 (± 2.2)

176. When I am not at home, one of my parents knows where I am and who I am with.†	Local (n = 119)	State (n = 2,258)
a. NO!	3.4% (± 3.3%)	5.5% (± 1.2%)
b. no	13.4 (± 6.1)	13.5 (± 1.6)
c. yes	49.6 (± 9.0)	44.5 (± 1.6)
d. YES!	33.6 (± 8.4)	36.5 (± 2.0)

177. The rules in my family are clear.†	Local (n = 118)	State (n = 2,255)
a. NO!	0.8% (± 1.6%)	5.5% (± 1.6%)
b. no	17.8 (± 6.9)	14.2 (± 1.8)
c. yes	52.5 (± 9.0)	42.9 (± 3.1)
d. YES!	28.8 (± 8.2)	37.4 (± 2.4)

178. My family has clear rules about alcohol and drug use.†	Local (n = 118)	State (n = 2,238)
a. NO!	2.5% (± 2.7%)	6.4% (± 1.2%)
b. no	7.6 (± 4.7)	14.3 (± 1.6)
c. yes	47.5 (± 9.0)	31.0 (± 2.4)
d. YES!	42.4 (± 8.8)	48.3 (± 2.7)

179. If you drank some beer, wine, or liquor (for example, vodka, whiskey, or gin) without your parent's permission, would you be caught by them?†	Local (n = 119)	State (n = 2,233)
a. NO!	8.4% (± 4.9%)	15.7% (± 2.0%)
b. no	40.3 (± 8.8)	38.2 (± 2.2)
c. yes	26.1 (± 7.8)	22.7 (± 1.8)
d. YES!	25.2 (± 7.8)	23.4 (± 2.0)

180.	If you carried a handgun without your parent's permission, would you be caught by them? <sup>†</sup>	Local (n = 117)	State (n = 2,234)
a.	NO!	6.0% (± 4.3%)	10.7% (± 2.0%)
b.	no	18.8 (± 7.1)	18.0 (± 2.0)
c.	yes	35.9 (± 8.6)	28.2 (± 2.0)
d.	YES!	39.3 (± 8.8)	43.1 (± 2.0)
181.	If you skipped school, would you be caught by your parents? <sup>†</sup>	Local (n = 117)	State (n = 2,230)
a.	NO!	2.6% (± 2.9%)	9.4% (± 1.8%)
b.	no	17.1 (± 6.9)	22.4 (± 2.4)
c.	yes	40.2 (± 8.8)	32.5 (± 2.5)
d.	YES!	40.2 (± 8.8)	35.7 (± 2.4)
182.	If I had a personal problem, I could ask my mom or dad for help. <sup>†</sup>	Local (n = 118)	State (n = 2,217)
a.	NO!	7.6% (± 4.7%)	11.6% (± 1.4%)
b.	no	20.3 (± 7.3)	16.1 (± 1.0)
c.	yes	39.8 (± 8.8)	39.1 (± 1.6)
d.	YES!	32.2 (± 8.4)	33.1 (± 2.2)
183.	My parents give me lots of chances to do fun things with them. <sup>†</sup>	Local (n = 118)	State (n = 2,223)
a.	NO!	7.6% (± 4.7%)	11.2% (± 1.6%)
b.	no	17.8 (± 6.9)	21.5 (± 2.0)
c.	yes	46.6 (± 9.0)	40.8 (± 3.3)
d.	YES!	28.0 (± 8.0)	26.6 (± 2.2)
184.	My parents ask me what I think before most family decisions affecting me are made. <sup>†</sup>	Local (n = 119)	State (n = 2,214)
a.	NO!	12.6% (± 5.9%)	14.1% (± 1.6%)
b.	no	30.3 (± 8.2)	25.2 (± 1.6)
c.	yes	38.7 (± 8.8)	37.5 (± 2.2)
d.	YES!	18.5 (± 7.1)	23.1 (± 1.6)
185.	My parents notice when I am doing a good job and let me know about it. <sup>†</sup>	Local (n = 119)	State (n = 2,216)
a.	Never or almost never	10.1% (± 5.5%)	10.7% (± 1.4%)
b.	Sometimes	27.7 (± 8.0)	26.9 (± 2.0)
c.	Often	41.2 (± 8.8)	34.2 (± 1.4)
d.	All the time	21.0 (± 7.3)	28.2 (± 2.0)
186.	How often do your parents tell you they're proud of you for something you've done? <sup>†</sup>	Local (n = 119)	State (n = 2,216)
a.	Never or almost never	8.4% (± 4.9%)	11.9% (± 1.8%)
b.	Sometimes	27.7 (± 8.0)	26.9 (± 1.8)
c.	Often	32.8 (± 8.4)	33.4 (± 1.4)
d.	All the time	31.1 (± 8.2)	27.8 (± 2.0)
187.	Do you enjoy spending time with your mother? <sup>†</sup>	Local (n = 119)	State (n = 2,208)
a.	NO!	7.6% (± 4.7%)	8.3% (± 1.4%)
b.	no	16.8 (± 6.7)	11.5 (± 1.2)
c.	yes	37.8 (± 8.6)	42.1 (± 2.4)
d.	YES!	37.8 (± 8.6)	38.1 (± 2.4)

	Local (n = 118)	State (n = 2,194)
188. Do you enjoy spending time with your father? <sup>†</sup>		
a. NO!	6.8% (± 4.5%)	13.3% (± 1.4%)
b. no	13.6 (± 6.3)	11.7 (± 1.2)
c. yes	37.3 (± 8.8)	38.3 (± 2.0)
d. YES!	42.4 (± 8.8)	36.7 (± 2.2)

### School Domain

	Local (n = 222)	State (n = 8,158)
189. Putting them all together, what were your grades like last year?		
a. Mostly As	42.8% (± 6.5%)	34.6% (± 3.1%)
b. Mostly Bs	32.9 (± 6.3)	32.9 (± 1.4)
c. Mostly Cs	17.6 (± 5.1)	20.7 (± 1.8)
d. Mostly Ds	4.5 (± 2.7)	7.1 (± 1.0)
e. Mostly Fs	2.3 (± 2.0)	4.7 (± 0.8)

	Local (n = 118)	State (n = 4,116)
190. Are your school grades better than the grades of most students in your class?		
a. NO!	6.8% (± 4.5%)	10.7% (± 1.4%)
b. no	33.1 (± 8.4)	32.7 (± 1.8)
c. yes	48.3 (± 9.0)	42.2 (± 1.8)
d. YES!	11.9 (± 5.9)	14.3 (± 1.2)

	Local (n = 121)	State (n = 4,184)
191. How often do you feel the schoolwork you are assigned is meaningful and important?		
a. Almost always	8.3% (± 4.9%)	13.5% (± 1.2%)
b. Often	26.4 (± 7.8)	23.2 (± 1.8)
c. Sometimes	36.4 (± 8.6)	35.0 (± 1.6)
d. Seldom	24.0 (± 7.6)	20.2 (± 1.4)
e. Never	5.0 (± 3.9)	8.2 (± 1.2)

	Local (n = 122)	State (n = 4,186)
192. How interesting are most of your courses to you?		
a. Very interesting and stimulating	5.7% (± 4.1%)	6.6% (± 1.2%)
b. Quite interesting	27.0 (± 7.8)	25.0 (± 1.8)
c. Fairly interesting	41.0 (± 8.8)	38.1 (± 1.8)
d. Slightly dull	23.0 (± 7.4)	21.0 (± 1.8)
e. Very dull	3.3 (± 3.1)	9.3 (± 1.2)

	Local (n = 122)	State (n = 4,184)
193. How important do you think the things you are learning in school are going to be for you later in life?		
a. Very important	20.5% (± 7.3%)	25.7% (± 2.7%)
b. Quite important	33.6 (± 8.4)	26.4 (± 1.4)
c. Fairly important	26.2 (± 7.8)	26.9 (± 1.4)
d. Slightly important	17.2 (± 6.7)	16.0 (± 1.4)
e. Not at all important	2.5 (± 2.7)	5.0 (± 0.8)

**Think back over the past year in school. How often did you:**

	Local	State
194. Enjoy being in school?	(n = 227)	(n = 8,211)
a. Never	7.5% (± 3.3%)	8.8% (± 0.8%)
b. Seldom	19.4 (± 5.1)	17.4 (± 1.0)
c. Sometimes	35.7 (± 6.3)	32.4 (± 1.4)
d. Often	28.6 (± 5.9)	27.1 (± 1.6)
e. Almost always	8.8 (± 3.7)	14.2 (± 0.8)
195. Hate being in school?	Local (n = 121)	State (n = 4,181)
a. Never	2.5% (± 2.7%)	7.4% (± 0.8%)
b. Seldom	25.6 (± 7.8)	27.2 (± 1.4)
c. Sometimes	43.8 (± 8.8)	37.2 (± 1.2)
d. Often	20.7 (± 7.3)	18.2 (± 1.4)
e. Almost always	7.4 (± 4.7)	9.9 (± 1.0)
196. Try to do your best work in school?	Local (n = 120)	State (n = 4,180)
a. Never	3.3% (± 3.1%)	2.9% (± 0.6%)
b. Seldom	8.3 (± 4.9)	7.7 (± 0.8)
c. Sometimes	20.0 (± 7.3)	19.0 (± 1.4)
d. Often	29.2 (± 8.0)	32.5 (± 1.6)
e. Almost always	39.2 (± 8.8)	37.9 (± 1.4)
197. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?	Local (n = 122)	State (n = 4,178)
a. None	82.8% (± 6.7%)	78.4% (± 2.2%)
b. 1	7.4 (± 4.7)	8.6 (± 1.0)
c. 2	5.7 (± 4.1)	4.0 (± 0.6)
d. 3	2.5 (± 2.7)	3.1 (± 0.6)
e. 4 – 5	0.8 (± 1.6)	2.8 (± 0.6)
f. 6 – 10	0.0 (± 0.0)	1.3 (± 0.4)
g. 11 or more	0.8 (± 1.6)	1.8 (± 0.4)
198. In my school, students have lots of chances to help decide things like class activities and rules.	Local (n = 121)	State (n = 4,162)
a. NO!	15.7% (± 6.5%)	19.7% (± 1.4%)
b. no	36.4 (± 8.6)	36.3 (± 1.6)
c. yes	36.4 (± 8.6)	36.6 (± 1.6)
d. YES!	11.6 (± 5.7)	7.4 (± 1.0)
199. There are lots of chances for students in my school to talk with a teacher one-on-one.	Local (n = 122)	State (n = 4,154)
a. NO!	5.7% (± 4.1%)	7.3% (± 1.0%)
b. no	15.6 (± 6.5)	19.7 (± 1.2)
c. yes	57.4 (± 8.8)	54.1 (± 1.8)
d. YES!	21.3 (± 7.3)	18.9 (± 2.0)
200. Teachers ask me to work on special classroom projects.	Local (n = 122)	State (n = 4,145)
a. NO!	14.8% (± 6.3%)	19.2% (± 1.6%)
b. no	57.4 (± 8.8)	50.8 (± 1.8)
c. yes	23.0 (± 7.4)	25.7 (± 1.8)
d. YES!	4.9 (± 3.9)	4.4 (± 0.8)



201. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	Local (n = 122)	State (n = 4,156)
a. NO!	4.9% (± 3.9%)	3.2% (± 0.8%)
b. no	7.4 (± 4.7)	5.9 (± 0.8)
c. yes	36.9 (± 8.6)	39.6 (± 2.4)
d. YES!	50.8 (± 8.8)	51.3 (± 2.5)
202. I have lots of chances to be part of class discussions or activities.	Local (n = 122)	State (n = 4,163)
a. NO!	4.9% (± 3.9%)	4.1% (± 0.8%)
b. no	6.6 (± 4.3)	12.6 (± 1.4)
c. yes	56.6 (± 8.8)	58.1 (± 2.0)
d. YES!	32.0 (± 8.2)	25.2 (± 2.0)
203. My teacher(s) notices when I am doing a good job and lets me know about it.	Local (n = 122)	State (n = 4,149)
a. NO!	4.9% (± 3.9%)	7.5% (± 0.8%)
b. no	26.2 (± 7.8)	24.4 (± 1.4)
c. yes	59.8 (± 8.6)	53.8 (± 1.6)
d. YES!	9.0 (± 5.1)	14.3 (± 1.8)
204. The school lets my parents know when I have done something well.	Local (n = 122)	State (n = 4,146)
a. NO!	22.1% (± 7.4%)	27.3% (± 1.8%)
b. no	56.6 (± 8.8)	45.0 (± 1.8)
c. yes	18.0 (± 6.9)	21.3 (± 1.4)
d. YES!	3.3 (± 3.1)	6.4 (± 1.0)
205. I feel safe at my school.	Local (n = 232)	State (n = 8,398)
a. NO! <sup>A,C</sup> / Definitely NOT true <sup>B</sup>	3.4% (± 2.4%)	7.1% (± 1.0%)
b. no <sup>A,C</sup> / Mostly not true <sup>B</sup>	9.9 (± 3.9)	15.5 (± 1.4)
c. yes <sup>A,C</sup> / Mostly true <sup>B</sup>	56.5 (± 6.5)	58.8 (± 1.8)
d. YES! <sup>A,C</sup> / Definitely true <sup>B</sup>	30.2 (± 5.9)	18.7 (± 1.4)
206. My teachers praise me when I work hard in school.	Local (n = 121)	State (n = 4,127)
a. NO!	9.9% (± 5.3%)	16.1% (± 1.4%)
b. no	49.6 (± 8.8)	40.2 (± 1.8)
c. yes	33.1 (± 8.4)	36.2 (± 1.6)
d. YES!	7.4 (± 4.7)	7.5 (± 1.0)

## Peer and Individual Domain

*How much do you think people risk harming themselves if they:*

207. Smoke one or more packs of cigarettes per day?	Local (n = 121)	State (n = 4,132)
a. No risk	3.3% (± 3.1%)	4.1% (± 0.8%)
b. Slight risk	8.3 (± 4.9)	5.7 (± 0.8)
c. Moderate risk	11.6 (± 5.7)	16.4 (± 1.0)
d. Great risk	71.1 (± 8.0)	68.9 (± 1.8)
e. Not sure	5.8 (± 4.1)	4.9 (± 0.8)

	Local (n = 119)	State (n = 4,133)
208. Try marijuana once or twice?		
a. No risk	28.6% (± 8.0%)	23.4% (± 1.4%)
b. Slight risk	25.2 (± 7.8)	27.9 (± 1.6)
c. Moderate risk	21.8 (± 7.4)	21.8 (± 1.2)
d. Great risk	21.8 (± 7.4)	23.3 (± 1.4)
e. Not sure	2.5 (± 2.7)	3.6 (± 0.6)
209. Smoke marijuana regularly?	Local (n = 121)	State (n = 4,123)
a. No risk	5.8% (± 4.1%)	8.2% (± 1.0%)
b. Slight risk	14.0 (± 6.3)	9.2 (± 0.8)
c. Moderate risk	18.2 (± 6.9)	18.0 (± 1.0)
d. Great risk	58.7 (± 8.8)	59.9 (± 1.8)
e. Not sure	3.3 (± 3.1)	4.6 (± 0.6)
210. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?	Local (n = 121)	State (n = 4,117)
a. No risk	8.3% (± 4.9%)	14.0% (± 1.4%)
b. Slight risk	27.3 (± 7.8)	21.1 (± 1.2)
c. Moderate risk	25.6 (± 7.8)	29.7 (± 1.8)
d. Great risk	33.9 (± 8.4)	31.2 (± 2.2)
e. Not sure	5.0 (± 3.9)	4.1 (± 0.8)

**How old were you the first time you:**

	Local (n = 230)	State (n = 8,235)
211. Smoked marijuana?		
a. Never have	76.5% (± 5.5%)	69.2% (± 2.2%)
b. 10 or younger	2.6 (± 2.2)	3.4 (± 0.6)
c. 11	1.3 (± 1.4)	2.7 (± 0.4)
d. 12	2.6 (± 2.2)	3.9 (± 0.6)
e. 13	3.9 (± 2.5)	6.7 (± 0.8)
f. 14	6.1 (± 3.1)	8.0 (± 0.8)
g. 15	6.5 (± 3.1)	5.6 (± 0.4)
h. 16	0.4 (± 0.8)	0.4 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.2 (± 0.2)

[Item 212 appears only on the elementary version of the survey.]

	Local (n = 119)	State (n = 3,983)
213. Smoked a cigarette, even just a puff?		
a. Never have	73.1% (± 8.0%)	64.5% (± 2.7%)
b. 10 or younger	6.7 (± 4.5)	10.6 (± 1.4)
c. 11	1.7 (± 2.4)	4.0 (± 0.6)
d. 12	0.8 (± 1.6)	4.3 (± 0.8)
e. 13	4.2 (± 3.5)	5.7 (± 0.6)
f. 14	6.7 (± 4.5)	5.8 (± 0.8)
g. 15	6.7 (± 4.5)	4.4 (± 0.6)
h. 16	0.0 (± 0.0)	0.5 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.2 (± 0.2)

	Local (n = 230)		State (n = 8,201)	
214. Had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?				
a. Never have	45.2%	(± 6.5%)	38.8%	(± 2.0%)
b. 10 or younger	10.0	(± 3.9)	12.8	(± 1.0)
c. 11	3.9	(± 2.5)	5.1	(± 0.6)
d. 12	4.8	(± 2.7)	7.4	(± 0.8)
e. 13	11.3	(± 4.1)	11.4	(± 0.8)
f. 14	10.9	(± 4.1)	13.2	(± 0.8)
g. 15	13.0	(± 4.3)	9.9	(± 0.6)
h. 16	0.9	(± 1.2)	1.1	(± 0.2)
i. 17 or older	0.0	(± 0.0)	0.2	(± 0.2)

[Item 215 appears only on the elementary version of the survey.]

	Local (n = 118)		State (n = 3,950)	
216. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?				
a. Never have	80.5%	(± 7.1%)	71.5%	(± 2.4%)
b. 10 or younger	2.5	(± 2.7)	1.9	(± 0.6)
c. 11	0.0	(± 0.0)	1.0	(± 0.4)
d. 12	0.8	(± 1.6)	2.3	(± 0.4)
e. 13	3.4	(± 3.3)	4.7	(± 0.8)
f. 14	5.9	(± 4.3)	8.4	(± 1.2)
g. 15	5.9	(± 4.3)	9.0	(± 1.0)
h. 16	0.8	(± 1.6)	0.9	(± 0.4)
i. 17 or older	0.0	(± 0.0)	0.3	(± 0.2)

	Local (n = 119)		State (n = 3,962)	
217. Used inhalants?				
a. Never have	92.4%	(± 4.7%)	89.3%	(± 1.4%)
b. 10 or younger	1.7	(± 2.4)	1.3	(± 0.4)
c. 11	1.7	(± 2.4)	1.1	(± 0.4)
d. 12	0.0	(± 0.0)	1.3	(± 0.4)
e. 13	0.8	(± 1.6)	1.8	(± 0.4)
f. 14	0.8	(± 1.6)	2.6	(± 0.4)
g. 15	2.5	(± 2.7)	1.9	(± 0.4)
h. 16	0.0	(± 0.0)	0.4	(± 0.2)
i. 17 or older	0.0	(± 0.0)	0.3	(± 0.2)

	Local (n = 118)		State (n = 3,963)	
218. Used heroin?				
a. Never have	95.8%	(± 3.7%)	95.3%	(± 1.0%)
b. 10 or younger	1.7	(± 2.4)	0.9	(± 0.4)
c. 11	0.0	(± 0.0)	0.4	(± 0.2)
d. 12	0.0	(± 0.0)	0.9	(± 0.4)
e. 13	0.8	(± 1.6)	0.7	(± 0.2)
f. 14	0.8	(± 1.6)	0.6	(± 0.2)
g. 15	0.0	(± 0.0)	0.7	(± 0.2)
h. 16	0.8	(± 1.6)	0.3	(± 0.2)
i. 17 or older	0.0	(± 0.0)	0.4	(± 0.2)

219. Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.	Local (n = 118)	State (n = 3,963)
a. Never have	94.1% (± 4.3%)	94.1% (± 1.0%)
b. 10 or younger	0.8 (± 1.6)	0.8 (± 0.4)
c. 11	0.8 (± 1.6)	0.8 (± 0.2)
d. 12	0.8 (± 1.6)	0.6 (± 0.2)
e. 13	0.0 (± 0.0)	1.0 (± 0.4)
f. 14	0.8 (± 1.6)	1.2 (± 0.4)
g. 15	1.7 (± 2.4)	0.8 (± 0.2)
h. 16	0.0 (± 0.0)	0.3 (± 0.2)
i. 17 or older	0.8 (± 1.6)	0.4 (± 0.2)
220. Used cocaine?	Local (n = 118)	State (n = 3,958)
a. Never have	91.5% (± 5.1%)	92.7% (± 1.2%)
b. 10 or younger	2.5 (± 2.7)	0.9 (± 0.4)
c. 11	0.0 (± 0.0)	0.5 (± 0.2)
d. 12	0.8 (± 1.6)	0.6 (± 0.2)
e. 13	0.0 (± 0.0)	0.7 (± 0.4)
f. 14	1.7 (± 2.4)	1.6 (± 0.6)
g. 15	2.5 (± 2.7)	2.1 (± 0.6)
h. 16	0.8 (± 1.6)	0.4 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.5 (± 0.2)

***How old were you when you first:***

221. Got suspended from school?	Local (n = 117)	State (n = 3,944)
a. Never have	85.5% (± 6.5%)	71.6% (± 3.3%)
b. 10 or younger	4.3 (± 3.7)	7.3 (± 1.2)
c. 11	2.6 (± 2.9)	3.6 (± 0.8)
d. 12	1.7 (± 2.4)	3.9 (± 0.6)
e. 13	3.4 (± 3.3)	5.7 (± 1.0)
f. 14	1.7 (± 2.4)	4.8 (± 0.8)
g. 15	0.9 (± 1.8)	2.5 (± 0.6)
h. 16	0.0 (± 0.0)	0.3 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.3 (± 0.2)
222. Got arrested?	Local (n = 119)	State (n = 3,946)
a. Never have	92.4% (± 4.7%)	87.0% (± 1.8%)
b. 10 or younger	0.0 (± 0.0)	1.4 (± 0.6)
c. 11	1.7 (± 2.4)	1.3 (± 0.4)
d. 12	0.0 (± 0.0)	1.6 (± 0.4)
e. 13	3.4 (± 3.3)	2.1 (± 0.4)
f. 14	1.7 (± 2.4)	3.6 (± 0.6)
g. 15	0.0 (± 0.0)	2.6 (± 0.4)
h. 16	0.0 (± 0.0)	0.3 (± 0.2)
i. 17 or older	0.8 (± 1.6)	0.2 (± 0.2)

	Local (n = 119)	State (n = 3,945)
223. Carried a handgun?		
a. Never have	90.8% (± 5.3%)	89.3% (± 1.4%)
b. 10 or younger	0.8 (± 1.6)	2.6 (± 0.6)
c. 11	1.7 (± 2.4)	1.3 (± 0.6)
d. 12	0.8 (± 1.6)	1.2 (± 0.2)
e. 13	3.4 (± 3.3)	1.9 (± 0.4)
f. 14	0.8 (± 1.6)	1.5 (± 0.4)
g. 15	0.8 (± 1.6)	1.5 (± 0.4)
h. 16	0.8 (± 1.6)	0.3 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.3 (± 0.2)
224. Attacked someone with the idea of seriously hurting them?		
a. Never have	84.9% (± 6.5%)	78.1% (± 2.0%)
b. 10 or younger	6.7 (± 4.5)	6.0 (± 0.8)
c. 11	2.5 (± 2.7)	1.7 (± 0.4)
d. 12	0.8 (± 1.6)	2.9 (± 0.6)
e. 13	0.0 (± 0.0)	3.9 (± 0.4)
f. 14	3.4 (± 3.3)	4.0 (± 0.8)
g. 15	1.7 (± 2.4)	2.8 (± 0.6)
h. 16	0.0 (± 0.0)	0.3 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.4 (± 0.2)
<b>How wrong do you think it is for someone your age to:</b>		
225. Drink beer, wine, or hard liquor (for example, vodka, whiskey, or gin) regularly?		
a. Very wrong	41.2% (± 8.8%)	39.8% (± 1.8%)
b. Wrong	28.6 (± 8.0)	25.6 (± 1.8)
c. A little bit wrong	21.0 (± 7.3)	22.5 (± 1.4)
d. Not wrong at all	9.2 (± 5.3)	12.1 (± 1.4)
226. Smoke cigarettes?		
a. Very wrong	56.8% (± 6.5%)	54.6% (± 1.6%)
b. Wrong	25.6 (± 5.7)	24.5 (± 1.0)
c. A little bit wrong	12.3 (± 4.3)	13.3 (± 1.0)
d. Not wrong at all	5.3 (± 2.9)	7.6 (± 0.8)
227. Smoke marijuana?		
a. Very wrong	63.9% (± 8.6%)	54.2% (± 1.8%)
b. Wrong	20.2 (± 7.3)	20.5 (± 1.4)
c. A little bit wrong	8.4 (± 4.9)	14.4 (± 1.0)
d. Not wrong at all	7.6 (± 4.7)	11.0 (± 1.2)
228. Use LSD, cocaine, amphetamines, or another illegal drug?		
a. Very wrong	78.2% (± 7.4%)	79.0% (± 1.4%)
b. Wrong	11.8 (± 5.9)	13.4 (± 0.8)
c. A little bit wrong	5.9 (± 4.3)	4.6 (± 0.8)
d. Not wrong at all	4.2 (± 3.5)	3.0 (± 0.6)
229. Take a handgun to school?		
a. Very wrong	88.2% (± 5.9%)	81.6% (± 2.0%)
b. Wrong	10.1 (± 5.5)	12.9 (± 1.4)
c. A little bit wrong	1.7 (± 2.4)	3.8 (± 0.8)
d. Not wrong at all	0.0 (± 0.0)	1.7 (± 0.6)

	Local	State
230. Steal anything worth more than \$5?	(n = 118)	(n = 3,885)
a. Very wrong	47.5% (± 9.0%)	50.1% (± 2.4%)
b. Wrong	33.9 (± 8.6)	29.7 (± 1.6)
c. A little bit wrong	14.4 (± 6.3)	14.8 (± 1.2)
d. Not wrong at all	4.2 (± 3.7)	5.4 (± 1.0)
231. Steal anything worth less than \$5?	Local (n = 119)	State (n = 3,885)
a. Very wrong	42.9% (± 8.8%)	39.5% (± 2.2%)
b. Wrong	28.6 (± 8.0)	27.4 (± 1.4)
c. A little bit wrong	21.0 (± 7.3)	23.8 (± 1.6)
d. Not wrong at all	7.6 (± 4.7)	9.2 (± 1.2)
232. Pick a fight with someone?	Local (n = 118)	State (n = 3,885)
a. Very wrong	40.7% (± 8.8%)	37.0% (± 1.8%)
b. Wrong	40.7 (± 8.8)	33.4 (± 1.8)
c. A little bit wrong	15.3 (± 6.5)	21.7 (± 1.8)
d. Not wrong at all	3.4 (± 3.3)	8.0 (± 1.0)
233. Attack someone with the idea of seriously hurting them?	Local (n = 119)	State (n = 3,878)
a. Very wrong	65.5% (± 8.6%)	58.0% (± 2.4%)
b. Wrong	21.0 (± 7.3)	25.9 (± 1.8)
c. A little bit wrong	10.9 (± 5.7)	12.4 (± 1.2)
d. Not wrong at all	2.5 (± 2.7)	3.7 (± 0.8)
234. Stay away from school all day when their parents think they are at school?	Local (n = 119)	State (n = 3,872)
a. Very wrong	49.6% (± 9.0%)	41.5% (± 2.0%)
b. Wrong	32.8 (± 8.4)	33.4 (± 1.8)
c. A little bit wrong	14.3 (± 6.3)	18.7 (± 1.8)
d. Not wrong at all	3.4 (± 3.3)	6.4 (± 0.8)

***What are the chances you would be seen as cool if you:***

	Local	State
235. Smoked cigarettes?	(n = 121)	(n = 4,116)
a. No or very little chance	58.7% (± 8.8%)	54.9% (± 2.0%)
b. Little chance	24.0 (± 7.6)	22.3 (± 1.4)
c. Some chance	11.6 (± 5.7)	14.1 (± 1.4)
d. Pretty good chance	5.0 (± 3.9)	5.8 (± 0.6)
e. Very good chance	0.8 (± 1.6)	2.9 (± 0.6)
236. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?	Local (n = 120)	State (n = 4,103)
a. No or very little chance	38.3% (± 8.6%)	36.8% (± 1.8%)
b. Little chance	12.5 (± 5.9)	22.8 (± 1.4)
c. Some chance	34.2 (± 8.4)	21.5 (± 1.4)
d. Pretty good chance	11.7 (± 5.7)	13.0 (± 1.0)
e. Very good chance	3.3 (± 3.1)	5.8 (± 0.8)

	Local (n = 121)	State (n = 4,109)
237. Smoked marijuana?		
a. No or very little chance	40.5% (± 8.8%)	44.8% (± 1.8%)
b. Little chance	28.1 (± 8.0)	21.2 (± 1.4)
c. Some chance	19.0 (± 7.1)	17.4 (± 1.2)
d. Pretty good chance	9.1 (± 5.1)	10.0 (± 1.2)
e. Very good chance	3.3 (± 3.1)	6.6 (± 1.0)
238. Carried a handgun?	Local (n = 121)	State (n = 4,107)
a. No or very little chance	71.9% (± 8.0%)	68.8% (± 2.5%)
b. Little chance	12.4 (± 5.9)	14.5 (± 1.2)
c. Some chance	5.8 (± 4.1)	7.3 (± 1.2)
d. Pretty good chance	4.1 (± 3.5)	4.5 (± 0.6)
e. Very good chance	5.8 (± 4.1)	4.9 (± 0.8)

**Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have . . .**

	Local (n = 117)	State (n = 3,796)
239. Smoked cigarettes?		
a. None	70.9% (± 8.2%)	59.8% (± 2.5%)
b. 1	13.7 (± 6.3)	16.8 (± 1.2)
c. 2	10.3 (± 5.5)	9.6 (± 1.0)
d. 3	1.7 (± 2.4)	4.9 (± 0.8)
e. 4	3.4 (± 3.3)	8.9 (± 1.2)
240. Tried beer, wine, or hard liquor (for example, vodka, whiskey, or gin) when their parents didn't know about it?	Local (n = 118)	State (n = 3,786)
a. None	40.7% (± 8.8%)	37.2% (± 2.5%)
b. 1	17.8 (± 6.9)	16.6 (± 1.2)
c. 2	16.9 (± 6.9)	13.6 (± 0.8)
d. 3	6.8 (± 4.5)	10.6 (± 1.2)
e. 4	17.8 (± 6.9)	21.9 (± 1.8)
241. Used marijuana?	Local (n = 119)	State (n = 3,790)
a. None	68.9% (± 8.2%)	57.0% (± 2.9%)
b. 1	14.3 (± 6.3)	14.7 (± 1.6)
c. 2	6.7 (± 4.5)	9.6 (± 1.4)
d. 3	1.7 (± 2.4)	6.7 (± 0.8)
e. 4	8.4 (± 4.9)	12.0 (± 1.2)
242. Used LSD, cocaine, amphetamines, or other illegal drugs?	Local (n = 118)	State (n = 3,780)
a. None	81.4% (± 7.1%)	83.9% (± 1.6%)
b. 1	14.4 (± 6.3)	8.7 (± 1.0)
c. 2	1.7 (± 2.4)	3.5 (± 0.6)
d. 3	0.0 (± 0.0)	1.7 (± 0.4)
e. 4	2.5 (± 2.7)	2.2 (± 0.4)
243. Been suspended from school?	Local (n = 120)	State (n = 4,066)
a. None of my friends	75.0% (± 7.8%)	64.0% (± 2.9%)
b. 1 of my friends	13.3 (± 6.1)	18.9 (± 1.6)
c. 2 of my friends	8.3 (± 4.9)	8.4 (± 1.2)
d. 3 of my friends	2.5 (± 2.7)	3.5 (± 0.6)
e. 4 of my friends	0.8 (± 1.6)	5.2 (± 0.8)

	Local (n = 120)	State (n = 4,060)
244. Carried a handgun?		
a. None of my friends	86.7% (± 6.1%)	89.2% (± 1.6%)
b. 1 of my friends	8.3 (± 4.9)	6.2 (± 1.0)
c. 2 of my friends	2.5 (± 2.7)	1.9 (± 0.4)
d. 3 of my friends	0.8 (± 1.6)	1.2 (± 0.4)
e. 4 of my friends	1.7 (± 2.4)	1.4 (± 0.4)
245. Sold illegal drugs?		
a. None of my friends	73.3% (± 7.8%)	71.6% (± 2.2%)
b. 1 of my friends	15.0 (± 6.5)	14.0 (± 1.4)
c. 2 of my friends	6.7 (± 4.5)	6.8 (± 0.8)
d. 3 of my friends	1.7 (± 2.4)	3.1 (± 0.6)
e. 4 of my friends	3.3 (± 3.1)	4.5 (± 0.8)
246. Stolen or tried to steal a motor vehicle such as a car or motorcycle?		
a. None of my friends	87.5% (± 5.9%)	86.9% (± 2.0%)
b. 1 of my friends	5.0 (± 3.9)	7.5 (± 1.0)
c. 2 of my friends	4.2 (± 3.5)	3.1 (± 0.8)
d. 3 of my friends	2.5 (± 2.7)	1.0 (± 0.4)
e. 4 of my friends	0.8 (± 1.6)	1.5 (± 0.4)
247. Been arrested?		
a. None of my friends	79.2% (± 7.3%)	75.4% (± 2.5%)
b. 1 of my friends	10.0 (± 5.3)	14.1 (± 1.4)
c. 2 of my friends	4.2 (± 3.5)	5.3 (± 1.0)
d. 3 of my friends	3.3 (± 3.1)	2.2 (± 0.4)
e. 4 of my friends	3.3 (± 3.1)	3.1 (± 0.6)
248. Dropped out of school?		
a. None of my friends	85.0% (± 6.5%)	83.5% (± 2.0%)
b. 1 of my friends	7.5 (± 4.7)	10.6 (± 1.2)
c. 2 of my friends	2.5 (± 2.7)	3.2 (± 0.6)
d. 3 of my friends	3.3 (± 3.1)	1.3 (± 0.4)
e. 4 of my friends	1.7 (± 2.4)	1.5 (± 0.6)
249. When I am an adult I will smoke cigarettes.		
a. NO!	73.9% (± 7.8%)	73.6% (± 2.0%)
b. no	23.5 (± 7.6)	17.7 (± 1.4)
c. yes	1.7 (± 2.4)	6.2 (± 1.2)
d. YES!	0.8 (± 1.6)	2.5 (± 0.6)
250. When I am an adult I will drink beer, wine, or liquor.		
a. NO!	22.7% (± 7.4%)	23.1% (± 1.6%)
b. no	17.6 (± 6.9)	17.6 (± 1.2)
c. yes	47.9 (± 9.0)	43.5 (± 1.8)
d. YES!	11.8 (± 5.9)	15.8 (± 1.2)



	Local (n = 119)	State (n = 3,766)
251. When I am an adult I will smoke marijuana.		
a. NO!	73.1% (± 8.0%)	69.1% (± 1.8%)
b. no	18.5 (± 7.1)	17.5 (± 1.2)
c. yes	5.0 (± 3.9)	8.0 (± 0.8)
d. YES!	3.4 (± 3.3)	5.4 (± 0.8)

**Think about your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...**

	Local (n = 118)	State (n = 3,821)
252. Participated in clubs, organizations or activities at school?		
a. None of my friends	14.4% (± 6.3%)	17.0% (± 2.0%)
b. 1 of my friends	10.2 (± 5.5)	13.4 (± 1.4)
c. 2 of my friends	11.9 (± 5.9)	17.5 (± 1.2)
d. 3 of my friends	16.1 (± 6.7)	13.2 (± 1.0)
e. 4 of my friends	47.5 (± 9.0)	38.9 (± 2.9)

	Local (n = 118)	State (n = 3,805)
253. Made a commitment to stay drug-free?		
a. None of my friends	23.7% (± 7.6%)	29.0% (± 1.6%)
b. 1 of my friends	10.2 (± 5.5)	15.2 (± 1.6)
c. 2 of my friends	8.5 (± 5.1)	11.3 (± 1.0)
d. 3 of my friends	15.3 (± 6.5)	8.9 (± 0.8)
e. 4 of my friends	42.4 (± 8.8)	35.6 (± 2.7)

	Local (n = 119)	State (n = 3,806)
254. Liked school?		
a. None of my friends	23.5% (± 7.6%)	26.6% (± 1.8%)
b. 1 of my friends	9.2 (± 5.3)	16.1 (± 1.2)
c. 2 of my friends	24.4 (± 7.6)	18.6 (± 1.2)
d. 3 of my friends	16.8 (± 6.7)	13.3 (± 1.0)
e. 4 of my friends	26.1 (± 7.8)	25.4 (± 2.2)

	Local (n = 119)	State (n = 3,792)
255. Regularly attended religious services?		
a. None of my friends	31.1% (± 8.2%)	30.1% (± 2.0%)
b. 1 of my friends	27.7 (± 8.0)	24.4 (± 1.8)
c. 2 of my friends	16.0 (± 6.7)	19.5 (± 1.6)
d. 3 of my friends	12.6 (± 5.9)	9.7 (± 1.2)
e. 4 of my friends	12.6 (± 5.9)	16.2 (± 2.0)

	Local (n = 117)	State (n = 3,812)
256. Tried to do well in school?		
a. None of my friends	12.0% (± 5.9%)	9.2% (± 1.4%)
b. 1 of my friends	6.0 (± 4.3)	7.3 (± 0.8)
c. 2 of my friends	8.5 (± 5.1)	13.7 (± 1.2)
d. 3 of my friends	21.4 (± 7.4)	16.6 (± 1.4)
e. 4 of my friends	52.1 (± 9.0)	53.1 (± 2.7)

	Local (n = 121)	State (n = 4,114)
257. I think it is okay to take something without asking as long as you get away with it.		
a. NO!	43.8% (± 8.8%)	44.3% (± 1.6%)
b. no	45.5 (± 8.8)	38.9 (± 1.8)
c. yes	5.8 (± 4.1)	11.1 (± 1.2)
d. YES!	5.0 (± 3.9)	5.7 (± 0.8)

	Local (n = 121)	State (n = 4,104)
258. I think sometimes it's okay to cheat at school.		
a. NO!	32.2% (± 8.2%)	26.5% (± 1.6%)
b. no	33.1 (± 8.4)	33.8 (± 1.6)
c. yes	29.8 (± 8.2)	32.5 (± 1.8)
d. YES!	5.0 (± 3.9)	7.2 (± 1.0)
259. It is all right to beat up people if they start the fight.		
a. NO!	26.4% (± 7.8%)	22.3% (± 1.6%)
b. no	26.4 (± 7.8)	24.5 (± 1.8)
c. yes	32.2 (± 8.2)	29.5 (± 1.6)
d. YES!	14.9 (± 6.3)	23.8 (± 2.2)
260. It is important to be honest with your parents, even if they become upset or you get punished.		
a. NO!	7.4% (± 4.7%)	7.7% (± 0.8%)
b. no	17.4 (± 6.7)	15.2 (± 1.2)
c. yes	44.6 (± 8.8)	43.5 (± 1.8)
d. YES!	30.6 (± 8.2)	33.6 (± 1.4)

**How many times in the past year (12 months) have you . . .**

	Local (n = 123)	State (n = 4,170)
261. Participated in clubs, organizations or activities at school?		
a. Never	8.1% (± 4.9%)	19.6% (± 2.2%)
b. 1 or 2 times	13.0 (± 5.9)	17.5 (± 1.6)
c. 3 to 5 times	11.4 (± 5.7)	12.1 (± 0.8)
d. 6 to 9 times	13.0 (± 5.9)	7.1 (± 0.8)
e. 10 to 19 times	10.6 (± 5.5)	9.0 (± 0.8)
f. 20 to 29 times	7.3 (± 4.5)	6.2 (± 0.8)
g. 30 to 39 times	4.9 (± 3.7)	3.7 (± 0.6)
h. 40+ times	31.7 (± 8.2)	24.9 (± 2.4)
262. Done extra work on your own for school?		
a. Never	17.4% (± 6.7%)	27.1% (± 2.0%)
b. 1 or 2 times	19.0 (± 7.1)	21.7 (± 1.0)
c. 3 to 5 times	17.4 (± 6.7)	15.3 (± 1.0)
d. 6 to 9 times	19.0 (± 7.1)	11.9 (± 1.0)
e. 10 to 19 times	13.2 (± 6.1)	9.4 (± 0.8)
f. 20 to 29 times	5.8 (± 4.1)	5.2 (± 0.8)
g. 30 to 39 times	1.7 (± 2.4)	1.9 (± 0.4)
h. 40+ times	6.6 (± 4.5)	7.4 (± 1.0)
263. Volunteered to do community service?		
a. Never	24.8% (± 7.6%)	41.8% (± 4.5%)
b. 1 or 2 times	18.2 (± 6.9)	19.3 (± 1.2)
c. 3 to 5 times	19.0 (± 7.1)	13.1 (± 1.4)
d. 6 to 9 times	13.2 (± 6.1)	8.6 (± 1.4)
e. 10 to 19 times	9.9 (± 5.3)	7.2 (± 1.0)
f. 20 to 29 times	8.3 (± 4.9)	3.2 (± 0.6)
g. 30 to 39 times	1.7 (± 2.4)	1.4 (± 0.4)
h. 40+ times	5.0 (± 3.9)	5.3 (± 1.6)

264. You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?	Local (n = 119)	State (n = 4,083)
a. Ignore her	20.2% (± 7.3%)	23.1% (± 1.6%)
b. Grab a CD and leave the store	10.9 (± 5.7)	14.6 (± 1.6)
c. Tell her to put the CD back	33.6 (± 8.4)	31.9 (± 1.6)
d. Act like it's a joke and ask her to put the CD back	35.3 (± 8.6)	30.4 (± 2.0)
265. It's 8:00 on a weeknight and you are about to go over to a friend's house when your mom asks you where you are going. You say, "Oh, just going to hang out with some friends." She says, "No, you'll just get into trouble if you go out. Stay home tonight." What would you do now?	Local (n = 119)	State (n = 4,076)
a. Leave the house anyway	8.4% (± 4.9%)	8.8% (± 1.0%)
b. Explain what you are going to do with your friends, tell her when you will get home, and ask if you can go out	69.7 (± 8.2)	71.5 (± 1.8)
c. Not say anything and start watching TV	10.9 (± 5.7)	8.6 (± 1.0)
d. Get into an argument with her	10.9 (± 5.7)	11.2 (± 0.8)
266. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?	Local (n = 118)	State (n = 4,058)
a. Push the person back	11.0% (± 5.7%)	12.9% (± 1.2%)
b. Say nothing and keep on walking	43.2 (± 9.0)	40.6 (± 2.0)
c. Say, "Watch where you're going," and keep on walking	26.3 (± 8.0)	29.9 (± 1.4)
d. Swear at the person and walk away	19.5 (± 7.1)	16.6 (± 1.0)
267. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	Local (n = 118)	State (n = 4,047)
a. Drink it	31.4% (± 8.4%)	36.8% (± 1.8%)
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	28.8 (± 8.2)	27.7 (± 1.4)
c. Just say, "No, thanks," and walk away	34.7 (± 8.6)	27.2 (± 1.4)
d. Make up a good excuse, tell your friend you had something else to do, and leave	5.1 (± 3.9)	8.4 (± 0.8)

## List of Core Items

The core items that appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other items appeared on either Form A or Form B, but not both. Core items may or may not have appeared on Form C (the elementary version).

<i>Item</i>	<i>Description</i>	<i>Item</i>	<i>Description</i>
1	Age	45	Intent to smoke within the next year
3	Gender	46	Age when first smoked a cigarette
4	Race/Ethnicity	66	Drunk or high at school (past 12 months)
5	Language spoken at home	88	Participation in after school activities
7	Mother's education	112	Weapon carrying on school property (past 30 days)
8	Father's education	114	Physical fighting (past 12 months)
14	Honesty in completing survey	122	Depression (past 12 months)
28	30-day use of cigarettes	132	Been bullied (past 30 days)
29	30-day use of chewing tobacco	140	School provides counselor to discuss ATOD
34	30-day use of alcohol	155	How easy to get cigarettes
35	30-day use of marijuana or hashish	189	Grades in school (past 12 months)
36/37	30-day use of illegal drugs	194	Enjoyed being in school (past 12 months)
38	30-day use of methamphetamines	205	Feel safe at school
39	30-day use of inhalants	211	Age when first smoked marijuana
41	30-day use of pain killers	214	Age when first drank alcohol
42	30-day drunk or very high from alcohol	226	Perceived wrongness of smoking
44	Would smoke if offered cigarette by a friend		

## Item Index

Age at first use 211, 213, 214, 216-220	Family 182-188	School ( <i>continued</i> )
Alcohol	Fighting 116, 118-121, 224, 232-233, 259, 266	Fighting at 116
Age at first use 214, 216	Fitness	Safety 205
Attitudes 160, 162, 225, 236, 267	Body weight 68, 69	Schoolwork 191-193, 200, 262
Driving 108, 110	Exercise 80-82, 89	Substance use at 53, 66
Source 67, 154	Physical Education 86-87	Weapons at 112, 229
Use 17, 34, 42, 65, 66, 240, 250	Gangs 115	Suicide 123-125, 129-131
Arrest 222, 247	Guns ( <i>see</i> Weapons)	Teams ( <i>see</i> Clubs)
Asthma 90-99	HIV/AIDS Education 141-142	Theft 230-231, 246, 264
Bullying 132-139	Honesty 14, 257, 258, 260	Tobacco
Clubs 166-170, 252, 261	Marijuana ( <i>see</i> Drugs)	Advertising 56-57
Cocaine ( <i>see</i> Drugs)	Medical care 102, 103	Chewing 29
Demographics 1, 3-5, 7-9, 13	Methamphetamines ( <i>see</i> Drugs)	Cigarettes 15-16, 26-28, 43-46, 48-49, 53, 161, 213, 226, 235, 239, 249
Depression 122, 128	Neighborhood 151-153, 171-173	Prevention 50-52, 60, 62
Diabetes 100-101	Nutrition 70-71, 73-79	Quitting 54
Drugs	Quality of life 143-149	Secondhand smoke 55, 58-59, 61
Cocaine 21, 157, 220, 228, 242	Risk of harm 49, 64, 207-210	Source 63, 155
Marijuana 18, 35, 64, 156, 159, 164, 211, 227, 237, 241, 251	Rules enforcement 174-181, 265	Other tobacco use 30-33
Methamphetamines 19, 38, 219	Safety 104, 106, 107	TV/Video Games 83, 84
Other drugs 20, 22, 23, 36, 37, 39-41, 217-218, 228, 245	School	Volunteer 263
	Absence 197, 234, 243, 248	Weapons 112, 158, 163, 223, 238, 244
	Achievement 189, 190, 196, 256	Work 10-12
	After school activities 88	
	Climate 140, 198-199, 201-204, 206	
	Enjoyment 194-195, 254	