

## **Healthy Youth Survey 2010 Survey Results**

**Beaver Lake Middle School (Issaquah School District)**

**Grade 8**

RMC Research Corporation  
111 SW Columbia Street, Suite 1200  
Portland, OR 97201

March 18, 2011

# Contents

---

Introduction and Overview .....	1
Key to the Notes.....	1
Highlights of the Local Results .....	2
Selected Results by Gender .....	3
General Information (Items 1–14).....	4
Alcohol, Tobacco, and Other Drug (ATOD) Use.....	6
Lifetime Use (Items 15–23) .....	6
30-Day Use (Items 24–33) .....	7
Other Tobacco-Related Questions (Items 34–49) .....	9
Other Alcohol- and Drug-Related Questions (Items 50–62).....	11
Other Health Concerns .....	14
Nutrition and Fitness (Items 63–78).....	14
Health Conditions and Health Care (Items 79–88) .....	17
Sexual Behavior (Items 89–92).....	19
Safety (Items 93–99).....	19
Behaviors Related to Intentional Injuries (Items 100–109).....	20
Depression (Items 110–119) .....	21
Gambling (Items 120–121) .....	23
School Climate (Items 122–135).....	23
Quality of Life (Items 136–146).....	25
Risk and Protective Factors .....	28
Risk and Protective Factor Framework and Reporting Schedule .....	29
Risk and Protective Factor Scale Results .....	30
Graph of Scale Results .....	32
Risk and Protective Factors: Individual Item Results.....	33
Community Domain (Items 147–167) .....	33
Family Domain (Items 168–185) .....	35
School Domain (Items 186–203) .....	38
Peer and Individual Domain (Items 204–256) .....	41
List of Core Items .....	50
Item Index .....	50

# Healthy Youth Survey 2010 Survey Results

*Beaver Lake Middle School (Issaquah School District), Grade 8*

<b><i>Number of students surveyed:</i></b>	<b>246</b>
<b><i>Number of valid responses:</i></b>	<b>231</b>
<b><i>Estimate of enrolled students:*</i></b>	<b>354</b>
<b><i>Survey participation rate:**</i></b>	<b>65%</b>

## ***Introduction and Overview***

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2010 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health (DOH), the Office of Superintendent of Public Instruction, the Department of Social and Health Services, the Department of Commerce, the Family Policy Council and the Liquor Control Board in cooperation with schools throughout the state of Washington.

For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses (“*n*”) appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site (<http://www.hys.wa.gov/>).

Survey participation rates can be found on the Healthy Youth Survey web site. The following guidance from DOH may be used when reviewing your results. However, if a particular group(s) of students did not complete the survey and therefore did not contribute to your results, there may be limitations to your results even if you have a high participation rate (i.e., if differences exist between students who *did* and who *did not* complete the survey). There may be value in discussing the potential limitations when using the results in this report.

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

## **Key to the Notes**

The survey was administered in 4 versions: Forms A and B (*or alternate Form NS, identical to Form B but without the sexual behavior questions*) were administered to students in Grades 8, 10, and 12. Forms A and B (or NS) contained a core set of common items (see “List of Core Items” on the last page of this report) and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of items drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and indicate the optional items:

- A = wording on Form A
- B = wording on Form B (and NS)
- C = wording on Form C
- † = optional item



\* Estimate of enrolled students based on figures from the 2008–2009 school year, provided by OSPI (or later if school not in 2008 enrollment file).

\*\* Participation rate = valid responses ÷ enrolled students (may be >100% if enrollment greater in 2010 than 2008).

### Highlights of the Local Results

Your students and students statewide reported the following behaviors and attitudes:

	Your students		Statewide	
▪ Smoking cigarettes in the past 30 days (see item 24).	3.9%	(± 2.5%)	6.6%	(± 0.9%)
▪ Drinking alcohol in the past 30 days (see item 28).	8.7	(± 3.6)	14.4	(± 1.3)
▪ Using marijuana or hashish in the past 30 days (see item 29).	6.9	(± 3.3)	9.5	(± 1.1)
▪ Drinking five or more drinks in a row in the past 2 weeks (see item 55).	3.1	(± 2.2)	8.1	(± 0.9)
▪ Carrying a weapon at school in the past 30 days (see item 102).	2.6	(± 2.1)	5.3	(± 0.6)
▪ Being bullied in the past 30 days (see item 122).	41.4	(± 6.4)	30.1	(± 1.2)
▪ Enjoyed being in school over the past year (see item 191).	48.5	(± 6.5)	48.7	(± 1.5)
▪ Feeling safe at school (see item 202).	91.7	(± 3.6)	82.7	(± 1.8)



### Selected Results by Gender

Selected items are presented by gender to highlight any differences between females and males. The p-values reported after each item can be used to examine whether differences in the local data between females and males are statistically significant. A p-value of less than .05 means, for the local results, there is a significant difference between females and males (i.e., the probability that the difference occurred by chance is less than 5%). To ensure student anonymity, local results are suppressed for each item on this page if any cell (e.g., females who reported smoking) represented fewer than 10 students.

During the past 30 days, on how many days did you smoke cigarettes? (See item 24.)

	Local (n = *)		State (n = 9,469)	
	Female	Male	Female	Male
None	*. *%	*. *%	93.0%	94.0%
1 or more	*. *	*. *	7.0	6.1

Note. p = \* from a chi-square test.

During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)? (See item 28.)

	Local (n = *)		State (n = 9,433)	
	Female	Male	Female	Male
None	*. *%	*. *%	84.4%	86.9%
1 or more	*. *	*. *	15.6	13.1

Note. p = \* from a chi-square test.

Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) (See item 55.)

	Local (n = *)		State (n = 9,305)	
	Female	Male	Female	Male
None	*. *%	*. *%	91.7%	92.3%
Once or more	*. *	*. *	8.3	7.7

Note. p = \* from a chi-square test.

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (See item 110.)

	Local (n = 226)		State (n = 8,728)	
	Female	Male	Female	Male
No	74.0%	86.4%	70.2%	79.8%
Yes	26.0	13.6	29.8	20.2

Note. p = .018 from a chi-square test.

In the last 30 days, how often have you been bullied? (See item 122.)

	Local (n = 227)		State (n = 9,118)	
	Female	Male	Female	Male
I have not been bullied	59.4%	57.7%	68.3%	71.5%
Once or more	40.7	42.3	31.7	28.5

Note. p = .801 from a chi-square test.

I feel safe at my school. (See item 202.)

	Local (n = *)		State (n = 9,604)	
	Female	Male	Female	Male
No	*. *%	*. *%	15.6%	19.0%
Yes	*. *	*. *	84.4	81.0

Note. p = \* from a chi-square test.

## General Information

	Local (n = 231)	State (n = 9,715)
1. How old are you?		
a. 12 or younger	0.9% (± 1.2%)	1.0% (± 0.3%)
b. 13	74.9 (± 5.6)	71.7 (± 1.2)
c. 14	23.4 (± 5.4)	26.1 (± 1.1)
d. 15	0.4 (± 0.8)	0.9 (± 0.2)
e. 16	0.0 (± 0.0)	0.1 (± 0.0)
f. 17	0.0 (± 0.0)	0.0 (± 0.0)
g. 18	0.0 (± 0.0)	0.0 (± 0.0)
h. 19 or older	0.4 (± 0.8)	0.1 (± 0.1)

[Item 2 appears only on the elementary version of the survey.]

	Local (n = 231)	State (n = 9,691)
3. Are you:		
a. Female	53.7% (± 6.4%)	50.5% (± 0.9%)
b. Male	46.3 (± 6.4)	49.5 (± 0.9)
4. How do you describe yourself? (Select one or more responses.)		
b. Asian or Asian American	19.9% (± 5.2%)	8.6% (± 2.4%)
a. American Indian or Alaskan Native	1.3 (± 1.5)	2.9 (± 0.5)
c. Black or African-American	4.8 (± 2.7)	5.4 (± 1.4)
d. Hispanic or Latino/Latina	3.5 (± 2.4)	14.0 (± 4.1)
e. Native Hawaiian or other Pacific Islander	0.0 (± 0.0)	2.1 (± 0.5)
f. White or Caucasian	55.8 (± 6.4)	50.1 (± 5.1)
g. Other	9.1 (± 3.7)	7.8 (± 0.7)
<i>More than one race/ethnicity marked</i>	5.6 (± 3.0)	9.0 (± 1.0)

	Local (n = 224)	State (n = 9,236)
5. What language is usually spoken at home?		
a. English	79.0% (± 5.3%)	80.0% (± 4.2%)
b. Spanish	2.7 (± 2.1)	9.8 (± 3.3)
c. Russian	2.2 (± 1.9)	1.3 (± 0.5)
d. Ukrainian	0.0 (± 0.0)	0.9 (± 0.3)
e. Vietnamese	0.0 (± 0.0)	1.2 (± 0.6)
f. Chinese	3.6 (± 2.4)	1.0 (± 0.7)
g. Korean	2.2 (± 1.9)	0.7 (± 0.4)
h. Japanese	1.3 (± 1.5)	0.3 (± 0.1)
i. Other	8.9 (± 3.7)	4.7 (± 1.4)

[Item 6 appears only on the elementary version of the survey.]

	Local (n = 229)	State (n = 9,120)
7. How far did your mother get in school?		
a. Did not finish high school	0.9% (± 1.2%)	10.8% (± 1.6%)
b. Graduated from high school or GED	6.1 (± 3.1)	19.2 (± 1.6)
c. Had some college or technical training after high school	15.7 (± 4.7)	17.9 (± 1.2)
d. Graduated from a 4-year college	36.2 (± 6.2)	17.7 (± 2.1)
e. Earned an advanced graduate degree	24.0 (± 5.5)	8.8 (± 1.6)
f. Don't know	17.0 (± 4.9)	23.3 (± 1.3)
g. Does not apply	0.0 (± 0.0)	2.3 (± 0.4)

8.	How far did your father get in school?	Local (n = 229)	State (n = 9,069)
	a. Did not finish high school	2.2% (± 1.9%)	11.0% (± 1.7%)
	b. Graduated from high school or GED	5.7 (± 3.0)	18.0 (± 1.4)
	c. Had some college or technical training after high school	8.7 (± 3.7)	14.7 (± 1.1)
	d. Graduated from a 4-year college	31.9 (± 6.0)	15.8 (± 1.6)
	e. Earned an advanced graduate degree	40.2 (± 6.4)	10.3 (± 2.4)
	f. Don't know	10.0 (± 3.9)	27.1 (± 1.8)
	g. Does not apply	1.3 (± 1.5)	3.1 (± 0.5)
9.	How many hours per week are you currently working for pay, NOT counting chores around your home, yard work, or babysitting?	Local (n = 111)	State (n = 4,323)
	a. None, not currently working	85.6% (± 6.5%)	85.2% (± 1.2%)
	b. 10 hours or less a week	10.8 (± 5.8)	9.9 (± 0.9)
	c. 11-30 hours a week	2.7 (± 3.0)	2.4 (± 0.5)
	d. 31-40 hours a week	0.0 (± 0.0)	0.9 (± 0.3)
	e. More than 40 hours a week	0.9 (± 1.8)	1.6 (± 0.4)
10.	Not counting chores around your home, while working for pay, have you ever been injured badly enough that you needed to go to a nurse, doctor, or hospital?	Local (n = 111)	State (n = 4,288)
	a. Never worked for pay	81.1% (± 7.3%)	70.8% (± 2.2%)
	b. Have worked, but never injured enough to see nurse or doctor	15.3 (± 6.7)	26.6 (± 2.1)
	c. Yes, I was injured at work and needed to go to a nurse, doctor or hospital	3.6 (± 3.5)	2.6 (± 0.5)
11.	How would you describe the type of place that you currently work? (Pick your main job. Choose one.)	Local (n = 111)	State (n = 4,258)
	a. Not currently working	74.8% (± 8.1%)	77.0% (± 1.8%)
	b. Restaurant (including fast food)	0.9 (± 1.8)	1.6 (± 0.3)
	c. Store (including grocery, convenience, clothing, music, or gift stores, gas station)	0.9 (± 1.8)	1.2 (± 0.3)
	d. Hospital, clinic, or nursing home	0.9 (± 1.8)	0.6 (± 0.3)
	e. Construction	1.8 (± 2.5)	0.9 (± 0.3)
	f. Farm or dairy	0.0 (± 0.0)	1.4 (± 0.5)
	g. Factory	0.0 (± 0.0)	0.4 (± 0.2)
	h. Packing house or food processing	0.0 (± 0.0)	0.3 (± 0.2)
	i. Babysitting	12.6 (± 6.2)	6.4 (± 0.9)
	j. Yard work	2.7 (± 3.0)	3.8 (± 0.6)
	k. Other	5.4 (± 4.2)	6.4 (± 1.0)
12.	On an average school night, how many hours do you sleep?	Local (n = 111)	State (n = 4,251)
	a. 5 hours or less	6.3% (± 4.5%)	8.1% (± 0.9%)
	b. About 6 hours	16.2 (± 6.9)	12.8 (± 1.2)
	c. About 7 hours	27.0 (± 8.3)	23.3 (± 1.5)
	d. About 8 hours	39.6 (± 9.1)	38.7 (± 1.6)
	e. 9 hours or more	10.8 (± 5.8)	17.1 (± 1.4)

13.	On an average weekend night (Friday and Saturday night), how many hours do you sleep?	Local (n = 111)	State (n = 4,247)
	a. 5 hours or less	9.9% (± 5.6%)	19.1% (± 1.5%)
	b. About 6 hours	12.6 (± 6.2)	12.1 (± 1.0)
	c. About 7 hours	7.2 (± 4.8)	12.2 (± 1.0)
	d. About 8 hours	15.3 (± 6.7)	16.6 (± 1.0)
	e. 9 hours or more	55.0 (± 9.3)	40.0 (± 2.1)
14.	How honest were you in filling out this survey?	Local (n = 226)	State (n = 7,632)
	a. I was very honest	86.7% (± 4.4%)	82.9% (± 1.2%)
	b. I was honest pretty much of the time	12.0 (± 4.2)	14.5 (± 1.2)
	c. I was honest some of the time	1.3 (± 1.5)	2.6 (± 0.5)
	d. I was honest once in a while		Surveys pulled
	e. I was not honest at all		Surveys pulled

## Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated \$1.81 billion in 1990 \$2.54 billion in 1996, and \$5.21 billion in 2005). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

### Lifetime Use

15.	Have you ever smoked a cigarette, even just a puff? (Computed from item 210.)	Local (n = 116)	State (n = 4,465)
	a. No	92.2% (± 4.9%)	82.4% (± 2.0%)
	b. Yes	7.8 (± 4.9)	17.6 (± 2.0)
16.	Have you ever had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)? (Computed from item 211 or 212.)	Local (n = 228)	State (n = 9,238)
	a. No	71.1% (± 5.9%)	61.0% (± 2.1%)
	b. Yes	29.0 (± 5.9)	39.0 (± 2.1)
17.	Have you ever smoked marijuana? (Computed from item 208 or 209.)	Local (n = 230)	State (n = 9,282)
	a. No	90.9% (± 3.7%)	86.8% (± 1.6%)
	b. Yes	9.1 (± 3.7)	13.2 (± 1.6)

### *Have you ever, even once in your life:*

18.	Used inhalants?	Local (n = 115)	State (n = 4,431)
	a. No	94.8% (± 4.1%)	94.2% (± 0.7%)
	b. Yes	5.2 (± 4.1)	5.8 (± 0.7)



	Local (n = 116)	State (n = 4,427)
19. Used heroin?		
a. No	95.7% (± 3.7%)	97.9% (± 0.5%)
b. Yes	4.3 (± 3.7)	2.2 (± 0.5)
20. Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.	Local (n = 116)	State (n = 4,430)
a. No	98.3% (± 2.4%)	97.7% (± 0.5%)
b. Yes	1.7 (± 2.4)	2.4 (± 0.5)
21. Used cocaine?	Local (n = 116)	State (n = 4,424)
a. No	97.4% (± 2.9%)	97.4% (± 0.5%)
b. Yes	2.6 (± 2.9)	2.6 (± 0.5)
22. Used steroids (muscle builders) without a doctor's prescription?	Local (n = 116)	State (n = 4,419)
a. No	98.3% (± 2.4%)	97.6% (± 0.5%)
b. Yes	1.7 (± 2.4)	2.4 (± 0.5)

[Item 23 appears only on the elementary version of the survey.]

### 30-Day Use (Use in the Past 30 Days)

*During the past 30 days, on how many days did you:*

	Local (n = 231)	State (n = 9,495)
24. Smoke cigarettes?		
a. None	96.1% (± 2.5%)	93.4% (± 0.9%)
b. 1–2 days	0.9 (± 1.2)	2.9 (± 0.4)
c. 3–5 days	0.9 (± 1.2)	1.2 (± 0.3)
d. 6–9 days	0.4 (± 0.8)	0.8 (± 0.2)
e. 10–29 days	1.3 (± 1.5)	0.7 (± 0.2)
f. All 30 days	0.4 (± 0.8)	0.9 (± 0.3)
<i>Any use in past 30 days</i>	3.9 (± 2.5)	6.6 (± 0.9)
25. Use chewing tobacco, snuff, or dip?	Local (n = 231)	State (n = 9,494)
a. None	97.8% (± 1.9%)	97.0% (± 0.5%)
b. 1–2 days	1.3 (± 1.5)	1.4 (± 0.3)
c. 3–5 days	0.4 (± 0.8)	0.6 (± 0.2)
d. 6–9 days	0.0 (± 0.0)	0.4 (± 0.2)
e. 10–29 days	0.4 (± 0.8)	0.2 (± 0.1)
f. All 30 days	0.0 (± 0.0)	0.4 (± 0.1)
<i>Any use in past 30 days</i>	2.2 (± 1.9)	3.0 (± 0.5)
26. Smoke cigars, cigarillos, or little cigars? <sup>†</sup>	Local (n = 114)	State (n = 4,821)
a. 0 days	97.4% (± 2.9%)	95.7% (± 0.7%)
b. 1–2 days	2.6 (± 2.9)	2.8 (± 0.5)
c. 3–9 days	0.0 (± 0.0)	0.9 (± 0.3)
d. 10–29 days	0.0 (± 0.0)	0.4 (± 0.1)
e. All 30 days	0.0 (± 0.0)	0.4 (± 0.2)
<i>Any use in past 30 days</i>	2.6 (± 2.9)	4.3 (± 0.7)

27.	Use tobacco that tastes like candy, fruit, or alcohol (tobacco includes: little cigars, bidis, cloves, chew, spit, snus, hookah)?		
		Local (n = 113)	State (n = 4,813)
	a. 0 days	96.5% (± 3.4%)	95.0% (± 0.8%)
	b. 1–2 days	0.0 (± 0.0)	2.9 (± 0.5)
	c. 3–9 days	2.7 (± 3.0)	1.1 (± 0.4)
	d. 10–29 days	0.9 (± 1.7)	0.5 (± 0.2)
	e. All 30 days	0.0 (± 0.0)	0.4 (± 0.2)
	<i>Any use in past 30 days</i>	3.5 (± 3.4)	5.0 (± 0.8)
28.	Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?		
		Local (n = 230)	State (n = 9,459)
	a. None	91.3% (± 3.6%)	85.6% (± 1.3%)
	b. 1–2 days	5.7 (± 3.0)	9.4 (± 0.8)
	c. 3–5 days	1.7 (± 1.7)	2.7 (± 0.4)
	d. 6–9 days	0.9 (± 1.2)	1.1 (± 0.3)
	e. 10 or more days	0.4 (± 0.8)	1.3 (± 0.3)
	<i>Any use in past 30 days</i>	8.7 (± 3.6)	14.4 (± 1.3)
29.	Use marijuana or hashish (grass, hash, pot)?		
		Local (n = 231)	State (n = 9,460)
	a. None	93.1% (± 3.3%)	90.5% (± 1.1%)
	b. 1–2 days	3.9 (± 2.5)	4.4 (± 0.6)
	c. 3–5 days	1.7 (± 1.7)	1.8 (± 0.3)
	d. 6–9 days	0.4 (± 0.8)	0.8 (± 0.2)
	e. 10 or more days	0.9 (± 1.2)	2.5 (± 0.5)
	<i>Any use in past 30 days</i>	6.9 (± 3.3)	9.5 (± 1.1)
30.	Not counting alcohol, tobacco, or marijuana, use another illegal drug?		
		Local (n = 231)	State (n = 9,431)
	a. None	96.1% (± 2.5%)	97.0% (± 0.4%)
	b. 1–2 days	1.7 (± 1.7)	1.5 (± 0.3)
	c. 3–5 days	0.9 (± 1.2)	0.9 (± 0.2)
	d. 6–9 days	0.4 (± 0.8)	0.3 (± 0.1)
	e. 10 or more days	0.9 (± 1.2)	0.3 (± 0.1)
	<i>Any use in past 30 days</i>	3.9 (± 2.5)	3.0 (± 0.4)
31.	Use any illegal drug, including marijuana? (Computed from items 29 and 30.)		
		Local (n = 231)	State (n = 9,419)
	None	91.3% (± 3.6%)	90.0% (± 1.2%)
	1 or more	8.7 (± 3.6)	10.0 (± 1.2)
	<i>Any use in the past 30 days</i>	8.7 (± 3.6)	10.0 (± 1.2)
32.	Use a pain killer to get high, like Vicodin, OxyContin (sometimes called Oxy or OC) or Percocet (sometimes called Percs)?		
		Local (n = 230)	State (n = 9,398)
	a. None	93.5% (± 3.2%)	95.7% (± 0.5%)
	b. 1–2 days	3.5 (± 2.4)	2.5 (± 0.4)
	c. 3–5 days	1.3 (± 1.5)	1.0 (± 0.2)
	d. 6–9 days	0.9 (± 1.2)	0.3 (± 0.1)
	e. 10 or more days	0.9 (± 1.2)	0.5 (± 0.2)
	<i>Any use in past 30 days</i>	6.5 (± 3.2)	4.3 (± 0.5)

33.	Some kids take a medicine prescribed by their doctor to help with hyperactivity or focus (ADD). Some names for this medicine are Ritalin, Adderall, or Concerta. In the past 30 days have you taken one of these drugs?			
		Local (n = 117)		State (n = 4,595)
a.	No	88.9%	(± 5.7%)	90.6% (± 1.1%)
b.	Yes—prescribed by my doctor for me	11.1	(± 5.7)	7.6 (± 1.0)
c.	Yes—but NOT prescribed by a doctor for me	0.0	(± 0.0)	1.8 (± 0.4)

### Other Tobacco-Related Questions

34.	If one of your best friends offered you a cigarette, would you smoke it?			
		Local (n = 230)		State (n = 9,316)
a.	Definitely no	83.0%	(± 4.8%)	78.2% (± 1.5%)
b.	Probably no	12.6	(± 4.3)	12.3 (± 0.8)
c.	Probably yes	3.5	(± 2.4)	6.6 (± 0.7)
d.	Definitely yes	0.9	(± 1.2)	3.0 (± 0.5)
35.	Do you think that you will smoke a cigarette anytime in the next year?			
		Local (n = 230)		State (n = 9,307)
a.	Definitely no	84.4%	(± 4.7%)	76.6% (± 1.6%)
b.	Probably no	11.3	(± 4.1)	13.7 (± 0.9)
c.	Probably yes	3.0	(± 2.2)	6.3 (± 0.7)
d.	Definitely yes	1.3	(± 1.5)	3.4 (± 0.6)
36.	Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking. (Computed from both items 34 and 35).			
		Local (n = 230)		State (n = 9,305)
a.	Yes, not susceptible	79.6%	(± 5.2%)	73.1% (± 1.7%)
b.	No, susceptible	20.4	(± 5.2)	26.9 (± 1.7)
37.	Do you think young people risk harming themselves if they smoke 1–5 cigarettes a day?			
		Local (n = 114)		State (n = 4,792)
a.	Definitely no	7.9%	(± 5.0%)	5.7% (± 0.7%)
b.	Probably no	3.5	(± 3.4)	3.3 (± 0.5)
c.	Probably yes	9.7	(± 5.4)	20.5 (± 1.6)
d.	Definitely yes	79.0	(± 7.5)	70.5 (± 1.9)
38.	During the past year in school, how many times did you get information in classes about the dangers of tobacco use?			
		Local (n = 114)		State (n = 4,789)
a.	None	9.7%	(± 5.4%)	24.9% (± 2.6%)
b.	Once	6.1	(± 4.4)	21.2 (± 1.9)
c.	2 or 3 times	18.4	(± 7.1)	29.0 (± 1.8)
d.	4 or more times	65.8	(± 8.7)	24.9 (± 3.9)
39.	Do you think that rules about not using tobacco at your school are usually enforced?			
		Local (n = 112)		State (n = 4,721)
a.	Definitely no	7.1%	(± 4.8%)	11.8% (± 1.3%)
b.	Probably no	8.9	(± 5.3)	13.2 (± 1.4)
c.	Probably yes	33.0	(± 8.7)	36.0 (± 1.5)
d.	Definitely yes	50.9	(± 9.3)	39.1 (± 2.5)

40.	During the past 30 days, on how many days did you use tobacco (cigarettes, cigars, or chew/dip) on school property?	Local (n = 114)	State (n = 4,801)
a.	0 days	99.1% (± 1.7%)	97.3% (± 0.6%)
b.	1–2 days	0.9 (± 1.7)	1.4 (± 0.4)
c.	3–9 days	0.0 (± 0.0)	0.7 (± 0.3)
d.	10–29 days	0.0 (± 0.0)	0.3 (± 0.1)
e.	All 30 days	0.0 (± 0.0)	0.5 (± 0.2)
41.	Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?	Local (n = 112)	State (n = 4,096)
a.	Definitely no	10.7% (± 5.7%)	10.5% (± 1.3%)
b.	Probably no	1.8 (± 2.5)	6.2 (± 0.9)
c.	Probably yes	15.2 (± 6.6)	24.6 (± 1.8)
d.	Definitely yes	72.3 (± 8.3)	58.7 (± 2.4)
42.	Some tobacco companies make t-shirts, lighters, or other items that people can buy or receive for free. During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?	Local (n = 113)	State (n = 4,066)
a.	No	92.9% (± 4.7%)	89.7% (± 1.1%)
b.	Yes	7.1 (± 4.7)	10.3 (± 1.1)
43.	During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	Local (n = 113)	State (n = 4,028)
a.	0 days	79.7% (± 7.4%)	68.1% (± 2.3%)
b.	1–2 days	13.3 (± 6.3)	17.1 (± 1.5)
c.	3–4 days	4.4 (± 3.8)	6.0 (± 0.8)
d.	5–6 days	1.8 (± 2.4)	2.9 (± 0.5)
e.	7 days	0.9 (± 1.7)	5.9 (± 0.9)
44.	Does anyone who lives with you now smoke cigarettes?	Local (n = 113)	State (n = 3,967)
a.	No	90.3% (± 5.5%)	68.9% (± 2.6%)
b.	Yes	9.7 (± 5.5)	31.1 (± 2.6)
45.	During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?	Local (n = 112)	State (n = 4,013)
a.	0 days	88.4% (± 5.9%)	76.8% (± 2.4%)
b.	1-2 days	8.0 (± 5.0)	12.0 (± 1.3)
c.	3-4 days	0.9 (± 1.7)	5.1 (± 0.8)
d.	5-6 days	0.9 (± 1.7)	2.2 (± 0.5)
e.	7 days	1.8 (± 2.5)	3.9 (± 0.9)
46.	Has either of your parents (or guardians) discussed the dangers of tobacco use with you?	Local (n = 113)	State (n = 3,921)
a.	Mother (or female guardian) only	15.0% (± 6.6%)	17.0% (± 1.3%)
b.	Father (or male guardian) only	4.4 (± 3.8)	4.7 (± 0.8)
c.	Both	51.3 (± 9.2)	52.0 (± 2.1)
d.	Neither	29.2 (± 8.4)	26.3 (± 1.8)

47.	Which of these best describes the rules about smoking inside the house where you live? Smoking is...	Local (n = 112)	State (n = 3,996)
	a. Never allowed inside my house	92.0% (± 5.0%)	83.2% (± 1.9%)
	b. Allowed only at some times or in some places	6.3 (± 4.5)	12.2 (± 1.5)
	c. Always allowed inside my house	1.8 (± 2.5)	4.6 (± 1.1)
48.	During the past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking?	Local (n = 112)	State (n = 3,970)
	a. Not in the past 30 days	45.5% (± 9.2%)	39.5% (± 1.9%)
	b. 1–3 times in the past 30 days	28.6 (± 8.4)	28.4 (± 1.6)
	c. 1–3 times per week	15.2 (± 6.6)	13.4 (± 1.2)
	d. Daily or almost daily	7.1 (± 4.8)	11.1 (± 1.3)
	e. More than once a day	3.6 (± 3.4)	7.6 (± 0.9)
49.	During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.)	Local (n = 112)	State (n = 3,860)
	a. I did not use tobacco during the past 30 days	92.0% (± 5.0%)	90.8% (± 1.4%)
	b. I bought it in a store such as a convenience store, supermarket, discount store or gas station	0.0 (± 0.0)	0.8 (± 0.3)
	c. I bought it from a vending machine	1.8 (± 2.5)	1.0 (± 0.4)
	d. I gave someone else money to buy them for me	1.8 (± 2.5)	1.8 (± 0.5)
	e. I borrowed (or bummed) them from someone else	3.6 (± 3.4)	1.6 (± 0.5)
	f. A person 18 years old or older gave them to me	0.9 (± 1.7)	0.9 (± 0.3)
	g. I took them from a store or a family member	0.0 (± 0.0)	1.1 (± 0.3)
	h. I got them some other way	0.0 (± 0.0)	2.1 (± 0.5)

### Other Alcohol- and Drug-Related Questions

50.	During the past 30 days, have you seen or heard advertisements on TV, the Internet, the radio, or magazines about the dangers of kids drinking alcohol?	Local (n = 117)	State (n = 4,766)
	a. Not in the past 30 days	37.6% (± 8.8%)	37.3% (± 1.6%)
	b. 1–3 times in the past 30 days	32.5 (± 8.5)	27.9 (± 1.2)
	c. 1–3 times per week	16.2 (± 6.7)	14.8 (± 0.9)
	d. Daily or almost daily	7.7 (± 4.8)	11.5 (± 1.1)
	e. More than once a day	6.0 (± 4.3)	8.5 (± 0.9)
51.	NOT including talks on drinking and driving, in the past year have your parents or guardians talked to you about why you should not drink alcohol?	Local (n = 117)	State (n = 4,755)
	a. Yes, a number of times	43.6% (± 9.0%)	43.3% (± 1.6%)
	b. Yes, once	23.1 (± 7.6)	18.8 (± 1.3)
	c. No	20.5 (± 7.3)	22.2 (± 1.2)
	d. I don't remember	12.8 (± 6.1)	15.7 (± 1.2)
52.	During the past year in school, how many times did you get information in classes about reasons not to use alcohol and other drugs?	Local (n = 117)	State (n = 4,733)
	a. None	5.1% (± 4.0%)	18.0% (± 1.9%)
	b. Once	11.1 (± 5.7)	23.0 (± 2.2)
	c. 2 or 3 times	15.4 (± 6.5)	31.5 (± 1.8)
	d. 4 or more times	68.4 (± 8.4)	27.6 (± 3.6)

53.	Do you think that rules about not drinking alcohol or using drugs at your school are usually enforced?	Local (n = 112)	State (n = 4,704)
	a. Definitely no	8.9% (± 5.3%)	11.8% (± 1.5%)
	b. Probably no	9.8 (± 5.5)	10.4 (± 1.2)
	c. Probably yes	19.6 (± 7.4)	32.7 (± 1.3)
	d. Definitely yes	61.6 (± 9.0)	45.1 (± 2.6)
54.	How much do you think people risk harming themselves if they smoke marijuana occasionally?	Local (n = 116)	State (n = 4,728)
	a. No risk	7.8% (± 4.9%)	8.8% (± 1.1%)
	b. Slight risk	7.8 (± 4.9)	11.8 (± 1.1)
	c. Moderate risk	25.9 (± 8.0)	29.0 (± 1.6)
	d. Great risk	56.0 (± 9.0)	44.5 (± 2.2)
	e. Not sure	2.6 (± 2.9)	6.0 (± 1.0)
55.	Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	Local (n = 229)	State (n = 9,329)
	a. None	96.9% (± 2.2%)	92.0% (± 0.9%)
	b. Once	1.8 (± 1.7)	3.6 (± 0.4)
	c. Twice	0.9 (± 1.2)	2.1 (± 0.4)
	d. 3–5 times	0.4 (± 0.9)	1.2 (± 0.3)
	e. 6–9 times	0.0 (± 0.0)	0.5 (± 0.1)
	f. 10 or more times	0.0 (± 0.0)	0.6 (± 0.1)
56.	If you had to guess, how many students in your grade at school drank alcohol during the past 30 days?	Local (n = 117)	State (n = 4,662)
	a. 0 out of 10 (none)	28.2% (± 8.2%)	16.1% (± 2.0%)
	b. 1 out of 10	41.0 (± 8.9)	22.4 (± 2.3)
	c. 2 out of 10	12.0 (± 5.9)	14.8 (± 1.1)
	d. 3 out of 10	9.4 (± 5.3)	14.6 (± 1.2)
	e. 4 out of 10	4.3 (± 3.7)	9.2 (± 1.0)
	f. 5 out of 10 (about half)	2.6 (± 2.9)	11.2 (± 1.5)
	g. 6 out of 10	1.7 (± 2.4)	3.3 (± 0.6)
	h. 7 out of 10	0.0 (± 0.0)	2.8 (± 0.7)
	i. 8 out of 10	0.0 (± 0.0)	1.7 (± 0.4)
	j. 9 out of 10	0.0 (± 0.0)	1.3 (± 0.3)
	k. 10 out of 10 (all)	0.9 (± 1.7)	2.7 (± 0.7)
57.	Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly?	Local (n = 116)	State (n = 4,216)
	a. Very wrong	53.5% (± 9.1%)	39.1% (± 2.0%)
	b. Wrong	29.3 (± 8.3)	33.6 (± 1.9)
	c. A little bit wrong	13.8 (± 6.3)	20.9 (± 1.8)
	d. Not wrong at all	3.5 (± 3.3)	6.5 (± 1.2)
58.	Drinking Categories Variable (Computed from items 28 and 55).	Local (n = 229)	State (n = 9,322)
	a. No alcohol use	90.8% (± 3.7%)	84.3% (± 1.4%)
	b. 1-2 days and no binges	4.8 (± 2.8)	6.2 (± 0.5)
	c. 3-5 days or 1 binge	2.2 (± 1.9)	4.3 (± 0.5)
	d. 6+ days or 2+ binges	2.2 (± 1.9)	5.3 (± 0.8)

59.	How many times in the past year (12 months) have you been drunk or high at school?				
		Local (n = 230)		State (n = 9,319)	
	a. Never	93.5%	(± 3.2%)	92.2%	(± 0.9%)
	b. 1–2 times	4.8	(± 2.8)	4.2	(± 0.6)
	c. 3–5 times	0.9	(± 1.2)	1.6	(± 0.3)
	d. 6–9 times	0.0	(± 0.0)	0.7	(± 0.2)
	e. 10 or more times	0.9	(± 1.2)	1.2	(± 0.3)
60.	During the past 30 days, how did you usually get alcohol (beer, wine, or hard liquor)? Choose all that apply.				
	<i>Percentages do not total 100% due to multiple responses.</i>				
		Local (n = 116)		State (n = 4,482)	
	a. I did not get alcohol in the past 30 days	92.2%	(± 4.9%)	86.1%	(± 1.4%)
	b. I bought it from a store	1.7	(± 2.4)	1.6	(± 0.4)
	c. I got it from friends	0.9	(± 1.7)	3.4	(± 0.5)
	d. I got it at a party	1.7	(± 2.4)	2.8	(± 0.5)
	e. I got it from an older brother or sister	0.9	(± 1.7)	1.3	(± 0.3)
	f. I gave money to someone to get it for me	0.9	(± 1.7)	1.4	(± 0.4)
	g. I took it from home <b>without</b> my parents' permission	2.6	(± 2.9)	3.5	(± 0.6)
	h. I got it at home <b>with</b> my parents' permission	2.6	(± 2.9)	2.2	(± 0.5)
	i. I got it at a family celebration, ceremony, or party	1.7	(± 2.4)	1.6	(± 0.5)
	j. I got it some other way	3.5	(± 3.3)	2.6	(± 0.5)
61.	If you have <b>EVER</b> used pain killers to get high, where did you usually get them?				
		Local (n = 116)		State (n = 4,535)	
	a. I did not use pain killers to get high	89.7%	(± 5.5%)	92.1%	(± 1.0%)
	b. I used my own prescriptions (from a doctor or dentist)	2.6	(± 2.9)	2.1	(± 0.5)
	c. A family member gave them to me	0.0	(± 0.0)	1.0	(± 0.3)
	d. I took them from my home or someone else's home without permission	2.6	(± 2.9)	1.4	(± 0.4)
	e. I got them from a friend	0.0	(± 0.0)	1.7	(± 0.4)
	f. I got them from an acquaintance	0.0	(± 0.0)	0.2	(± 0.2)
	g. I got them from a drug dealer	1.7	(± 2.4)	0.7	(± 0.2)
	h. I got them from the internet	0.0	(± 0.0)	0.1	(± 0.1)
	i. I got them some other way	3.5	(± 3.3)	0.9	(± 0.3)
62.	During the last year, have you felt that you needed help (such as counseling or treatment) for your alcohol, tobacco, or other drug use?				
		Local (n = 116)		State (n = 4,564)	
	a. I have not used alcohol or other drugs	91.4%	(± 5.1%)	83.0%	(± 1.7%)
	b. I have used alcohol and/or drugs but I haven't needed help	6.0	(± 4.3)	11.6	(± 1.3)
	c. Yes, I felt I have needed help	0.0	(± 0.0)	1.9	(± 0.4)
	d. Not sure	2.6	(± 2.9)	3.6	(± 0.6)

## Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, depression, and gambling behavior. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

### Nutrition and Fitness

63. Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%. (Computed from numeric responses to "How tall are you without your shoes on?" and "How much do you weigh without your shoes on?")

	Local (n = *)	State (n = 4,035)
Obese	*. *% (± *. *%)	11.3% (± 1.4%)
Overweight	*. * (± *. *)	15.8 (± 1.4)
Not overweight	*. * (± *. *)	72.9 (± 2.4)

*Note.* Results are suppressed for building-level reports.

64. Which of the following are you trying to do about your weight?

	Local (n = 113)	State (n = 4,717)
a. I am not trying to do anything about my weight	36.3% (± 8.9%)	30.9% (± 1.7%)
b. Lose weight	31.9 (± 8.6)	41.3 (± 2.1)
c. Gain weight	8.0 (± 5.0)	8.7 (± 0.8)
d. Stay the same weight	23.9 (± 7.9)	19.0 (± 1.5)

65. How often do you eat dinner with your family?

	Local (n = 114)	State (n = 4,756)
a. Never	4.4% (± 3.8%)	5.1% (± 0.8%)
b. Rarely	8.8 (± 5.2)	11.2 (± 1.0)
c. Sometimes	11.4 (± 5.8)	17.0 (± 1.3)
d. Most of the time	42.1 (± 9.1)	35.5 (± 1.7)
e. Always	33.3 (± 8.7)	31.2 (± 1.4)

66. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food?<sup>†</sup>

	Local (n = 113)	State (n = 3,296)
a. Almost every month	0.9% (± 1.7%)	5.6% (± 1.1%)
b. Some months but not every month	1.8 (± 2.4)	5.9 (± 0.8)
c. Only 1–2 months	4.4 (± 3.8)	5.3 (± 0.9)
d. Did not have to skip or cut the size of meals	92.9 (± 4.7)	83.1 (± 1.8)

67. Did you eat breakfast today?

	Local (n = 113)	State (n = 4,761)
a. Yes	78.8% (± 7.5%)	67.8% (± 2.1%)
b. No	21.2 (± 7.5)	32.2 (± 2.1)



68.	How many sodas or pops did you drink yesterday? (Do not count diet soda.)	Local (n = 114)	State (n = 4,747)
a.	None	73.7% (± 8.1%)	60.0% (± 2.4%)
b.	1	19.3 (± 7.3)	26.6 (± 1.5)
c.	2	3.5 (± 3.4)	7.9 (± 1.0)
d.	3	1.8 (± 2.4)	2.7 (± 0.6)
e.	4 or more	1.8 (± 2.4)	2.9 (± 0.5)
69.	During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and weekend activities)? Do not include diet drinks.	Local (n = 114)	State (n = 4,755)
a.	0 times	37.7% (± 8.9%)	32.7% (± 2.4%)
b.	1–3 times	43.0 (± 9.1)	39.2 (± 1.6)
c.	4–6 times	7.9 (± 5.0)	13.4 (± 1.0)
d.	7–9 times	4.4 (± 3.8)	5.1 (± 0.8)
e.	10 times or more	7.0 (± 4.7)	9.6 (± 1.1)
70.	During the past 7 days, where did you usually get the soda or other sweetened drinks that you drank at school? (Choose only one answer.)	Local (n = 114)	State (n = 4,734)
a.	I did not drink sodas, sports drinks, or other flavored drinks at school	39.5% (± 9.0%)	42.3% (± 2.5%)
b.	I brought them from home	19.3 (± 7.3)	28.1 (± 2.0)
c.	I got them from friends	3.5 (± 3.4)	6.3 (± 0.7)
d.	I bought them at school	30.7 (± 8.5)	14.8 (± 2.9)
e.	Other	7.0 (± 4.7)	8.6 (± 1.0)

**On how many of the past 7 days did you:**

71.	In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)	Local (n = 113)	State (n = 4,721)
a.	0 days	7.1% (± 4.7%)	8.6% (± 1.2%)
b.	1 day	3.5 (± 3.4)	6.1 (± 0.9)
c.	2 days	2.7 (± 3.0)	7.2 (± 0.9)
d.	3 days	5.3 (± 4.1)	10.4 (± 1.1)
e.	4 days	15.0 (± 6.6)	11.0 (± 1.0)
f.	5 days	22.1 (± 7.6)	18.5 (± 1.3)
g.	6 days	11.5 (± 5.9)	11.2 (± 1.2)
h.	7 days	32.7 (± 8.6)	27.0 (± 1.7)
72.	On average how many days a week do you walk to or from school?	Local (n = 114)	State (n = 4,705)
a.	Never	54.4% (± 9.1%)	61.7% (± 4.9%)
b.	1–2	14.9 (± 6.5)	13.7 (± 1.7)
c.	3–4	9.7 (± 5.4)	6.0 (± 1.2)
d.	I walk every day	21.1 (± 7.5)	18.5 (± 3.0)

73.	On average how many days a week do you ride a bicycle to or from school?	Local (n = 114)	State (n = 4,708)
	a. Never	79.8% (± 7.4%)	92.9% (± 1.1%)
	b. 1–2	12.3 (± 6.0)	3.5 (± 0.5)
	c. 3–4	3.5 (± 3.4)	1.7 (± 0.5)
	d. I bike every day	4.4 (± 3.8)	1.9 (± 0.4)
74.	On an average school day, how many hours do you watch TV, including videos and DVDs?	Local (n = 114)	State (n = 4,717)
	a. I do not watch TV on an average school day	15.8% (± 6.7%)	11.3% (± 1.1%)
	b. Less than 1 hour per day	14.9 (± 6.5)	19.7 (± 1.4)
	c. 1 hour per day	29.0 (± 8.3)	17.8 (± 1.1)
	d. 2 hours per day	24.6 (± 7.9)	22.5 (± 1.4)
	e. 3 hours per day	9.7 (± 5.4)	14.5 (± 1.3)
	f. 4 hours per day	2.6 (± 2.9)	6.2 (± 0.7)
	g. 5 or more hours per day	3.5 (± 3.4)	8.1 (± 1.2)
75.	On an average school day, how many hours do you play video games or use a computer for fun? (Include activities such as Nintendo, Game Boy, Play Station, computer games, and the Internet.)	Local (n = 114)	State (n = 4,719)
	a. I do not play video games or use a computer for fun on an average school day	18.4% (± 7.1%)	18.1% (± 1.3%)
	b. Less than 1 hour per day	29.8 (± 8.4)	26.1 (± 1.7)
	c. 1 hour per day	19.3 (± 7.3)	19.4 (± 1.4)
	d. 2 hours per day	17.5 (± 7.0)	15.5 (± 1.4)
	e. 3 hours per day	8.8 (± 5.2)	9.1 (± 0.9)
	f. 4 hours per day	1.8 (± 2.4)	4.6 (± 0.7)
	g. 5 or more hours per day	4.4 (± 3.8)	7.4 (± 1.0)
76.	In an average week when you are in school, on how many days do you go to physical education (PE) classes?	Local (n = 114)	State (n = 4,688)
	a. 0 days	23.7% (± 7.8%)	24.2% (± 5.7%)
	b. 1 day	1.8 (± 2.4)	1.0 (± 0.3)
	c. 2 days	0.9 (± 1.7)	2.2 (± 1.1)
	d. 3 days	0.0 (± 0.0)	7.2 (± 4.9)
	e. 4 days	0.9 (± 1.7)	3.9 (± 3.6)
	f. 5 days	72.8 (± 8.2)	61.4 (± 7.7)
77.	During an average PE class, how many minutes do you spend actually exercising or playing sports?	Local (n = 114)	State (n = 4,689)
	a. I do not take PE	20.2% (± 7.4%)	21.5% (± 5.0%)
	b. Less than 10 minutes	4.4 (± 3.8)	2.1 (± 0.5)
	c. 10–20 minutes	14.9 (± 6.5)	6.9 (± 0.9)
	d. 21–30 minutes	11.4 (± 5.8)	12.3 (± 1.8)
	e. 31–40 minutes	22.8 (± 7.7)	17.8 (± 2.0)
	f. 41–50 minutes	14.0 (± 6.4)	20.4 (± 2.3)
	g. 51–60 minutes	8.8 (± 5.2)	11.1 (± 1.9)
	h. More than 60 minutes	3.5 (± 3.4)	7.9 (± 2.3)

78.	During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.			
			Local (n = 229)	State (n = 9,133)
	a. 0 days	21.0%	(± 5.3%)	34.1% (± 2.1%)
	b. 1–2 days	23.1	(± 5.5)	22.3 (± 1.3)
	c. 3 or more days	55.9	(± 6.4)	43.6 (± 2.5)

## Health Conditions and Health Care

79.	Has a doctor or nurse ever told you that you have asthma?			
			Local (n = 113)	State (n = 4,664)
	a. Yes	13.3%	(± 6.3%)	18.9% (± 1.2%)
	b. No	80.5	(± 7.3)	71.6 (± 1.5)
	c. Not sure	6.2	(± 4.4)	9.5 (± 0.9)
80.	Do you still have asthma?			
			Local (n = 112)	State (n = 4,657)
	a. I have never had asthma	70.5%	(± 8.4%)	63.8% (± 1.6%)
	b. Yes	5.4	(± 4.2)	12.4 (± 0.8)
	c. No	14.3	(± 6.5)	12.3 (± 1.1)
	d. Not sure	9.8	(± 5.5)	11.6 (± 1.0)
81.	RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler? <sup>†</sup>			
			Local (n = 105)	State (n = 3,134)
	a. Never	96.2%	(± 3.7%)	90.3% (± 1.1%)
	b. 1 or 2 days per week	1.9	(± 2.6)	4.5 (± 0.8)
	c. 3 to 6 days per week	1.0	(± 1.9)	1.9 (± 0.5)
	d. Every day, once per day	0.0	(± 0.0)	0.6 (± 0.3)
	e. Every day, twice or more per day	0.0	(± 0.0)	0.7 (± 0.3)
	f. I'm not sure	1.0	(± 1.9)	2.0 (± 0.6)
82.	During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma? <sup>†</sup>			
			Local (n = 105)	State (n = 3,156)
	a. I do not have asthma	89.5%	(± 5.9%)	78.7% (± 1.5%)
	b. None	7.6	(± 5.1)	15.9 (± 1.2)
	c. 1 to 3 times	2.9	(± 3.2)	2.6 (± 0.6)
	d. 4 to 9 times	0.0	(± 0.0)	0.4 (± 0.2)
	e. 10 to 12 times	0.0	(± 0.0)	0.4 (± 0.2)
	f. More than 12 times	0.0	(± 0.0)	0.3 (± 0.2)
	g. I don't know	0.0	(± 0.0)	1.7 (± 0.5)

83.	During the past 12 months, how many days did you stay out of school or stay away from your usual activities because of your asthma? <sup>†</sup>		
		Local (n = 105)	State (n = 3,141)
	a. I do not have asthma	89.5% (± 5.9%)	79.8% (± 1.5%)
	b. None	8.6 (± 5.4)	15.1 (± 1.1)
	c. 1 to 2 days	1.0 (± 1.9)	1.9 (± 0.5)
	d. 3 to 4 days	0.0 (± 0.0)	0.9 (± 0.3)
	e. 5 to 10 days	0.0 (± 0.0)	0.5 (± 0.3)
	f. More than 10 days	0.0 (± 0.0)	0.5 (± 0.2)
	g. I don't know	1.0 (± 1.9)	1.3 (± 0.4)
84.	Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? <sup>†</sup>		
		Local (n = 104)	State (n = 3,126)
	a. Never	87.5% (± 6.4%)	79.6% (± 1.4%)
	b. 1 or 2 days per week	8.7 (± 5.4)	9.8 (± 1.0)
	c. 3 to 6 days per week	2.9 (± 3.2)	4.0 (± 0.8)
	d. Every day, but not throughout the day	1.0 (± 1.9)	1.9 (± 0.5)
	e. Every day, throughout the day	0.0 (± 0.0)	1.0 (± 0.4)
	f. I'm not sure	0.0 (± 0.0)	3.8 (± 0.8)
[Item 85 appears only on the elementary version of the survey.]			
86.	Have you ever been told by a doctor or other health professional that you have diabetes?		
		Local (n = 113)	State (n = 3,932)
	a. No	96.5% (± 3.4%)	93.2% (± 0.9%)
	b. Yes	1.8 (± 2.4)	3.6 (± 0.7)
	c. I don't know	1.8 (± 2.4)	3.2 (± 0.5)
87.	When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were not sick or injured?		
		Local (n = 113)	State (n = 4,642)
	a. During the past 12 months	82.3% (± 7.0%)	61.6% (± 2.1%)
	b. Between 12 and 24 months ago	9.7 (± 5.5)	15.0 (± 1.1)
	c. More than 24 months ago	0.9 (± 1.7)	4.1 (± 0.6)
	d. Never	0.0 (± 0.0)	3.1 (± 0.5)
	e. Not sure	7.1 (± 4.7)	16.2 (± 1.5)
88.	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		Local (n = 113)	State (n = 4,643)
	a. During the past 12 months	85.8% (± 6.4%)	75.3% (± 2.4%)
	b. Between 12 and 24 months ago	8.0 (± 5.0)	9.0 (± 1.0)
	c. More than 24 months ago	2.7 (± 3.0)	5.0 (± 0.7)
	d. Never	0.0 (± 0.0)	1.7 (± 0.4)
	e. Not sure	3.5 (± 3.4)	9.0 (± 1.3)

**Sexual Behavior**

	Local (n = 0)	State (n = 930)
89. Have you ever had sexual intercourse? <sup>†</sup>		
a. Yes	*.*% (± *.*% )	16.8% (± 3.0%)
b. No	*.* (± *.* )	83.2 (± 3.0)
90. How old were you when you had sexual intercourse for the first time? <sup>†</sup>	Local (n = 0)	State (n = 921)
a. I have never had sexual intercourse	*.*% (± *.*% )	86.5% (± 3.1%)
b. 11 years old or younger	*.* (± *.* )	3.2 (± 1.2)
c. 12 years old	*.* (± *.* )	3.9 (± 1.3)
d. 13 years old	*.* (± *.* )	4.9 (± 2.2)
e. 14 years old	*.* (± *.* )	0.9 (± 0.8)
f. 15 years old	*.* (± *.* )	0.1 (± 0.2)
g. 16 years old	*.* (± *.* )	0.1 (± 0.2)
h. 17 years old or older	*.* (± *.* )	0.4 (± 0.4)
91. With how many people have you ever had sexual intercourse? <sup>†</sup>	Local (n = 0)	State (n = 919)
a. I have never had sexual intercourse	*.*% (± *.*% )	86.7% (± 2.7%)
b. 1 person	*.* (± *.* )	5.3 (± 1.4)
c. 2 people	*.* (± *.* )	2.2 (± 0.7)
d. 3 people	*.* (± *.* )	1.9 (± 1.2)
e. 4 people	*.* (± *.* )	0.7 (± 0.6)
f. 5 people	*.* (± *.* )	0.2 (± 0.3)
g. 6 or more people	*.* (± *.* )	3.1 (± 1.3)
92. The last time you had sexual intercourse, did you or your partner use a condom? <sup>†</sup>	Local (n = 0)	State (n = 914)
a. I have never had sexual intercourse	*.*% (± *.*% )	85.9% (± 3.2%)
b. Yes	*.* (± *.* )	8.2 (± 1.9)
c. No	*.* (± *.* )	5.9 (± 1.8)

**Safety**

	Local (n = 114)	State (n = 4,828)
93. When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
a. I did not ride a bicycle in the past 12 months	8.8% (± 5.2%)	17.0% (± 1.6%)
b. Never wore a helmet	15.8 (± 6.7)	40.2 (± 2.8)
c. Rarely wore a helmet	14.9 (± 6.5)	12.1 (± 1.1)
d. Sometimes wore a helmet	15.8 (± 6.7)	8.6 (± 0.9)
e. Most of the time wore a helmet	21.1 (± 7.5)	9.4 (± 1.4)
f. Always wore a helmet	23.7 (± 7.8)	12.8 (± 1.9)

[Item 94 appears only on the elementary version of the survey.]

95.	How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	Local (n = 114)	State (n = 4,835)
a.	Never go boating in a small boat	12.3% (± 6.0%)	26.6% (± 2.8%)
b.	Never	6.1 (± 4.4)	9.1 (± 1.2)
c.	Less than half the time	12.3 (± 6.0)	6.7 (± 0.8)
d.	About half the time	11.4 (± 5.8)	7.2 (± 0.8)
e.	More than half the time	19.3 (± 7.3)	12.1 (± 1.4)
f.	Always	38.6 (± 8.9)	38.2 (± 2.3)
96.	How often do you wear a seat belt when riding in a car (driven by someone else) <sup>B</sup> ?	Local (n = 114)	State (n = 4,835)
a.	Never	0.9% (± 1.7%)	1.8% (± 0.5%)
b.	Rarely	0.9 (± 1.7)	2.2 (± 0.4)
c.	Sometimes	3.5 (± 3.4)	5.7 (± 0.8)
d.	Most of the time	26.3 (± 8.1)	19.1 (± 1.1)
e.	Always	68.4 (± 8.5)	71.2 (± 1.7)
97.	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	Local (n = 228)	State (n = 8,980)
a.	0 times	82.9% (± 4.9%)	81.6% (± 1.3%)
b.	1 time	7.5 (± 3.4)	8.7 (± 0.6)
c.	2–3 times	4.8 (± 2.8)	5.5 (± 0.6)
d.	4–5 times	2.6 (± 2.1)	1.3 (± 0.2)
e.	6 or more times	2.2 (± 1.9)	2.9 (± 0.5)

[Item 98 appears only on the elementary version of the survey.]

99.	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	Local (n = 229)	State (n = 8,926)
a.	0 times	97.4% (± 2.1%)	95.7% (± 0.6%)
b.	1 time	1.8 (± 1.7)	2.0 (± 0.4)
c.	2–3 times	0.9 (± 1.2)	1.0 (± 0.3)
d.	4–5 times	0.0 (± 0.0)	0.4 (± 0.1)
e.	6 or more times	0.0 (± 0.0)	0.8 (± 0.2)

### Behaviors Related to Intentional Injuries

100.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club for self-protection or because you thought you might need it in a fight? (Do NOT include carrying a weapon for hunting, fishing, or camping.)	Local (n = 113)	State (n = 4,835)
a.	0 days	91.2% (± 5.2%)	88.6% (± 0.8%)
b.	1 day	3.5 (± 3.4)	4.6 (± 0.6)
c.	2–3 days	3.5 (± 3.4)	2.3 (± 0.4)
d.	4–5 days	0.9 (± 1.7)	0.7 (± 0.2)
e.	6 or more days	0.9 (± 1.7)	3.8 (± 0.5)

[Item 101 appears only on the elementary version of the survey.]

102.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?	Local (n = 230)	State (n = 9,599)
a.	0 days	97.4% (± 2.1%)	94.7% (± 0.6%)
b.	1–5 days	2.6 (± 2.1)	3.7 (± 0.5)
c.	6 or more days	0.0 (± 0.0)	1.6 (± 0.2)

103. During the past 12 months, how many times were you in a physical fight?	Local (n = 229)	State (n = 9,521)
a. 0 times	65.9% (± 6.1%)	66.2% (± 1.7%)
b. 1 time	16.2 (± 4.8)	15.6 (± 0.8)
c. 2–3 times	10.5 (± 4.0)	10.3 (± 0.9)
d. 4–5 times	1.3 (± 1.5)	2.6 (± 0.4)
e. 6 or more times	6.1 (± 3.1)	5.4 (± 0.5)
104. During the past 12 months, how many times were you in a physical fight on school property?	Local (n = 113)	State (n = 4,826)
a. 0 times	90.3% (± 5.5%)	85.4% (± 1.3%)
b. 1 time	7.1 (± 4.7)	9.1 (± 0.9)
c. 2–3 times	0.9 (± 1.7)	3.7 (± 0.6)
d. 4–5 times	0.9 (± 1.7)	0.9 (± 0.2)
e. 6 or more times	0.9 (± 1.7)	1.0 (± 0.3)
105. During the past 12 months, have you been a member of a gang?	Local (n = 230)	State (n = 9,186)
a. No	95.2% (± 2.8%)	93.4% (± 0.7%)
b. Yes	4.8 (± 2.8)	6.6 (± 0.7)
106. During the past 12 months, did your boyfriend or girlfriend ever limit your activities, threaten you, or make you feel unsafe in any other way? <sup>†</sup>	Local (n = 109)	State (n = 3,213)
a. No	93.6% (± 4.6%)	93.9% (± 0.9%)
b. Yes	6.4 (± 4.6)	6.1 (± 0.9)
107. In the past 12 months, have you had any injuries such as bruises, cuts, black eyes, or broken bones as a result of being hurt by a boyfriend or girlfriend? <sup>†</sup>	Local (n = 110)	State (n = 3,185)
a. No	95.5% (± 3.9%)	94.0% (± 0.8%)
b. Yes	4.6 (± 3.9)	6.0 (± 0.8)
108. Have you ever been physically abused by an adult? <sup>†</sup>	Local (n = 109)	State (n = 3,174)
a. No	81.7% (± 7.3%)	84.4% (± 1.4%)
b. Yes	18.4 (± 7.3)	15.6 (± 1.4)
109. Not counting TV, movies, video games, and sporting events, have you seen an adult hit, slap, punch, shove, kick, or otherwise physically hurt another adult more than one time? <sup>†</sup>	Local (n = 109)	State (n = 3,177)
a. No	78.0% (± 7.8%)	74.2% (± 2.0%)
b. Yes	22.0 (± 7.8)	25.8 (± 2.0)

## Depression

110. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	Local (n = 226)	State (n = 8,752)
a. Yes	20.4% (± 5.3%)	25.2% (± 1.3%)
b. No	79.7 (± 5.3)	74.8 (± 1.3)

111.	During the past 12 months, did you ever seriously consider attempting suicide?	Local (n = 226)	State (n = 8,720)
a.	Yes	13.7% (± 4.5%)	14.6% (± 0.9%)
b.	No	86.3 (± 4.5)	85.4 (± 0.9)
112.	During the past 12 months, did you make a plan about how you would attempt suicide?	Local (n = 112)	State (n = 4,818)
a.	Yes	7.1% (± 4.8%)	10.2% (± 0.8%)
b.	No	92.9 (± 4.8)	89.8 (± 0.8)
113.	During the past 12 months, how many times did you actually attempt suicide?	Local (n = 113)	State (n = 4,813)
a.	0 times	95.6% (± 3.8%)	92.8% (± 0.8%)
b.	1 time	3.5 (± 3.4)	4.1 (± 0.7)
c.	2–3 times	0.9 (± 1.7)	1.9 (± 0.4)
d.	4–5 times	0.0 (± 0.0)	0.4 (± 0.2)
e.	6 or more times	0.0 (± 0.0)	0.8 (± 0.2)
[Items 114–115 appear only on the elementary version of the survey.]			
116.	When you feel sad or hopeless, are there adults you can turn to for help?	Local (n = 113)	State (n = 4,799)
a.	I never feel sad or hopeless	22.1% (± 7.6%)	25.3% (± 1.4%)
b.	Yes	49.6 (± 9.2)	45.7 (± 1.5)
c.	No	13.3 (± 6.3)	12.9 (± 1.1)
d.	Not sure	15.0 (± 6.6)	16.1 (± 0.9)
117.	How likely would you be to seek help if you were feeling depressed or suicidal?	Local (n = 111)	State (n = 4,597)
a.	I never feel depressed or suicidal	46.0% (± 9.3%)	54.0% (± 1.6%)
b.	Very likely	15.3 (± 6.7)	13.6 (± 1.1)
c.	Somewhat likely	9.9 (± 5.6)	11.9 (± 1.0)
d.	Somewhat unlikely	14.4 (± 6.5)	8.0 (± 0.8)
e.	Very unlikely	14.4 (± 6.5)	12.4 (± 0.9)
118.	How likely would you be to seek help for a friend who you thought might be depressed or suicidal?	Local (n = 111)	State (n = 4,535)
a.	Very likely	57.7% (± 9.2%)	58.9% (± 1.5%)
b.	Somewhat likely	15.3 (± 6.7)	21.0 (± 1.0)
c.	Somewhat unlikely	9.0 (± 5.3)	6.6 (± 0.8)
d.	Very unlikely	18.0 (± 7.2)	13.5 (± 1.3)
119.	Last year in school, did you hear or see information at your school about the warning signs of suicide and how to get help for yourself or a friend?	Local (n = 111)	State (n = 4,407)
a.	Very likely	57.7% (± 9.2%)	40.9% (± 5.3%)
b.	Somewhat likely	34.2 (± 8.8)	41.4 (± 4.8)
c.	Somewhat unlikely	8.1 (± 5.1)	17.7 (± 1.9)
d.	Very unlikely	0.0 (± 0.0)	0.0 (± 0.0)



## Gambling

120. In the past 12 months, how often have you gambled (bet) for money or possessions?		
	Local (n = 115)	State (n = 4,135)
a. Never in the past year	64.4% (± 8.8%)	73.6% (± 1.5%)
b. Once or twice in the past year	18.3 (± 7.1)	14.3 (± 1.1)
c. A few times in the past year	9.6 (± 5.4)	7.3 (± 0.9)
d. Once or twice a month	5.2 (± 4.1)	2.6 (± 0.5)
e. At least once a week	2.6 (± 2.9)	2.3 (± 0.5)
121. Has YOUR gambling ever caused you problems at home, school or with your friends?		
	Local (n = 115)	State (n = 4,107)
a. I have not gambled	69.6% (± 8.4%)	72.6% (± 1.7%)
b. Yes	0.9 (± 1.7)	3.4 (± 0.6)
c. No	29.6 (± 8.3)	24.0 (± 1.6)

## School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

122. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?		
	Local (n = 227)	State (n = 9,145)
a. I have not been bullied	58.6% (± 6.4%)	69.9% (± 1.2%)
b. Once	18.5 (± 5.1)	12.8 (± 0.8)
c. 2–3 times	14.1 (± 4.5)	8.7 (± 0.6)
d. About once a week	2.6 (± 2.1)	3.2 (± 0.4)
e. Several times a week	6.2 (± 3.1)	5.5 (± 0.5)
123. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your race, ethnicity, or national origin or what someone thought it was?		
	Local (n = 112)	State (n = 4,597)
a. 0 times	76.8% (± 7.8%)	84.8% (± 1.6%)
b. 1 time	12.5 (± 6.1)	6.9 (± 0.9)
c. 2 or 3 times	4.5 (± 3.8)	4.5 (± 0.7)
d. About once a week	4.5 (± 3.8)	1.3 (± 0.4)
e. Several times a week or more	1.8 (± 2.5)	2.6 (± 0.5)
124. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because your religion or what someone thought it was?		
	Local (n = 112)	State (n = 4,589)
a. 0 times	85.7% (± 6.5%)	89.4% (± 1.0%)
b. 1 time	9.8 (± 5.5)	6.1 (± 0.7)
c. 2 or 3 times	0.9 (± 1.7)	2.3 (± 0.5)
d. About once a week	0.9 (± 1.7)	1.0 (± 0.3)
e. Several times a week or more	2.7 (± 3.0)	1.2 (± 0.3)

125. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because someone thought you were gay, lesbian or bisexual (whether you are or are not)?		
	Local (n = 112)	State (n = 4,576)
a. 0 times	81.3% (± 7.2%)	86.9% (± 1.1%)
b. 1 time	9.8 (± 5.5)	5.8 (± 0.8)
c. 2 or 3 times	6.3 (± 4.5)	3.7 (± 0.5)
d. About once a week	0.0 (± 0.0)	1.0 (± 0.3)
e. Several times a week or more	2.7 (± 3.0)	2.5 (± 0.5)
126. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your gender (being male or female)? This includes sexual jokes, gestures, or comments that make you feel uncomfortable.		
	Local (n = 112)	State (n = 4,571)
a. 0 times	81.3% (± 7.2%)	80.0% (± 1.3%)
b. 1 time	8.0 (± 5.0)	8.4 (± 0.8)
c. 2 or 3 times	7.1 (± 4.8)	5.7 (± 0.8)
d. About once a week	0.9 (± 1.7)	2.0 (± 0.4)
e. Several times a week or more	2.7 (± 3.0)	3.9 (± 0.6)
127. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because you have a health problem or physical or mental disability, or because someone thought you did?		
	Local (n = 112)	State (n = 4,565)
a. 0 times	85.7% (± 6.5%)	90.4% (± 0.8%)
b. 1 time	6.3 (± 4.5)	4.6 (± 0.7)
c. 2 or 3 times	3.6 (± 3.4)	2.3 (± 0.4)
d. About once a week	0.9 (± 1.7)	0.8 (± 0.3)
e. Several times a week or more	3.6 (± 3.4)	1.9 (± 0.4)
128. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of any other reason?		
	Local (n = 112)	State (n = 4,556)
a. 0 times	70.5% (± 8.4%)	74.3% (± 1.4%)
b. 1 time	13.4 (± 6.3)	10.0 (± 0.9)
c. 2 or 3 times	8.0 (± 5.0)	7.5 (± 0.8)
d. About once a week	0.9 (± 1.7)	3.0 (± 0.5)
e. Several times a week or more	7.1 (± 4.8)	5.2 (± 0.5)
129. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to and from school?		
	Local (n = 112)	State (n = 4,358)
a. 0 days	94.6% (± 4.2%)	92.7% (± 0.9%)
b. 1 day	3.6 (± 3.4)	3.7 (± 0.6)
c. 2 or 3 days	0.9 (± 1.7)	1.7 (± 0.4)
d. 4 or 5 days	0.9 (± 1.7)	0.8 (± 0.2)
e. 6 or more days	0.0 (± 0.0)	1.1 (± 0.3)
130. In the past 30 days, has someone used the computer or a cell phone to bully, harass or intimidate you?		
	Local (n = 111)	State (n = 4,551)
a. Yes	17.1% (± 7.0%)	11.0% (± 0.8%)
b. No	77.5 (± 7.8)	81.6 (± 1.1)
c. I'm not sure	5.4 (± 4.2)	7.4 (± 1.0)

131. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?	Local (n = 226)	State (n = 8,935)
a. No	9.3% (± 3.8%)	10.5% (± 1.0%)
b. Yes	67.3 (± 6.1)	63.7 (± 2.2)
c. I'm not sure	23.5 (± 5.5)	25.8 (± 2.0)
132. My school will punish students who are caught using drugs or alcohol.	Local (n = 115)	State (n = 4,545)
a. NO!	1.7% (± 2.4%)	4.3% (± 0.7%)
b. no	4.4 (± 3.7)	4.6 (± 0.6)
c. yes	15.7 (± 6.6)	26.6 (± 1.7)
d. YES!	78.3 (± 7.5)	64.5 (± 1.9)
133. Last year in school, were you taught about HIV or AIDS infection?	Local (n = 111)	State (n = 4,450)
a. Yes	91.9% (± 5.1%)	77.0% (± 5.8%)
b. No	5.4 (± 4.2)	15.8 (± 4.5)
c. I'm not sure	2.7 (± 3.0)	7.2 (± 1.6)
134. Last year in school, were you taught about abstinence (not having sex) to prevent sexually transmitted diseases (STDs) and pregnancy? <sup>†</sup>	Local (n = 109)	State (n = 3,170)
a. Yes	85.3% (± 6.6%)	73.1% (± 4.8%)
b. No	7.3 (± 4.9)	15.6 (± 3.5)
c. I don't know	7.3 (± 4.9)	11.3 (± 1.7)
135. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and pregnancy? <sup>†</sup>	Local (n = 104)	State (n = 3,129)
a. Yes	82.7% (± 7.3%)	68.2% (± 4.4%)
b. No	6.7 (± 4.8)	16.0 (± 3.5)
c. I don't know	10.6 (± 5.9)	15.9 (± 1.7)

## Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to individual quality of life.

136. Youth Quality of Life (Computed from items 137–142.)	Local (n = 113)	State (n = 4,095)
a. Low	17.7% (± 7.0%)	23.6% (± 1.5%)
b. Medium low	21.2 (± 7.5)	20.5 (± 1.3)
c. Medium high	28.3 (± 8.3)	21.3 (± 1.4)
d. High	32.7 (± 8.6)	34.5 (± 1.8)

137. I feel I am getting along with my parents or guardians.	Local (n = 113)	State (n = 4,221)
a. 0 not at all true	2.7% (± 3.0%)	4.8% (± 0.7%)
b. 1	1.8 (± 2.4)	1.9 (± 0.4)
c. 2	1.8 (± 2.4)	2.4 (± 0.5)
d. 3	1.8 (± 2.4)	3.1 (± 0.5)
e. 4	2.7 (± 3.0)	3.4 (± 0.5)
f. 5	5.3 (± 4.1)	6.9 (± 0.8)
g. 6	4.4 (± 3.8)	4.4 (± 0.6)
h. 7	13.3 (± 6.3)	8.9 (± 0.6)
i. 8	15.9 (± 6.7)	12.8 (± 1.1)
j. 9	17.7 (± 7.0)	15.7 (± 1.4)
k. 10 completely true	32.7 (± 8.6)	35.7 (± 1.7)
138. I look forward to the future.	Local (n = 113)	State (n = 4,196)
a. 0 not at all true	1.8% (± 2.4%)	3.8% (± 0.6%)
b. 1	0.9 (± 1.7)	1.4 (± 0.3)
c. 2	1.8 (± 2.4)	1.4 (± 0.3)
d. 3	1.8 (± 2.4)	1.5 (± 0.3)
e. 4	1.8 (± 2.4)	2.1 (± 0.4)
f. 5	2.7 (± 3.0)	6.2 (± 0.8)
g. 6	4.4 (± 3.8)	3.2 (± 0.6)
h. 7	6.2 (± 4.4)	7.1 (± 0.9)
i. 8	11.5 (± 5.9)	9.9 (± 1.1)
j. 9	18.6 (± 7.2)	12.2 (± 1.0)
k. 10 completely true	48.7 (± 9.2)	51.3 (± 2.0)
139. I feel good about myself.	Local (n = 113)	State (n = 4,182)
a. 0 not at all true	1.8% (± 2.4%)	3.9% (± 0.5%)
b. 1	0.9 (± 1.7)	2.1 (± 0.4)
c. 2	0.9 (± 1.7)	2.1 (± 0.4)
d. 3	0.9 (± 1.7)	3.4 (± 0.5)
e. 4	3.5 (± 3.4)	4.1 (± 0.6)
f. 5	6.2 (± 4.4)	6.5 (± 0.7)
g. 6	6.2 (± 4.4)	5.4 (± 0.8)
h. 7	6.2 (± 4.4)	8.9 (± 0.8)
i. 8	18.6 (± 7.2)	12.4 (± 0.9)
j. 9	24.8 (± 8.0)	16.1 (± 1.6)
k. 10 completely true	30.1 (± 8.4)	35.2 (± 1.5)
140. I am satisfied with the way my life is now.	Local (n = 113)	State (n = 4,175)
a. 0 not at all true	3.5% (± 3.4%)	6.5% (± 0.9%)
b. 1	1.8 (± 2.4)	3.1 (± 0.6)
c. 2	1.8 (± 2.4)	2.8 (± 0.5)
d. 3	4.4 (± 3.8)	3.7 (± 0.6)
e. 4	0.9 (± 1.7)	3.6 (± 0.6)
f. 5	5.3 (± 4.1)	7.6 (± 0.8)
g. 6	9.7 (± 5.5)	5.9 (± 0.8)
h. 7	14.2 (± 6.4)	8.5 (± 0.8)
i. 8	8.9 (± 5.2)	11.8 (± 1.1)
j. 9	21.2 (± 7.5)	14.7 (± 1.2)
k. 10 completely true	28.3 (± 8.3)	31.9 (± 1.4)

	Local (n = 113)	State (n = 4,143)
141. I feel alone in my life.		
a. 0 not at all true	40.7% (± 9.1%)	51.9% (± 1.8%)
b. 1	18.6 (± 7.2)	10.3 (± 1.0)
c. 2	8.0 (± 5.0)	6.3 (± 0.8)
d. 3	8.0 (± 5.0)	4.0 (± 0.6)
e. 4	2.7 (± 3.0)	3.2 (± 0.6)
f. 5	3.5 (± 3.4)	4.3 (± 0.8)
g. 6	1.8 (± 2.4)	3.0 (± 0.5)
h. 7	3.5 (± 3.4)	3.9 (± 0.6)
i. 8	8.9 (± 5.2)	4.3 (± 0.6)
j. 9	0.9 (± 1.7)	3.6 (± 0.7)
k. 10 completely true	3.5 (± 3.4)	5.2 (± 0.6)
142. Compared with others my age, my life is	Local (n = 113)	State (n = 4,120)
a. 0 much worse than others	2.7% (± 3.0%)	4.7% (± 0.6%)
b. 1	0.9 (± 1.7)	1.4 (± 0.4)
c. 2	6.2 (± 4.4)	2.9 (± 0.5)
d. 3	7.1 (± 4.7)	4.1 (± 0.7)
e. 4	1.8 (± 2.4)	5.4 (± 0.6)
f. 5	8.9 (± 5.2)	16.1 (± 1.0)
g. 6	8.0 (± 5.0)	7.5 (± 0.7)
h. 7	22.1 (± 7.6)	12.9 (± 1.1)
i. 8	15.0 (± 6.6)	14.8 (± 1.1)
j. 9	14.2 (± 6.4)	10.9 (± 1.0)
k. 10 much better than others	13.3 (± 6.3)	19.5 (± 1.3)
143. Which of the following best describes where you currently live? (Choose only one answer.)	Local (n = 111)	State (n = 4,522)
a. My parent's or guardian's home	97.3% (± 3.0%)	95.9% (± 0.6%)
b. With friends or other families (because lost home or cannot afford housing)	1.8 (± 2.5)	1.4 (± 0.3)
c. On your own (because lost home or cannot afford housing)	0.0 (± 0.0)	0.7 (± 0.2)
d. Motel or hotel	0.0 (± 0.0)	0.4 (± 0.2)
e. Shelter (shelter or emergency/transitional housing)	0.0 (± 0.0)	0.1 (± 0.1)
f. Car, park, campground, or other public place	0.9 (± 1.8)	0.3 (± 0.2)
g. Waiting to be placed in foster care	0.0 (± 0.0)	0.2 (± 0.1)
h. Another place	0.0 (± 0.0)	1.0 (± 0.3)
144. Has your parent or guardian served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, and Reserves)?	Local (n = 111)	State (n = 4,524)
a. No	76.6% (± 7.9%)	66.1% (± 3.0%)
b. Yes	19.8 (± 7.4)	28.6 (± 3.1)
c. Not sure	3.6 (± 3.5)	5.3 (± 0.7)
145. Has your military parent or guardian been sent to Iraq, Afghanistan, or other combat zone?	Local (n = 112)	State (n = 4,496)
a. I do not have a parent or guardian who has ever served in the military	71.4% (± 8.4%)	63.7% (± 2.9%)
b. No	17.9% (± 7.1%)	19.3% (± 1.4%)
c. Yes	8.0 (± 5.0)	8.5 (± 1.9)
d. Not sure	2.7 (± 3.0)	8.5 (± 0.9)

[Item 146 appears only on the elementary version of the survey.]

## Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

The table on the following page provides the complete list of risk and protective factors and indicates the years the Healthy Youth Survey has included each factor.

**Risk and Protective Factor Framework and Reporting Schedule**

	Healthy Youth Survey Administration Year							
	1995	1998	2000	2002	2004	2006	2008	2010
<b>Community Risk Factors</b>								
Low Neighborhood Attachment	X	X	X	X <sup>S</sup>		X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Community Disorganization	X							
Transitions and Mobility	X				X <sup>S</sup>			
Perceived Availability of Drugs	X	X	X	X	X	X	X	X
Perceived Availability of Handguns	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X	X	X
<b>Community Protective Factors</b>								
Opportunities for Prosocial Involvement			X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X	X <sup>E</sup>
<b>Family Risk Factors</b>								
Family History of Antisocial Behavior	X							
Poor Family Management	X			X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>
Family Conflict								
Parental Attitudes Favorable towards Drug Use					X <sup>S, †</sup>		X <sup>S, †</sup>	X <sup>S</sup>
Parental Attitudes Favorable to Antisocial Behavior	X				X <sup>S, †</sup>			
Antisocial Behavior Among Familiar Adults				X <sup>S</sup>				
<b>Family Protective Factors</b>								
Attachment								
Opportunities for Prosocial Involvement	X			X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>
Rewards for Prosocial Involvement	X			X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>
<b>School Risk Factors</b>								
Academic Failure	X	X	X	X	X	X	X	X
Low Commitment to School	X	X	X	X	X	X	X	X
<b>School Protective Factors</b>								
Opportunities for Prosocial Involvement	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X	X
<b>Peer-Individual Risk Factors</b>								
Rebelliousness	X	X						
Gang Involvement								
Perceived Risk of Drug Use		X	X	X	X	X	X	X
Early Initiation of Drug Use			X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Sensation Seeking	X	X						
Rewards for Antisocial Involvement		X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Friends' Use of Drugs	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers	X	X			X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Intentions to Use				X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
<b>Peer-Individual Protective Factors</b>								
Interaction With Prosocial Peers					X	X	X	X <sup>S</sup>
Belief in the Moral Order	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Prosocial Involvement					X	X	X <sup>E</sup>	X <sup>E</sup>
Rewards for Prosocial Involvement								
Social Skills	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Religiosity		X						

Note. S = Included only on the secondary version; E = Included only on the elementary version; † = Based on optional items.

## Risk and Protective Factor Scale Results

For each *risk* factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that *more* students are likely to engage in problem behaviors. For each *protective* factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that *fewer* students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

	Local (n = 117)	State (n = 4,857)
<b>Community Risk Factors</b>		
Low Neighborhood Attachment (Items 147–149)	16.2% (± 6.7%)	33.9% (± 2.1%)
Perceived Availability of Drugs (Items 150–153)	18.0% (± 7.0%)	24.1% (± 2.2%)
Perceived Availability of Handguns (Item 154)	25.0% (± 7.9%)	31.3% (± 2.3%)
Laws And Norms Favorable to Drug Use (Items 155–160)	18.8% (± 7.1%)	27.7% (± 2.2%)
<b>Community Protective Factors</b>		
Opportunities for Prosocial Involvement (Items 161–164)	86.3% (± 6.2%)	67.5% (± 3.0%)
<b>Family Risk Factors</b>		
Poor Family Management (Items 168–175)	32.2% (± 8.5%)	36.0% (± 2.2%)
Parental Attitudes Favorable Towards Drug Use (Items 183–185)	18.8% (± 7.1%)	21.5% (± 1.4%)
<b>Family Protective Factors</b>		
Opportunities for Prosocial Involvement (Items 176–178)	71.9% (± 8.3%)	63.6% (± 2.1%)
Rewards for Prosocial Involvement (Items 179–182)	65.2% (± 8.7%)	62.3% (± 1.9%)
<b>School Risk Factors</b>		
Academic Failure (Items 186–187)	36.5% (± 8.8%)	46.8% (± 2.2%)
Low Commitment to School (Items 188–194)	32.5% (± 8.5%)	35.6% (± 1.7%)
<b>School Protective Factors</b>		
Opportunities for Prosocial Involvement (Items 195–199)	75.2% (± 7.8%)	62.6% (± 2.3%)
Rewards for Prosocial Involvement (Items 200–203)	49.6% (± 9.1%)	49.0% (± 2.3%)




**Peer-Individual Risk Factors**

	Local ( <i>n</i> = 116)	State ( <i>n</i> = 4,454)
Perceived Risk of Drug Use (Items 204–207)	24.1% (± 7.8%)	37.7% (± 2.7%)
Early Initiation of Drug Use (Items 210–211, 213)	8.6% (± 5.1%)	20.1% (± 2.3%)
Early Initiation of Antisocial Behavior (Items 214–217)	23.3% (± 7.7%)	32.2% (± 2.5%)
Favorable Attitudes Towards Drug Use (Items 218–221)	13.9% (± 6.3%)	24.5% (± 1.9%)
Favorable Attitudes Towards Antisocial Behavior (Items 222–226)	23.3% (± 7.7%)	31.9% (± 1.9%)
Friends' Use of Drugs (Items 228–231)	15.7% (± 6.6%)	24.1% (± 2.1%)
Interaction With Antisocial Peers (Items 232–237)	29.9% (± 8.3%)	42.7% (± 3.0%)
Intentions to Use (Items 238–240)	25.2% (± 7.9%)	31.1% (± 1.8%)

**Peer-Individual Protective Factors**

	Local ( <i>n</i> = 114)	State ( <i>n</i> = 3,996)
Interaction With Prosocial Peers (Items 241–244)	71.1% (± 8.3%)	56.7% (± 3.1%)
Belief in the Moral Order (Items 246–249)	75.2% (± 7.8%)	64.1% (± 2.2%)
Social Skills (Items 253–255)	72.2% (± 8.2%)	65.0% (± 2.6%)

**Graph of Scale Results**



## Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors.

### Community Domain

147. I'd like to get out of my neighborhood or community.	Local (n = 115)	State (n = 4,842)
a. NO!	47.0% (± 9.1%)	30.8% (± 2.1%)
b. no	41.7 (± 9.0)	45.9 (± 1.5)
c. yes	8.7 (± 5.2)	16.2 (± 1.3)
d. YES!	2.6 (± 2.9)	7.1 (± 1.0)
148. If I had to move, I would miss the neighborhood or community I now live in.	Local (n = 117)	State (n = 4,858)
a. NO!	1.7% (± 2.4%)	7.3% (± 0.9%)
b. no	12.0 (± 5.9)	18.7 (± 1.3)
c. yes	32.5 (± 8.5)	41.3 (± 1.4)
d. YES!	53.9 (± 9.0)	32.8 (± 1.9)
149. I like my neighborhood/community.	Local (n = 117)	State (n = 4,841)
a. NO!	0.9% (± 1.7%)	5.0% (± 0.8%)
b. no	4.3 (± 3.7)	12.9 (± 1.1)
c. yes	52.1 (± 9.1)	55.6 (± 1.5)
d. YES!	42.7 (± 9.0)	26.5 (± 2.1)
150. If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?	Local (n = 117)	State (n = 4,784)
a. Very hard	34.2% (± 8.6%)	41.3% (± 1.6%)
b. Sort of hard	37.6 (± 8.8)	25.1 (± 1.4)
c. Sort of easy	15.4 (± 6.5)	19.2 (± 1.1)
d. Very easy	12.8 (± 6.1)	14.4 (± 1.2)
151. If you wanted to get some cigarettes, how easy would it be for you to get some?	Local (n = 117)	State (n = 4,785)
a. Very hard	53.0% (± 9.0%)	48.3% (± 2.0%)
b. Sort of hard	27.4 (± 8.1)	21.0 (± 1.1)
c. Sort of easy	10.3 (± 5.5)	15.9 (± 1.2)
d. Very easy	9.4 (± 5.3)	14.9 (± 1.5)
152. If you wanted to get some marijuana, how easy would it be for you to get some?	Local (n = 116)	State (n = 4,781)
a. Very hard	65.5% (± 8.6%)	61.5% (± 2.8%)
b. Sort of hard	15.5 (± 6.6)	15.1 (± 1.2)
c. Sort of easy	11.2 (± 5.7)	10.5 (± 1.0)
d. Very easy	7.8 (± 4.9)	12.9 (± 1.5)
153. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	Local (n = 116)	State (n = 4,776)
a. Very hard	73.3% (± 8.1%)	74.5% (± 2.1%)
b. Sort of hard	18.1 (± 7.0)	14.5 (± 1.5)
c. Sort of easy	4.3 (± 3.7)	6.3 (± 0.9)
d. Very easy	4.3 (± 3.7)	4.7 (± 0.8)

154.	If you wanted to get a handgun, how easy would it be for you to get one?	Local (n = 116)	State (n = 4,780)
a.	Very hard	75.0% (± 7.9%)	68.7% (± 2.3%)
b.	Sort of hard	12.9 (± 6.1)	17.2 (± 1.4)
c.	Sort of easy	6.9 (± 4.6)	7.6 (± 0.9)
d.	Very easy	5.2 (± 4.0)	6.6 (± 0.7)
155.	How wrong would most adults in your neighborhood <sup>C</sup> / neighborhood or community <sup>A</sup> think it was for kids your age to use marijuana?	Local (n = 117)	State (n = 4,840)
a.	Very wrong	84.6% (± 6.5%)	67.9% (± 2.5%)
b.	Wrong	9.4 (± 5.3)	21.7 (± 1.6)
c.	A little bit wrong	3.4 (± 3.3)	7.4 (± 1.1)
d.	Not wrong at all	2.6 (± 2.9)	2.9 (± 0.5)
156.	How wrong would most adults in your neighborhood <sup>C</sup> / neighborhood or community <sup>A</sup> think it was for kids your age to drink alcohol?	Local (n = 117)	State (n = 4,826)
a.	Very wrong	61.5% (± 8.8%)	56.5% (± 1.9%)
b.	Wrong	28.2 (± 8.2)	29.8 (± 1.2)
c.	A little bit wrong	6.0 (± 4.3)	10.3 (± 0.9)
d.	Not wrong at all	4.3 (± 3.7)	3.4 (± 0.6)
157.	How wrong would most adults in your neighborhood <sup>C</sup> / neighborhood or community <sup>A</sup> think it was for kids your age to smoke cigarettes?	Local (n = 117)	State (n = 4,819)
a.	Very wrong	72.7% (± 8.1%)	62.1% (± 2.2%)
b.	Wrong	19.7 (± 7.2)	25.7 (± 1.4)
c.	A little bit wrong	2.6 (± 2.9)	8.9 (± 1.0)
d.	Not wrong at all	5.1 (± 4.0)	3.4 (± 0.7)
158.	If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood <sup>C</sup> / community <sup>A</sup> would he or she be caught by the police?	Local (n = 117)	State (n = 4,773)
a.	NO!	11.1% (± 5.7%)	13.0% (± 1.4%)
b.	no	47.0 (± 9.0)	42.8 (± 1.8)
c.	yes	30.8 (± 8.4)	32.2 (± 2.0)
d.	YES!	11.1 (± 5.7)	12.0 (± 1.2)
159.	If a kid carried a handgun in your neighborhood <sup>C</sup> / community <sup>A</sup> would he or she be caught by the police?	Local (n = 117)	State (n = 4,782)
a.	NO!	10.3% (± 5.5%)	8.0% (± 0.9%)
b.	no	12.8 (± 6.1)	19.9 (± 1.3)
c.	yes	34.2 (± 8.6)	37.8 (± 1.6)
d.	YES!	42.7 (± 9.0)	34.4 (± 1.8)
160.	If a kid smoked marijuana in your neighborhood <sup>C</sup> / community <sup>A</sup> would he or she be caught by the police?	Local (n = 117)	State (n = 4,772)
a.	NO!	10.3% (± 5.5%)	11.7% (± 1.2%)
b.	no	28.2 (± 8.2)	33.9 (± 1.5)
c.	yes	41.9 (± 8.9)	34.8 (± 1.8)
d.	YES!	19.7 (± 7.2)	19.6 (± 1.6)

161. There are adults in my neighborhood or community I could talk to about something important.	Local (n = 117)	State (n = 4,831)
a. NO!	8.6% (± 5.1%)	11.8% (± 1.1%)
b. no	12.0 (± 5.9)	16.5 (± 1.2)
c. yes	29.1 (± 8.2)	37.6 (± 1.4)
d. YES!	50.4 (± 9.1)	34.0 (± 1.8)

*Which of the following activities for people your age are available in your community?*

162. Sports teams and recreation	Local (n = 117)	State (n = 4,821)
a. Yes	95.7% (± 3.7%)	83.4% (± 2.1%)
b. No	4.3 (± 3.7)	16.6 (± 2.1)

163. Scouts, Camp Fire, 4-H Clubs, or other service clubs	Local (n = 117)	State (n = 4,787)
a. Yes	91.5% (± 5.1%)	63.5% (± 3.7%)
b. No	8.6 (± 5.1)	36.5 (± 3.7)

164. Boys and Girls Club, YMCA, or other activity clubs	Local (n = 117)	State (n = 4,767)
a. Yes	83.8% (± 6.7%)	72.0% (± 3.4%)
b. No	16.2 (± 6.7)	28.0 (± 3.4)

[Items 165–167 appear only on the elementary version of the survey.]

## Family Domain

*The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, stepparents, grandparents, aunts, uncles, etc.*

168. My parents ask if I've gotten my homework done. <sup>†</sup>	Local (n = 115)	State (n = 3,245)
a. NO!	5.2% (± 4.1%)	5.2% (± 0.7%)
b. no	3.5 (± 3.4)	6.8 (± 0.9)
c. yes	31.3 (± 8.5)	31.4 (± 1.8)
d. YES!	60.0 (± 9.0)	56.7 (± 2.1)

169. Would your parents know if you did not come home on time? <sup>†</sup>	Local (n = 115)	State (n = 3,103)
a. NO!	2.6% (± 2.9%)	4.6% (± 0.7%)
b. no	14.8 (± 6.5)	10.7 (± 1.5)
c. yes	27.0 (± 8.1)	35.2 (± 1.9)
d. YES!	55.7 (± 9.1)	49.5 (± 2.0)

170. When I am not at home, one of my parents knows where I am and who I am with. <sup>†</sup>	Local (n = 115)	State (n = 3,215)
a. NO!	3.5% (± 3.4%)	4.0% (± 0.6%)
b. no	6.1 (± 4.4)	7.3 (± 1.4)
c. yes	35.7 (± 8.8)	35.2 (± 1.9)
d. YES!	54.8 (± 9.1)	53.5 (± 2.2)

171. The rules in my family are clear. <sup>†</sup>	Local (n = 115)	State (n = 3,195)
a. NO!	2.6% (± 2.9%)	4.5% (± 0.8%)
b. no	7.8 (± 4.9)	8.8 (± 1.1)
c. yes	33.0 (± 8.6)	36.1 (± 1.7)
d. YES!	56.5 (± 9.1)	50.7 (± 1.8)
172. My family has clear rules about alcohol and drug use. <sup>†</sup>	Local (n = 115)	State (n = 3,169)
a. NO!	1.7% (± 2.4%)	5.1% (± 0.8%)
b. no	6.1 (± 4.4)	9.1 (± 1.1)
c. yes	29.6 (± 8.3)	25.7 (± 1.6)
d. YES!	62.6 (± 8.8)	60.1 (± 2.2)
173. If you drank some beer, wine, or liquor (for example, vodka, whiskey, or gin) without your parent's permission, would you be caught by them? <sup>†</sup>	Local (n = 114)	State (n = 3,072)
a. NO!	3.5% (± 3.4%)	8.5% (± 1.1%)
b. no	18.4 (± 7.1)	19.4 (± 1.5)
c. yes	30.7 (± 8.5)	26.5 (± 1.2)
d. YES!	47.4 (± 9.2)	45.6 (± 2.0)
174. If you carried a handgun without your parent's permission, would you be caught by them? <sup>†</sup>	Local (n = 115)	State (n = 3,085)
a. NO!	0.9% (± 1.7%)	5.1% (± 0.7%)
b. no	5.2 (± 4.1)	9.8 (± 1.4)
c. yes	21.7 (± 7.5)	24.5 (± 1.6)
d. YES!	72.2 (± 8.2)	60.6 (± 1.7)
175. If you skipped school, would you be caught by your parents? <sup>†</sup>	Local (n = 114)	State (n = 3,087)
a. NO!	0.9% (± 1.7%)	4.3% (± 0.7%)
b. no	10.5 (± 5.6)	8.5 (± 1.3)
c. yes	21.9 (± 7.6)	24.8 (± 1.4)
d. YES!	66.7 (± 8.7)	62.4 (± 1.6)
176. If I had a personal problem, I could ask my mom or dad for help. <sup>†</sup>	Local (n = 114)	State (n = 3,200)
a. NO!	4.4% (± 3.8%)	8.8% (± 0.9%)
b. no	8.8 (± 5.2)	11.2 (± 1.2)
c. yes	31.6 (± 8.5)	35.4 (± 1.8)
d. YES!	55.3 (± 9.1)	44.6 (± 2.2)
177. My parents give me lots of chances to do fun things with them. <sup>†</sup>	Local (n = 114)	State (n = 3,147)
a. NO!	4.4% (± 3.8%)	7.1% (± 0.9%)
b. no	16.7 (± 6.8)	18.3 (± 1.3)
c. yes	36.0 (± 8.8)	37.5 (± 1.7)
d. YES!	43.0 (± 9.1)	37.2 (± 2.0)

178.	My parents ask me what I think before most family decisions affecting me are made. <sup>†</sup>	Local (n = 114)	State (n = 3,120)
	a. NO!	10.5% (± 5.6%)	11.4% (± 1.7%)
	b. no	17.5 (± 7.0)	21.4 (± 1.5)
	c. yes	37.7 (± 8.9)	38.2 (± 1.7)
	d. YES!	34.2 (± 8.7)	29.1 (± 1.9)
179.	My parents notice when I am doing a good job and let me know about it. <sup>†</sup>	Local (n = 115)	State (n = 3,122)
	a. Never or almost never	7.0% (± 4.6%)	10.5% (± 1.2%)
	b. Sometimes	30.4 (± 8.4)	24.3 (± 1.5)
	c. Often	26.1 (± 8.0)	31.9 (± 1.6)
	d. All the time	36.5 (± 8.8)	33.2 (± 2.1)
180.	How often do your parents tell you they're proud of you for something you've done? <sup>†</sup>	Local (n = 115)	State (n = 3,117)
	a. Never or almost never	8.7% (± 5.2%)	10.0% (± 1.2%)
	b. Sometimes	20.9 (± 7.4)	23.4 (± 1.8)
	c. Often	32.2 (± 8.5)	31.3 (± 1.7)
	d. All the time	38.3 (± 8.9)	35.3 (± 1.8)
181.	Do you enjoy spending time with your mom <sup>C</sup> /mother <sup>A</sup> ? <sup>†</sup>	Local (n = 113)	State (n = 3,088)
	a. NO!	4.4% (± 3.8%)	5.6% (± 0.9%)
	b. no	6.2 (± 4.4)	8.3 (± 1.2)
	c. yes	40.7 (± 9.1)	40.5 (± 1.8)
	d. YES!	48.7 (± 9.2)	45.5 (± 1.7)
182.	Do you enjoy spending time with your dad <sup>C</sup> /father <sup>A</sup> ? <sup>†</sup>	Local (n = 114)	State (n = 3,057)
	a. NO!	1.8% (± 2.4%)	8.5% (± 1.0%)
	b. no	6.1 (± 4.4)	10.3 (± 1.3)
	c. yes	37.7 (± 8.9)	35.9 (± 1.7)
	d. YES!	54.4 (± 9.1)	45.3 (± 2.5)
183.	How wrong do your parents feel it would be for <u>you</u> to drink beer, wine, or hard liquor (for example: vodka, whiskey, or gin) regularly (at least once or twice a month)?	Local (n = 117)	State (n = 4,852)
	a. Very wrong	84.6% (± 6.5%)	84.3% (± 1.3%)
	b. Wrong	9.4 (± 5.3)	10.7 (± 1.0)
	c. A little bit wrong	3.4 (± 3.3)	3.7 (± 0.6)
	d. Not wrong at all	2.6 (± 2.9)	1.4 (± 0.3)
184.	How wrong do your parents feel it would be for <u>you</u> to smoke cigarettes?	Local (n = 117)	State (n = 4,845)
	a. Very wrong	92.3% (± 4.8%)	89.4% (± 0.9%)
	b. Wrong	4.3 (± 3.7)	7.9 (± 0.8)
	c. A little bit wrong	0.0 (± 0.0)	1.7 (± 0.3)
	d. Not wrong at all	3.4 (± 3.3)	1.0 (± 0.3)

185.	How wrong do your parents feel it would be for <u>you</u> to smoke marijuana?	Local (n = 116)	State (n = 4,844)
a.	Very wrong	90.5% (± 5.3%)	88.3% (± 1.2%)
b.	Wrong	3.5 (± 3.3)	6.8 (± 0.8)
c.	A little bit wrong	3.5 (± 3.3)	3.1 (± 0.5)
d.	Not wrong at all	2.6 (± 2.9)	1.8 (± 0.4)

### School Domain

186.	Putting them all together, what were your grades like last year?	Local (n = 225)	State (n = 9,187)
a.	Mostly As	58.2% (± 6.4%)	41.0% (± 3.0%)
b.	Mostly Bs	32.4 (± 6.1)	33.1 (± 1.6)
c.	Mostly Cs	6.2 (± 3.2)	17.9 (± 1.6)
d.	Mostly Ds	2.2 (± 1.9)	4.4 (± 0.5)
e.	Mostly Fs	0.9 (± 1.2)	3.6 (± 0.7)

187.	Are your school grades better than the grades of most students in your class?	Local (n = 116)	State (n = 4,728)
a.	NO!	4.3% (± 3.7%)	8.7% (± 1.0%)
b.	no	26.7 (± 8.1)	30.3 (± 1.4)
c.	yes	50.0 (± 9.1)	45.8 (± 1.6)
d.	YES!	19.0 (± 7.1)	15.2 (± 1.4)

188.	How often do you feel the schoolwork you are assigned is meaningful and important?	Local (n = 114)	State (n = 4,735)
a.	Almost always	16.7% (± 6.8%)	22.5% (± 1.5%)
b.	Often	35.1 (± 8.8)	27.7 (± 1.5)
c.	Sometimes	27.2 (± 8.2)	32.5 (± 1.5)
d.	Seldom	12.3 (± 6.0)	11.1 (± 1.0)
e.	Never	8.8 (± 5.2)	6.2 (± 0.7)

189.	How interesting are most of your courses to you?	Local (n = 117)	State (n = 4,812)
a.	Very interesting and stimulating	9.4% (± 5.3%)	10.0% (± 1.1%)
b.	Quite interesting	21.4 (± 7.4)	29.1 (± 1.5)
c.	Fairly interesting	45.3 (± 9.0)	36.6 (± 1.3)
d.	Slightly dull	14.5 (± 6.4)	16.2 (± 1.1)
e.	Very dull	9.4 (± 5.3)	8.1 (± 0.8)

190.	How important do you think the things you are learning in school are going to be for you later in life?	Local (n = 117)	State (n = 4,835)
a.	Very important	36.8% (± 8.7%)	38.2% (± 2.2%)
b.	Quite important	22.2 (± 7.5)	28.9 (± 1.5)
c.	Fairly important	23.1 (± 7.6)	20.0 (± 1.4)
d.	Slightly important	13.7 (± 6.2)	9.6 (± 1.0)
e.	Not at all important	4.3 (± 3.7)	3.3 (± 0.5)



**Think back over the past year in school. How often did you:**

	Local (n = 229)	State (n = 9,228)
191. Enjoy being in school?		
a. Never	7.4% (± 3.4%)	8.5% (± 0.7%)
b. Seldom	14.4 (± 4.5)	12.5 (± 0.9)
c. Sometimes	29.7 (± 5.9)	30.3 (± 1.2)
d. Often	33.2 (± 6.1)	29.2 (± 1.1)
e. Almost always	15.3 (± 4.7)	19.6 (± 1.1)
192. Hate being in school?	Local (n = 117)	State (n = 4,828)
a. Never	6.0% (± 4.3%)	12.6% (± 1.3%)
b. Seldom	29.1 (± 8.2)	27.1 (± 1.6)
c. Sometimes	41.9 (± 8.9)	37.6 (± 1.9)
d. Often	16.2 (± 6.7)	13.9 (± 1.0)
e. Almost always	6.8 (± 4.6)	8.9 (± 0.8)
193. Try to do your best work in school?	Local (n = 117)	State (n = 4,828)
a. Never	0.0% (± 0.0%)	2.5% (± 0.4%)
b. Seldom	0.9 (± 1.7)	5.5 (± 0.8)
c. Sometimes	11.1 (± 5.7)	13.9 (± 1.2)
d. Often	29.1 (± 8.2)	28.4 (± 1.0)
e. Almost always	59.0 (± 8.9)	49.8 (± 2.0)
194. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or “cut”?	Local (n = 116)	State (n = 4,830)
a. None	89.7% (± 5.5%)	80.8% (± 1.3%)
b. 1	4.3 (± 3.7)	8.2 (± 0.8)
c. 2	2.6 (± 2.9)	4.1 (± 0.5)
d. 3	0.9 (± 1.7)	2.5 (± 0.4)
e. 4–5	1.7 (± 2.4)	2.3 (± 0.5)
f. 6–10	0.9 (± 1.7)	0.8 (± 0.3)
g. 11 or more	0.0 (± 0.0)	1.3 (± 0.3)
195. In my school, students have lots of chances to help decide things like class activities and rules.	Local (n = 117)	State (n = 4,808)
a. NO!	18.8% (± 7.1%)	20.1% (± 1.9%)
b. no	29.1 (± 8.2)	30.6 (± 1.6)
c. yes	38.5 (± 8.8)	39.3 (± 1.9)
d. YES!	13.7 (± 6.2)	10.0 (± 1.1)
196. There are lots of chances for students in my school to talk with a teacher one-on-one.	Local (n = 117)	State (n = 4,815)
a. NO!	4.3% (± 3.7%)	6.5% (± 0.6%)
b. no	14.5 (± 6.4)	15.9 (± 1.2)
c. yes	41.9 (± 8.9)	51.4 (± 1.5)
d. YES!	39.3 (± 8.9)	26.3 (± 1.7)

197. Teachers ask me to work on special classroom projects.	Local (n = 116)	State (n = 4,765)
a. NO!	21.6% (± 7.5%)	17.9% (± 1.3%)
b. no	42.2 (± 9.0)	39.9 (± 1.5)
c. yes	25.9 (± 8.0)	33.5 (± 1.8)
d. YES!	10.3 (± 5.5)	8.8 (± 0.8)
198. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	Local (n = 116)	State (n = 4,816)
a. NO!	0.9% (± 1.7%)	3.7% (± 0.6%)
b. no	2.6 (± 2.9)	6.3 (± 1.0)
c. yes	25.9 (± 8.0)	40.1 (± 2.0)
d. YES!	70.7 (± 8.3)	50.0 (± 2.8)
199. I have lots of chances to be part of class discussions or activities.	Local (n = 117)	State (n = 4,803)
a. NO!	4.3% (± 3.7%)	5.1% (± 0.7%)
b. no	6.0 (± 4.3)	12.8 (± 1.2)
c. yes	39.3 (± 8.9)	52.3 (± 1.5)
d. YES!	50.4 (± 9.1)	29.8 (± 1.9)
200. My teacher(s) notices when I am doing a good job and lets me know about it.	Local (n = 117)	State (n = 4,803)
a. NO!	14.5% (± 6.4%)	11.0% (± 1.0%)
b. no	28.2 (± 8.2)	24.4 (± 1.6)
c. yes	41.0 (± 8.9)	47.5 (± 1.8)
d. YES!	16.2 (± 6.7)	17.2 (± 1.5)
201. The school lets my parents know when I have done something well.	Local (n = 117)	State (n = 4,790)
a. NO!	30.8% (± 8.4%)	25.6% (± 1.7%)
b. no	47.9 (± 9.1)	39.5 (± 1.7)
c. yes	12.8 (± 6.1)	26.0 (± 1.7)
d. YES!	8.6 (± 5.1)	8.9 (± 1.2)
202. I feel safe at my school.	Local (n = 229)	State (n = 9,633)
a. NO! <sup>A,C</sup> / Definitely NOT true <sup>B</sup>	2.6% (± 2.1%)	6.3% (± 0.8%)
b. no <sup>A,C</sup> / Mostly not true <sup>B</sup>	5.7 (± 3.0)	11.0 (± 1.2)
c. yes <sup>A,C</sup> / Mostly true <sup>B</sup>	46.3 (± 6.5)	53.2 (± 1.5)
d. YES! <sup>A,C</sup> / Definitely true <sup>B</sup>	45.4 (± 6.4)	29.5 (± 2.4)
203. My teachers praise me when I work hard in school.	Local (n = 117)	State (n = 4,754)
a. NO!	14.5% (± 6.4%)	17.3% (± 1.5%)
b. no	35.0 (± 8.6)	35.4 (± 1.4)
c. yes	36.8 (± 8.7)	36.9 (± 1.7)
d. YES!	13.7 (± 6.2)	10.5 (± 1.1)

**Peer and Individual Domain***How much do you think people risk harming themselves if they:*

	Local (n = 116)	State (n = 4,749)
204. Smoke one or more packs of cigarettes per day?		
a. No risk	1.7% (± 2.4%)	2.7% (± 0.7%)
b. Slight risk	2.6 (± 2.9)	4.0 (± 0.7)
c. Moderate risk	8.6 (± 5.1)	14.8 (± 1.2)
d. Great risk	86.2 (± 6.3)	72.2 (± 2.4)
e. Not sure	0.9 (± 1.7)	6.3 (± 1.1)

	Local (n = 116)	State (n = 4,730)
205. Try marijuana once or twice?		
a. No risk	11.2% (± 5.7%)	15.1% (± 1.5%)
b. Slight risk	19.0 (± 7.1)	24.6 (± 1.5)
c. Moderate risk	30.2 (± 8.3)	23.4 (± 1.4)
d. Great risk	37.9 (± 8.8)	31.1 (± 2.4)
e. Not sure	1.7 (± 2.4)	5.7 (± 0.9)

	Local (n = 116)	State (n = 4,729)
206. Smoke marijuana regularly (at least once or twice a week)?		
a. No risk	6.9% (± 4.6%)	8.0% (± 1.1%)
b. Slight risk	5.2 (± 4.0)	8.9 (± 1.0)
c. Moderate risk	17.2 (± 6.9)	17.8 (± 1.5)
d. Great risk	69.8 (± 8.3)	59.0 (± 3.2)
e. Not sure	0.9 (± 1.7)	6.3 (± 1.0)

	Local (n = 117)	State (n = 4,721)
207. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?		
a. No risk	5.1% (± 4.0%)	9.9% (± 1.1%)
b. Slight risk	13.7 (± 6.2)	17.0 (± 1.2)
c. Moderate risk	30.8 (± 8.4)	29.3 (± 1.4)
d. Great risk	47.9 (± 9.1)	37.6 (± 1.9)
e. Not sure	2.6 (± 2.9)	6.2 (± 0.9)

*How old were you the first time you:*

	Local (n = 230)	State (n = 9,282)
208. Smoked marijuana?		
a. Never have	90.9% (± 3.7%)	86.8% (± 1.6%)
b. 10 or younger	0.9 (± 1.2)	2.3 (± 0.5)
c. 11	2.2 (± 1.9)	2.2 (± 0.4)
d. 12	1.3 (± 1.5)	3.6 (± 0.6)
e. 13	3.9 (± 2.5)	4.3 (± 0.6)
f. 14	0.4 (± 0.8)	0.6 (± 0.2)
g. 15	0.0 (± 0.0)	0.0 (± 0.0)
h. 16	0.0 (± 0.0)	0.0 (± 0.0)
i. 17 or older	0.4 (± 0.8)	0.1 (± 0.1)

[Item 209 appears only on the elementary version of the survey.]

	Local (n = 116)		State (n = 4,465)	
210. Smoked a cigarette, even just a puff?				
a. Never have	92.2%	(± 4.9%)	82.4%	(± 2.0%)
b. 10 or younger	5.2	(± 4.0)	6.3	(± 1.0)
c. 11	0.0	(± 0.0)	3.0	(± 0.5)
d. 12	1.7	(± 2.4)	4.0	(± 0.8)
e. 13	0.9	(± 1.7)	3.4	(± 0.5)
f. 14	0.0	(± 0.0)	0.7	(± 0.3)
g. 15	0.0	(± 0.0)	0.0	(± 0.1)
h. 16	0.0	(± 0.0)	0.0	(± 0.1)
i. 17 or older	0.0	(± 0.0)	0.2	(± 0.1)
211. Had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?				
a. Never have	71.1%	(± 5.9%)	61.0%	(± 2.1%)
b. 10 or younger	8.8	(± 3.7)	15.2	(± 1.1)
c. 11	7.9	(± 3.5)	6.6	(± 0.5)
d. 12	4.4	(± 2.7)	7.7	(± 0.5)
e. 13	6.6	(± 3.2)	8.2	(± 0.7)
f. 14	0.4	(± 0.9)	1.1	(± 0.2)
g. 15	0.4	(± 0.9)	0.1	(± 0.1)
h. 16	0.4	(± 0.9)	0.0	(± 0.0)
i. 17 or older	0.0	(± 0.0)	0.2	(± 0.1)

[Item 212 appears only on the elementary version of the survey.]

	Local (n = 116)		State (n = 4,437)	
213. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?				
a. Never have	96.6%	(± 3.3%)	89.3%	(± 1.4%)
b. 10 or younger	0.9	(± 1.7)	1.4	(± 0.3)
c. 11	0.0	(± 0.0)	1.6	(± 0.4)
d. 12	0.9	(± 1.7)	2.6	(± 0.6)
e. 13	1.7	(± 2.4)	3.8	(± 0.6)
f. 14	0.0	(± 0.0)	0.9	(± 0.3)
g. 15	0.0	(± 0.0)	0.3	(± 0.1)
h. 16	0.0	(± 0.0)	0.0	(± 0.0)
i. 17 or older	0.0	(± 0.0)	0.3	(± 0.2)

***How old were you when you first:***

	Local (n = 116)		State (n = 4,413)	
214. Got suspended from school?				
a. Never have	91.4%	(± 5.1%)	79.4%	(± 2.2%)
b. 10 or younger	3.5	(± 3.3)	8.3	(± 1.3)
c. 11	0.9	(± 1.7)	4.0	(± 0.6)
d. 12	2.6	(± 2.9)	4.1	(± 0.6)
e. 13	0.9	(± 1.7)	4.0	(± 0.7)
f. 14	0.0	(± 0.0)	0.2	(± 0.1)
g. 15	0.0	(± 0.0)	0.0	(± 0.0)
h. 16	0.0	(± 0.0)	0.0	(± 0.0)
i. 17 or older	0.9	(± 1.7)	0.1	(± 0.1)

	Local (n = 116)	State (n = 4,405)
215. Got arrested?		
a. Never have	95.7% (± 3.7%)	93.5% (± 1.2%)
b. 10 or younger	0.9 (± 1.7)	1.3 (± 0.4)
c. 11	0.0 (± 0.0)	1.4 (± 0.4)
d. 12	0.0 (± 0.0)	1.7 (± 0.4)
e. 13	2.6 (± 2.9)	1.9 (± 0.5)
f. 14	0.0 (± 0.0)	0.1 (± 0.1)
g. 15	0.0 (± 0.0)	0.1 (± 0.1)
h. 16	0.0 (± 0.0)	0.0 (± 0.0)
i. 17 or older	0.9 (± 1.7)	0.1 (± 0.1)
216. Carried a handgun?		
a. Never have	92.2% (± 4.9%)	90.0% (± 1.1%)
b. 10 or younger	0.9 (± 1.7)	3.6 (± 0.6)
c. 11	3.5 (± 3.3)	1.7 (± 0.4)
d. 12	2.6 (± 2.9)	1.8 (± 0.4)
e. 13	0.0 (± 0.0)	2.2 (± 0.5)
f. 14	0.0 (± 0.0)	0.5 (± 0.2)
g. 15	0.0 (± 0.0)	0.1 (± 0.1)
h. 16	0.0 (± 0.0)	0.0 (± 0.0)
i. 17 or older	0.9 (± 1.7)	0.2 (± 0.1)
217. Attacked someone with the idea of seriously hurting them?		
a. Never have	87.9% (± 5.9%)	84.9% (± 1.6%)
b. 10 or younger	3.5 (± 3.3)	5.1 (± 0.8)
c. 11	0.9 (± 1.7)	2.4 (± 0.5)
d. 12	3.5 (± 3.3)	2.9 (± 0.5)
e. 13	3.5 (± 3.3)	3.9 (± 0.6)
f. 14	0.0 (± 0.0)	0.6 (± 0.2)
g. 15	0.0 (± 0.0)	0.1 (± 0.1)
h. 16	0.0 (± 0.0)	0.1 (± 0.1)
i. 17 or older	0.9 (± 1.7)	0.1 (± 0.1)
<b>How wrong do YOU think it is for someone your age to:</b>		
218. Drink beer, wine, or hard liquor (for example, vodka, whiskey, or gin) regularly?		
a. Very wrong	75.7% (± 7.8%)	68.0% (± 2.0%)
b. Wrong	17.4 (± 6.9)	18.6 (± 1.2)
c. A little bit wrong	3.5 (± 3.4)	9.6 (± 1.1)
d. Not wrong at all	3.5 (± 3.4)	3.8 (± 0.7)
219. Smoke cigarettes?		
a. Very wrong	82.0% (± 5.0%)	72.7% (± 1.7%)
b. Wrong	10.5 (± 4.0)	16.5 (± 1.1)
c. A little bit wrong	4.4 (± 2.7)	7.6 (± 0.8)
d. Not wrong at all	3.1 (± 2.2)	3.2 (± 0.5)

	Local	State
220. Smoke marijuana?	(n = 115)	(n = 4,218)
a. Very wrong	82.6% (± 6.9%)	74.7% (± 1.8%)
b. Wrong	9.6 (± 5.4)	12.0 (± 0.9)
c. A little bit wrong	1.7 (± 2.4)	7.2 (± 0.9)
d. Not wrong at all	6.1 (± 4.4)	6.1 (± 0.9)
221. Use LSD, cocaine, amphetamines, or another illegal drug?	Local (n = 114)	State (n = 4,202)
a. Very wrong	93.0% (± 4.7%)	87.0% (± 1.1%)
b. Wrong	2.6 (± 2.9)	8.8 (± 0.9)
c. A little bit wrong	2.6 (± 2.9)	2.5 (± 0.5)
d. Not wrong at all	1.8 (± 2.4)	1.8 (± 0.4)
222. Take a handgun to school?	Local (n = 116)	State (n = 4,322)
a. Very wrong	90.5% (± 5.3%)	82.5% (± 1.2%)
b. Wrong	6.0 (± 4.3)	12.9 (± 1.1)
c. A little bit wrong	1.7 (± 2.4)	3.3 (± 0.6)
d. Not wrong at all	1.7 (± 2.4)	1.3 (± 0.3)
223. Steal anything worth more than \$5?	Local (n = 116)	State (n = 4,305)
a. Very wrong	59.5% (± 8.9%)	56.5% (± 1.9%)
b. Wrong	30.2 (± 8.3)	28.9 (± 1.3)
c. A little bit wrong	7.8 (± 4.9)	11.1 (± 1.1)
d. Not wrong at all	2.6 (± 2.9)	3.6 (± 0.7)
224. Pick a fight with someone?	Local (n = 116)	State (n = 4,284)
a. Very wrong	43.1% (± 9.0%)	43.8% (± 1.7%)
b. Wrong	39.7 (± 8.9)	30.3 (± 1.3)
c. A little bit wrong	12.9 (± 6.1)	19.2 (± 1.6)
d. Not wrong at all	4.3 (± 3.7)	6.8 (± 0.8)
225. Attack someone with the idea of seriously hurting them?	Local (n = 115)	State (n = 4,286)
a. Very wrong	74.8% (± 7.9%)	68.8% (± 2.0%)
b. Wrong	16.5 (± 6.8)	19.6 (± 1.4)
c. A little bit wrong	7.0 (± 4.6)	8.3 (± 1.0)
d. Not wrong at all	1.7 (± 2.4)	3.2 (± 0.6)
226. Stay away from school all day when their parents think they are at school?	Local (n = 116)	State (n = 4,268)
a. Very wrong	69.0% (± 8.4%)	60.9% (± 1.7%)
b. Wrong	20.7 (± 7.4)	26.0 (± 1.2)
c. A little bit wrong	7.8 (± 4.9)	9.7 (± 1.0)
d. Not wrong at all	2.6 (± 2.9)	3.5 (± 0.6)

227. What are the chances you would be seen as cool if you began drinking alcoholic beverages regularly, that is, at least once or twice a month?		
	Local (n = 117)	State (n = 4,682)
a. No or very little chance	57.3% (± 9.0%)	50.1% (± 2.1%)
b. Little chance	23.9 (± 7.7)	21.1 (± 1.2)
c. Some chance	8.6 (± 5.1)	15.3 (± 1.1)
d. Pretty good chance	3.4 (± 3.3)	8.9 (± 0.9)
e. Very good chance	6.8 (± 4.6)	4.7 (± 0.7)

**Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have . . .**

228. Smoked cigarettes?		
	Local (n = 115)	State (n = 3,998)
a. None	90.4% (± 5.4%)	77.3% (± 2.2%)
b. 1	5.2 (± 4.1)	11.2 (± 1.1)
c. 2	2.6 (± 2.9)	5.0 (± 0.8)
d. 3	0.0 (± 0.0)	2.6 (± 0.7)
e. 4	1.7 (± 2.4)	3.9 (± 0.8)

229. Tried beer, wine, or hard liquor (for example, vodka, whiskey, or gin) when their parents didn't know about it?		
	Local (n = 114)	State (n = 3,985)
a. None	78.1% (± 7.6%)	67.6% (± 2.5%)
b. 1	9.7 (± 5.4)	12.3 (± 1.4)
c. 2	2.6 (± 2.9)	8.0 (± 1.1)
d. 3	3.5 (± 3.4)	4.6 (± 0.8)
e. 4	6.1 (± 4.4)	7.4 (± 1.0)

230. Used marijuana?		
	Local (n = 115)	State (n = 3,960)
a. None	85.2% (± 6.5%)	78.1% (± 2.1%)
b. 1	4.4 (± 3.7)	8.7 (± 0.9)
c. 2	6.1 (± 4.4)	4.6 (± 0.8)
d. 3	1.7 (± 2.4)	3.3 (± 0.7)
e. 4	2.6 (± 2.9)	5.3 (± 0.9)

231. Used LSD, cocaine, amphetamines, or other illegal drugs?		
	Local (n = 115)	State (n = 3,950)
a. None	92.2% (± 4.9%)	90.7% (± 1.1%)
b. 1	2.6 (± 2.9)	4.9 (± 0.6)
c. 2	3.5 (± 3.4)	2.1 (± 0.4)
d. 3	0.9 (± 1.7)	0.9 (± 0.3)
e. 4	0.9 (± 1.7)	1.4 (± 0.4)

232. Been suspended from school?		
	Local (n = 117)	State (n = 4,689)
a. None of my friends	76.9% (± 7.6%)	65.1% (± 3.1%)
b. 1 of my friends	16.2 (± 6.7)	18.9 (± 1.4)
c. 2 of my friends	4.3 (± 3.7)	7.6 (± 1.2)
d. 3 of my friends	0.9 (± 1.7)	3.3 (± 0.6)
e. 4 of my friends	1.7 (± 2.4)	5.1 (± 1.0)

233. Carried a handgun?	Local (n = 117)		State (n = 4,682)	
	a. None of my friends	94.0% (± 4.3%)	91.5%	(± 1.1%)
	b. 1 of my friends	2.6 (± 2.9)	5.3	(± 0.8)
	c. 2 of my friends	2.6 (± 2.9)	1.5	(± 0.4)
	d. 3 of my friends	0.0 (± 0.0)	0.6	(± 0.2)
	e. 4 of my friends	0.9 (± 1.7)	1.1	(± 0.3)
234. Sold illegal drugs?	Local (n = 117)		State (n = 4,675)	
	a. None of my friends	91.5% (± 5.1%)	85.1%	(± 1.8%)
	b. 1 of my friends	4.3 (± 3.7)	8.5	(± 1.1)
	c. 2 of my friends	3.4 (± 3.3)	2.9	(± 0.5)
	d. 3 of my friends	0.0 (± 0.0)	1.7	(± 0.4)
	e. 4 of my friends	0.9 (± 1.7)	1.8	(± 0.4)
235. Stolen or tried to steal a motor vehicle such as a car or motorcycle?	Local (n = 117)		State (n = 4,674)	
	a. None of my friends	98.3% (± 2.4%)	94.2%	(± 0.9%)
	b. 1 of my friends	0.9 (± 1.7)	3.5	(± 0.6)
	c. 2 of my friends	0.0 (± 0.0)	1.0	(± 0.3)
	d. 3 of my friends	0.0 (± 0.0)	0.5	(± 0.2)
	e. 4 of my friends	0.9 (± 1.7)	0.7	(± 0.2)
236. Been arrested?	Local (n = 117)		State (n = 4,664)	
	a. None of my friends	91.5% (± 5.1%)	85.7%	(± 1.9%)
	b. 1 of my friends	7.7 (± 4.8)	8.7	(± 1.2)
	c. 2 of my friends	0.0 (± 0.0)	3.0	(± 0.6)
	d. 3 of my friends	0.9 (± 1.7)	1.0	(± 0.4)
	e. 4 of my friends	0.0 (± 0.0)	1.7	(± 0.3)
237. Dropped out of school?	Local (n = 117)		State (n = 4,672)	
	a. None of my friends	96.6% (± 3.3%)	92.1%	(± 1.2%)
	b. 1 of my friends	2.6 (± 2.9)	5.4	(± 0.8)
	c. 2 of my friends	0.9 (± 1.7)	1.4	(± 0.4)
	d. 3 of my friends	0.0 (± 0.0)	0.5	(± 0.2)
	e. 4 of my friends	0.0 (± 0.0)	0.7	(± 0.3)
238. When I am an adult I will smoke cigarettes.	Local (n = 115)		State (n = 3,912)	
	a. NO!	84.4% (± 6.6%)	72.8%	(± 1.6%)
	b. no	12.2 (± 6.0)	21.2	(± 1.4)
	c. yes	3.5 (± 3.4)	4.0	(± 0.6)
	d. YES!	0.0 (± 0.0)	1.9	(± 0.4)
239. When I am an adult I will drink beer, wine, or liquor.	Local (n = 115)		State (n = 3,876)	
	a. NO!	25.2% (± 7.9%)	35.0%	(± 2.2%)
	b. no	19.1 (± 7.2)	23.3	(± 1.4)
	c. yes	42.6 (± 9.0)	33.5	(± 1.6)
	d. YES!	13.0 (± 6.2)	8.3	(± 1.2)



	Local (n = 115)	State (n = 3,896)
240. When I am an adult I will smoke marijuana.		
a. NO!	83.5% (± 6.8%)	75.6% (± 1.6%)
b. no	12.2 (± 6.0)	14.9 (± 1.2)
c. yes	0.9 (± 1.7)	5.5 (± 0.7)
d. YES!	3.5 (± 3.4)	4.0 (± 0.8)

**Think about your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...**

	Local (n = 115)	State (n = 4,061)
241. Participated in clubs, organizations or activities at school?		
a. None of my friends	7.8% (± 4.9%)	16.0% (± 1.9%)
b. 1 of my friends	7.8 (± 4.9)	13.4 (± 1.3)
c. 2 of my friends	17.4 (± 6.9)	15.8 (± 1.2)
d. 3 of my friends	13.0 (± 6.2)	14.8 (± 1.2)
e. 4 of my friends	53.9 (± 9.1)	40.1 (± 3.1)

	Local (n = 114)	State (n = 4,011)
242. Made a commitment to stay drug-free?		
a. None of my friends	20.2% (± 7.4%)	26.0% (± 2.0%)
b. 1 of my friends	4.4 (± 3.8)	8.3 (± 1.0)
c. 2 of my friends	4.4 (± 3.8)	7.1 (± 0.8)
d. 3 of my friends	11.4 (± 5.8)	9.8 (± 1.0)
e. 4 of my friends	59.7 (± 9.0)	48.7 (± 3.0)

	Local (n = 114)	State (n = 4,010)
243. Liked school?		
a. None of my friends	18.4% (± 7.1%)	24.8% (± 1.7%)
b. 1 of my friends	14.0 (± 6.4)	13.4 (± 1.1)
c. 2 of my friends	22.8 (± 7.7)	18.0 (± 1.0)
d. 3 of my friends	20.2 (± 7.4)	16.1 (± 1.2)
e. 4 of my friends	24.6 (± 7.9)	27.8 (± 1.7)

	Local (n = 113)	State (n = 3,965)
244. Regularly attended religious services?		
a. None of my friends	22.1% (± 7.6%)	27.4% (± 2.1%)
b. 1 of my friends	23.0 (± 7.8)	23.1 (± 1.2)
c. 2 of my friends	29.2 (± 8.4)	19.9 (± 1.4)
d. 3 of my friends	12.4 (± 6.1)	12.1 (± 1.3)
e. 4 of my friends	13.3 (± 6.3)	17.4 (± 1.5)

	Local (n = 115)	State (n = 4,009)
245. Tried to do well in school?		
a. None of my friends	6.1% (± 4.4%)	7.6% (± 1.0%)
b. 1 of my friends	1.7 (± 2.4)	7.3 (± 0.8)
c. 2 of my friends	6.1 (± 4.4)	10.2 (± 0.9)
d. 3 of my friends	17.4 (± 6.9)	15.5 (± 1.0)
e. 4 of my friends	68.7 (± 8.5)	59.4 (± 2.1)

	Local (n = 117)	State (n = 4,709)
246. I think it is okay to take something without asking as long as you get away with it.		
a. NO!	57.3% (± 9.0%)	50.7% (± 1.7%)
b. no	30.8 (± 8.4)	37.3 (± 1.5)
c. yes	9.4 (± 5.3)	8.3 (± 0.9)
d. YES!	2.6 (± 2.9)	3.7 (± 0.7)

247.	I think sometimes it's okay to cheat at school.	Local (n = 117)	State (n = 4,707)
	a. NO!	49.6% (± 9.1%)	44.1% (± 2.0%)
	b. no	27.4 (± 8.1)	35.2 (± 1.2)
	c. yes	17.1 (± 6.8)	17.0 (± 1.6)
	d. YES!	6.0 (± 4.3)	3.7 (± 0.7)
248.	It is all right to beat up people if they start the fight.	Local (n = 117)	State (n = 4,700)
	a. NO!	39.3% (± 8.9%)	30.8% (± 2.1%)
	b. no	27.4 (± 8.1)	24.0 (± 1.3)
	c. yes	19.7 (± 7.2)	25.8 (± 1.2)
	d. YES!	13.7 (± 6.2)	19.5 (± 2.0)
249.	It is important to be honest with your parents, even if they become upset or you get punished.	Local (n = 117)	State (n = 4,698)
	a. NO!	3.4% (± 3.3%)	7.1% (± 0.6%)
	b. no	9.4 (± 5.3)	10.4 (± 0.7)
	c. yes	41.0 (± 8.9)	39.1 (± 1.3)
	d. YES!	46.2 (± 9.0)	43.3 (± 1.4)
[Items 250–252 appear only on the elementary version of the survey.]			
253.	You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?	Local (n = 115)	State (n = 3,835)
	a. Ignore her	14.8% (± 6.5%)	23.9% (± 1.8%)
	b. Grab a CD and leave the store	7.8 (± 4.9)	8.5 (± 1.0)
	c. Tell her to put the CD back	49.6 (± 9.1)	40.2 (± 1.9)
	d. Act like it's a joke and ask her to put the CD back	27.8 (± 8.2)	27.5 (± 1.8)
254.	You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?	Local (n = 114)	State (n = 3,788)
	a. Push the person back	10.5% (± 5.6%)	14.6% (± 1.6%)
	b. Say nothing and keep on walking	40.4 (± 9.0)	42.2 (± 2.1)
	c. Say, "Watch where you're going," and keep on walking	35.1 (± 8.8)	30.2 (± 1.9)
	d. Swear at the person and walk away	14.0 (± 6.4)	13.1 (± 0.9)
255.	You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	Local (n = 113)	State (n = 3,774)
	a. Drink it	7.1% (± 4.7%)	16.4% (± 1.7%)
	b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	48.7 (± 9.2)	44.4 (± 2.0)
	c. Just say, "No, thanks," and walk away	28.3 (± 8.3)	26.9 (± 1.5)
	d. Make up a good excuse, tell your friend you had something else to do, and leave	15.9 (± 6.7)	12.4 (± 1.1)

256. During the past 12 months, how many days did you miss some school because of a toothache (do not include toothache due to braces or an injury)? (For the elementary version of this question, please see Item 85.)

- a. None
- b. 1–4 days
- c. 5 days or more
- d. Not sure

	Local ( <i>n</i> = 113)		State ( <i>n</i> = 4,636)	
	95.6%	(± 3.8%)	91.9%	(± 1.2%)
	2.7	(± 3.0)	4.6	(± 0.7)
	0.0	(± 0.0)	1.3	(± 0.4)
	1.8	(± 2.4)	2.2	(± 0.5)

## List of Core Items

The core items that appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other items appeared on either Form A or Form B, but not both. Core items may or may not have appeared on Form C (the elementary version).

<i>Item</i>	<i>Description</i>	<i>Item</i>	<i>Description</i>
1	Age	58	Drinking categories variable
3	Gender	59	Drunk or high at school (past 12 months)
4	Race/Ethnicity	78	Participation in after school activities
5	Language spoken at home	97	30-day ridden in car with drinking driver
7	Mother's education	99	30-day driven a car while drinking
8	Father's education	102	Weapon carrying on school property (past 30 days)
14	Honesty in completing survey	103	Physical fighting (past 12 months)
16	Lifetime alcohol use	105	Gang membership
17	Lifetime marijuana use	110	Depression (past 12 months)
24	30-day use of cigarettes	111	Seriously consider attempting suicide
25	30-day use of chewing tobacco	122	Been bullied (past 30 days)
28	30-day use of alcohol	131	School provides counselor to discuss ATOD
29	30-day use of marijuana or hashish	186	Grades in school (past 12 months)
30/31	30-day use of illegal drugs	191	Enjoyed being in school (past 12 months)
32	30-day use of painkillers	202	Feel safe at school
34	Would smoke if offered cigarette by a friend	208	Age when first smoked marijuana
35	Intent to smoke within the next year	211	Age when first drank alcohol
55	Binge drinking	219	Perceived wrongness of smoking

## Item Index

Age at first use 208, 210, 211, 213	Family 143–145, 168–185	School ( <i>continued</i> )
Alcohol	Fighting 103–104, 217, 224–225, 248, 254	Climate 195–201, 203
Age at first use 211, 213	Fitness	Enjoyment 191–192
Attitudes 56–57, 156, 158, 218, 227, 239, 255	Body weight 63–64	Fighting at 104
Driving 97, 99	Exercise 71–73	Safety 202
Prevention 50–52	Physical Education 76–77	Schoolwork 188–190, 197
Quitting 62	Friends 228–237, 241–245	Substance use at 40, 59
Source 60, 150	Gambling 120–121	Suspension 214, 232
Use 28, 55, 58–59, 229	Gangs 105	Weapons at 102, 222
Arrest 215, 236	Guns ( <i>see</i> Weapons)	Sexual Behavior 89–92
Asthma 79–84	HIV/AIDS Education 133–135	Sleep 12–13
Bullying 122–130	Honesty 14, 246–247, 249	Suicide 111–113, 117–119
Clubs 162–164	Marijuana ( <i>see</i> Drugs)	Teams ( <i>see</i> Clubs)
Cocaine ( <i>see</i> Drugs)	Medical care 87–88	Theft 223, 235, 253
Demographics 1, 3–5, 7–8	Methamphetamines ( <i>see</i> Drugs)	Tobacco
Dental Health 88, 256	Neighborhood 147–149, 161	Advertising 42
Depression 110, 116	Nutrition 65–70	Age at first use 210
Diabetes 86	Pregnancy prevention 134–135	Chewing 25
Drugs	Quality of life 136–142	Cigarettes 15, 24, 34–37, 40, 157, 210, 219, 228, 238
Age at first use 208	Risk of harm 37, 54, 204–207	Prevention 38–39, 48
Cocaine 21, 153, 221, 231	Rules enforcement 53, 132, 168–175	Quitting 62
Marijuana 17, 29, 54, 152, 155, 160, 208, 220, 230, 240	Safety 93, 95–96	Secondhand smoke 41, 43–45, 47
Methamphetamines 20, 153, 221, 231	School	Source 49, 151
Other drugs 18–19, 22, 30–33, 221, 231	Absence 194, 226	Other tobacco use 26–27
Quitting 62	Achievement 186–187, 193	TV/Video Games 74–75
Selling 234	After school activities 78	Weapons 100, 102, 154, 159, 216, 233
Source 61, 153	ATOD Intervention 131	Violence 106–109
		Work 9–11